

Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/US2003/041273

International filing date: 24 December 2003 (24.12.2003)

Document type: Certified copy of priority document


Document details: Country/Office: US
Number: 10/660,202
Filing date: 11 September 2003 (11.09.2003)

Date of receipt at the International Bureau: 06 December 2007 (06.12.2007)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse



THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

December 06, 2007

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE.

APPLICATION NUMBER: *10/660,202*

FILING DATE: *September 11, 2003*

RELATED PCT APPLICATION NUMBER: *PCT/US03/41273*

THE COUNTRY CODE AND NUMBER OF YOUR PRIORITY APPLICATION, TO BE USED FOR FILING ABROAD UNDER THE PARIS CONVENTION, IS *US10/660,202*



Certified by

Under Secretary of Commerce
for Intellectual Property
and Director of the United States
Patent and Trademark Office

Pharmaceutical Co-Crystal Compositions

INCORPORATION BY REFERENCE

This application claims the benefit of US Provisional Patent Application No.
5 60/451,213 filed on February 28, 2003; U.S. Provisional Patent Application No.
60/463,962, filed on April 18, 2003; and U.S. Provisional Application No. 60/487,064,
filed on July 11, 2003 each of which incorporated herein by reference in its entirety.
This application is also a continuation-in-part of PCT US03/XXXXXX, filed on
September 4, 2003 which is a continuation-in-part of U.S. Patent Application No.
10 10/378,956, filed March 1, 2003, which claims the benefit of U.S. Provisional
Application No. 60/360,768, filed March 1, 2002; said PCT US03/XXXXXX also claims
the benefit of US Provisional Patent Application No. 60/451,213 filed on February 28,
2003; U.S. Provisional Patent Application No. 60/463,962, filed on April 18, 2003; and
U.S. Provisional Application No. 60/487,064, filed on July 11, 2003. This application is
15 also a continuation-in-part of U.S. Patent Application No. 10/637,829, filed August 8,
2003, which is a divisional of U.S. Patent Application No. 10/295,995, filed November
18, 2002, which is a continuation of U.S. Patent Application No. 10/232,589, filed
September 3, 2002, which claims the benefit of US Provisional Patent Application No.
60/406,974, filed August 30, 2002 and US Provisional Patent Application
20 No. 60/380,288, filed May 15, 2002 and US Provisional Patent Application No.
60/356,764, filed February 15, 2002. This application is also a continuation-in-part of
US Patent Application No. 10/449,307, filed May 30, 2003 which claims the benefit of
US Provisional Patent Application No. 60/463,962 filed April 18, 2003 and US
Provisional Patent Application No. 60/444,315, filed January 31, 2003 and US
25 Provisional Patent Application No. 60/439,282 filed January 10, 2003 and US
Provisional Patent Application No. 60/384,152, filed May 31, 2002. This application is
also a continuation-in-part of US Patent Application No. 10/601,092, filed June 20,
2003, which claims the benefit of US Provisional Patent Application No. 60/451,213,
filed February 28, 2003. Each of these applications is hereby incorporated by reference
30 in their entireties, including all figures, tables and formulae.

FIELD OF THE INVENTION

The present invention relates to co-crystal API-containing compositions, pharmaceutical compositions comprising such APIs, and methods for preparing the same.

5

BACKGROUND OF THE INVENTION

Active pharmaceutical ingredients (API or APIs (plural)) in pharmaceutical compositions can be prepared in a variety of different forms. Such APIs can be prepared so as to have a variety of different chemical forms including chemical derivatives or salts. Such APIs can also be prepared to have different physical forms. For example, the APIs may be amorphous, may have different crystalline polymorphs, or may exist in different solvation or hydration states. By varying the form of an API, it is possible to vary the physical properties thereof. For example, crystalline polymorphs typically have different solubilities from one another, such that a more thermodynamically stable polymorph is less soluble than a less thermodynamically stable polymorph. Pharmaceutical polymorphs can also differ in properties such as shelf-life, bioavailability, morphology, vapour pressure, density, colour, and compressibility. Accordingly, variation of the crystalline state of an API is one of many ways in which to modulate the physical properties thereof.

It would be advantageous to have new forms of these APIs that have improved properties, in particular, as oral formulations. Specifically, it is desirable to identify improved forms of APIs that exhibit significantly improved properties including increased aqueous solubility and stability. Further, it is desirable to improve the processability, or preparation of pharmaceutical formulations. For example, needle-like crystal forms or habits of APIs can cause aggregation, even in compositions where the API is mixed with other substances, such that a non-uniform mixture is obtained. It is also desirable to increase the dissolution rate of API-containing pharmaceutical compositions in water, increase the bioavailability of orally-administered compositions, and provide a more rapid onset to therapeutic effect. It is also desirable to have a form of the API which, when administered to a subject, reaches a peak plasma level faster, has a longer lasting therapeutic plasma concentration, and higher overall exposure when compared to equivalent amounts of the API in its presently-known form.

SUMMARY OF THE INVENTION

It has now been found that new co-crystalline forms of APIs can be obtained which improve the properties of APIs as compared to such APIs in a non-co-crystalline state (free acid, free base, zwitter ions, salts, etc.).

5 Accordingly, in a first aspect, the present invention provides a co-crystal pharmaceutical composition comprising an API compound and a co-crystal former, such that the API and co-crystal former are capable of co-crystallizing from a solid or solution phase under crystallization conditions.

10 Another aspect of the present invention provides a process for the production of a pharmaceutical composition, which process comprises:

 (1) providing an API which has at least one functional group selected from ether, thioether, alcohol, thiol, aldehyde, ketone, thioketone, nitrate ester, phosphate ester, thiophosphate ester, ester, thioester, sulfate ester, carboxylic acid, phosphonic acid, phosphinic acid, sulfonic acid, amide, primary amine, secondary amine, ammonia, 15 tertiary amine, sp² amine, thiocyanate, cyanamide, oxime, nitrile, diazo, organohalide, nitro, s-heterocyclic ring, thiophene, n-heterocyclic ring, pyrrole, o-heterocyclic ring, furan, epoxide, peroxide, hydroxamic acid, imidazole, and pyridine;

 (2) providing a co-crystal former which has at least one functional group selected from ether, thioether, alcohol, thiol, aldehyde, ketone, thioketone, nitrate ester, 20 phosphate ester, thiophosphate ester, ester, thioester, sulfate ester, carboxylic acid, phosphonic acid, phosphinic acid, sulfonic acid, amide, primary amine, secondary amine, ammonia, tertiary amine, sp² amine, thiocyanate, cyanamide, oxime, nitrile, diazo, organohalide, nitro, s-heterocyclic ring, thiophene, n-heterocyclic ring, pyrrole, o-heterocyclic ring, furan, epoxide, peroxide, hydroxamic acid, imidazole, and pyridine;

25 (3) grinding, heating or contacting in solution the API with the co-crystal former under crystallization conditions;

 (4) isolating co-crystals formed thereby; and

 (5) incorporating the co-crystals into a pharmaceutical composition.

30 A further aspect of the present invention provides a process for the production of a pharmaceutical composition, which comprises:

 (1) grinding, heating or contacting in solution an API compound with a co-crystal former, under crystallization conditions, so as to form a solid phase;

 (2) isolating co-crystals comprising the API and the co-crystal former; and

- (3) incorporating the co-crystals into a pharmaceutical composition.

In a further aspect, the present invention provides a process for the production of a pharmaceutical composition, which comprises:

- 5 (1) providing (i) an API or a plurality of different APIs, and (ii) a co-crystal former or a plurality of different co-crystal formers, wherein at least one of the APIs and the co-crystal formers is provided as a plurality thereof;
- (2) isolating co-crystals comprising the API and the co-crystal former; and
- (3) incorporating the co-crystals into a pharmaceutical composition.

10

Solubility Modulation

In a further aspect, the present invention provides a process for modulating the solubility of an API, which process comprises:

- 15 (1) grinding, heating or contacting in solution the API with a co-crystal former under crystallization conditions, so as to form a co-crystal of the API and the co-crystal former; and
- (2) isolating co-crystals comprising the API and the co-crystal former.

Dissolution Modulation

20 In a further aspect, the present invention provides a process for modulating the dissolution of an API, whereby the aqueous dissolution rate or the dissolution rate in simulated gastric fluid or in simulated intestinal fluid, or in a solvent or plurality of solvents is increased or decreased, which process comprises:

- 25 (1) grinding, heating or contacting in solution the API with a co-crystal former under crystallization conditions, so as to form a co-crystal of the API and the co-crystal former; and
- (2) isolating co-crystals comprising the API and the co-crystal former.

In one embodiment, the dissolution of the API is increased.

30

Bioavailability Modulation

In a further aspect, the present invention provides a process for modulating the bioavailability of an API, whereby the AUC is increased, the time to T_{max} is reduced, the

length of time the concentration of the API is above $\frac{1}{2} T_{\max}$ is increased, or C_{\max} is increased, which process comprises:

- (1) grinding, heating or contacting in solution the API with a co-crystal former under crystallization conditions, so as to form a co-crystal of the API and the co-crystal former; and
- (2) isolating co-crystals comprising the API and the co-crystal former.

Dose Response Modulation

In a further aspect the present invention provides a process for improving the linearity of a dose response of an API, which process comprises:

- (1) grinding, heating, or contacting in solution an API with a co-crystal former under crystallization conditions, so as to form a co-crystal of the API and the co-crystal former; and
- (2) isolating co-crystals comprising the API and the co-crystal former.

Increased Stability

In a still further aspect the present invention provides a process for improving the stability of a pharmaceutical salt, which process comprises:

- (1) grinding, heating or contacting in solution the pharmaceutical salt with a co-crystal former under crystallization conditions, so as to form a co-crystal of the API and the co-crystal former; and
- (2) isolating co-crystals comprising the API and the co-crystal former.

Difficult to Salt or Unsalttable Compounds

In a still further aspect the present invention provides a process for making co-crystals of difficult to salt or unsalttable APIs, which process comprises:

- (1) grinding, heating or contacting in solution the API with a co-crystal former under crystallization conditions, so as to form a co-crystal of the API and the co-crystal former; and
- (2) isolating co-crystals comprising the API and the co-crystal former.

Decreasing Hygroscopicity

In a still further aspect the present invention provides a method for decreasing the hygroscopicity of an API, which method comprises:

(1) grinding, heating or contacting in solution the API with a co-crystal former under crystallization conditions, so as to form a co-crystal of the API and the co-crystal former; and

(2) isolating co-crystals comprising the API and the co-crystal former.

5

Crystallizing Amorphous Compounds

In a still further embodiment aspect the present invention provides a process for crystallizing an amorphous compound, which process comprises:

(1) grinding, heating or contacting in solution the API with a co-crystal

10 former under crystallization conditions, so as to form a co-crystal of the API and the co-crystal former; and

(2) isolating co-crystals comprising the API and the co-crystal former.

Decreasing Form Diversity

15 In a still further embodiment aspect the present invention provides a process for reducing the form diversity of an API, which process comprises:

(1) grinding, heating or contacting in solution the API with a co-crystal

former under crystallization conditions, so as to form a co-crystal of the API and the co-crystal former; and

20 (2) isolating co-crystals comprising the API and the co-crystal former.

Morphology Modulation

In a still further embodiment aspect the present invention provides a process for modifying the morphology of an API, which process comprises:

25 (1) grinding, heating or contacting in solution the API with a co-crystal

former under crystallization conditions, so as to form a co-crystal of the API and the co-crystal former; and

(2) isolating co-crystals comprising the API and the co-crystal former.

30 In a further aspect, the present invention provides a co-crystal composition comprising a co-crystal, wherein said co-crystal comprises an API compound and a co-crystal former. In further embodiments the co-crystal has an improved property as compared to the free form (including a free acid, free base, zwitter ion, hydrate, solvate, etc.) or a salt (which includes salt hydrates and solvates). In further embodiments, the improved property is

selected from the group consisting of: increased solubility, increased dissolution, increased bioavailability, increased dose response, decreased hygroscopicity, a crystalline form of a normally amorphous compound, a crystalline form of a difficult to salt or unsalt compound, decreased form diversity, more desired morphology, or other property described herein.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 PXRD pattern for a co-crystal of carbamazepine and saccharin (Form I).

Fig. 2 DSC thermogram for a co-crystal of carbamazepine and saccharin (Form I).

Fig. 3 PXRD pattern for a co-crystal of carbamazepine and nicotinamide (Form I).

Fig. 4 DSC thermogram for a co-crystal of carbamazepine and nicotinamide (Form I).

Fig. 5 PXRD pattern for a co-crystal of carbamazepine and trimesic acid (Form I).

Fig. 6 PXRD pattern for a co-crystal of topiramate and 18-crown-6.

Fig. 7 DSC thermogram for a co-crystal of topiramate and 18-crown-6.

Fig. 8 PXRD pattern for a co-crystal of olanzapine and nicotinamide (Form I).

Fig. 9 DSC thermogram for a co-crystal of olanzapine and nicotinamide (Form I).

Fig. 10 PXRD pattern for a co-crystal of celecoxib and 18-crown-6.

Fig. 11 DSC thermogram for a co-crystal of celecoxib and 18-crown-6.

Fig. 12 PXRD pattern for a co-crystal of itraconazole and succinic acid.

Fig. 13 DSC thermogram for a co-crystal of itraconazole and succinic acid.

Fig. 14 PXRD pattern for a co-crystal of itraconazole and fumaric acid.

Fig. 15 DSC thermogram for a co-crystal of itraconazole and fumaric acid.

Fig. 16 PXRD pattern for a co-crystal of itraconazole and tartaric acid

Fig. 17 DSC thermogram for a co-crystal of itraconazole and tartaric acid.

Fig. 18 PXRD pattern for a co-crystal of itraconazole and malic acid.

Fig. 19 DSC thermogram for a co-crystal of itraconazole and malic acid.

Fig. 20 PXRD pattern for a co-crystal of itraconazoleHCl and tartaric acid.

Fig. 21 DSC thermogram for a co-crystal of itraconazoleHCl and tartaric acid.

Fig. 22 PXRD pattern for a co-crystal of modafinil and malonic acid.

Fig. 23 PXRD pattern for a co-crystal of modafinil and benzamide.

Fig. 24 PXRD pattern for a co-crystal of modafinil and mandelic acid.

Fig. 25 PXRD pattern for a co-crystal of modafinil and glycolic acid.

5 Fig. 26 PXRD pattern for a co-crystal of modafinil and fumaric acid.

Fig. 27 Dissolution profile for a co-crystal of celecoxib:nicotinamide vs. celecoxib free acid.

Fig. 28 Dissolution profile for co-crystals of itraconazole:succinic acid, itraconazole:tartaric acid and itraconazole:malic acid vs. itraconazole free base.

10 Fig. 29 Hygroscopicity profile for a co-crystal of celecoxib:nicotinamide vs. celecoxib sodium.

Fig. 30 PXRD pattern for a co-crystal of olanzapine and nicotinamide (Form II).

Fig. 31 PXRD pattern for a co-crystal of olanzapine and nicotinamide (Form III).

Fig. 32A-D Packing diagrams and crystal structure of olanzapine and
15 nicotinamide (Form III). Figure 32A depicts the molecular structure of the olanzapine-nicotinamide-H₂O-IPOAc crystal. In Figure 32C, the olanzapine molecules occupy the spaces shown and are hydrogen bonded to the water molecules. The arrangement of the olanzapine molecules is similar to that observed from the methanol solvate and the published structures for the hydrates; the water molecules bridge the olanzapine
20 moieties resulting in hydrogen-bonded zigzag sheets (see Figure 32D).

Fig. 33 DSC thermogram for a co-crystal of 5-fluorouracil and urea.

Fig. 34 TGA thermogram for a co-crystal of 5-fluorouracil and urea.

Fig. 35 Raman spectrum for a co-crystal of 5-fluorouracil and urea.

Fig. 36 PXRD pattern for a co-crystal of 5-fluorouracil and urea.

25 Fig. 37 PXRD pattern for a co-crystal of hydrochlorothiazide and nicotinic acid.

Fig. 38 PXRD pattern for a co-crystal of hydrochlorothiazide and 18-crown-6.

Fig. 39 PXRD pattern for a co-crystal of hydrochlorothiazide and piperazine.

Fig. 40 DSC thermogram for a co-crystal of modafinil and malonic acid.

Fig. 41 TGA thermogram for a co-crystal of modafinil and malonic acid.

30 Fig. 42 Raman spectrum for a co-crystal of modafinil and malonic acid.

Fig. 43 PXRD pattern for a co-crystal of modafinil and maleic acid.

Fig. 44A-B An acetaminophen 1-D polymeric chain and a co-crystal of acetaminophen and 4,4'-bipyridine, respectively.

Fig. 45A-B Pure phenytoin and a co-crystal with phenytoin and pyridone, respectively.

Fig. 46A-D Pure aspirin and the corresponding crystal structure are shown in Figures 46A and 46B, respectively. Figures 46C and 46D show the supramolecular entity containing the synthon and corresponding co-crystal of aspirin and 4,4'-bipyridine, respectively.

Fig. 47A-D Pure ibuprofen and the corresponding crystal structure are shown in Figures 7A and 7B, respectively. Figures 7C and 7D show the supramolecular entity containing the synthon and corresponding co-crystal of ibuprofen and 4,4'-bipyridine, respectively.

Fig. 48A-D Pure flurbiprofen and the corresponding crystal structure are shown in Figures 48A and 48B, respectively. Figures 5C and 5D show the supramolecular synthon and corresponding co-crystal of flurbiprofen and 4,4'-bipyridine, respectively.

Fig. 49A-B The supramolecular entity containing the synthon and the corresponding co-crystal structure of flurbiprofen and trans-1,2-bis(4-pyridyl)ethylene, respectively.

Fig. 50A-B The crystal structure of pure carbamazepine and the co-crystal structure of carbamazepine and *p*-phthalaldehyde, respectively.

Fig. 51 The co-crystal structure of carbamazepine and nicotinamide (Form II).

Fig. 52 The co-crystal structure of carbamazepine and saccharin (Form II).

Fig. 53A-C The chemical structures of ibuprofen, flurbiprofen, and aspirin, respectively.

Fig. 54A-B The crystal structure of carbamazepine and the co-crystal structure of carbamazepine and 2,6-pyridinedicarboxylic acid, respectively.

Fig. 55A-B The crystal structure of carbamazepine and the co-crystal structure of carbamazepine and 5-nitroisophthalic acid, respectively.

Fig. 56A-B The crystal structure of carbamazepine and the co-crystal structure of carbamazepine and 1,3,5,7-adamantanetetracarboxylic acid, respectively.

Fig. 57A-B The crystal structure of carbamazepine and the co-crystal structure of carbamazepine and benzoquinone, respectively.

Fig. 58A-B The crystal structure of carbamazepine and the co-crystal structure of carbamazepine and trimesic acid (Form II), respectively.

Fig. 59 PXRD diffractogram for a co-crystal of celecoxib and nicotinamide.

Fig. 60 DSC thermogram for a co-crystal of celecoxib and nicotinamide.

Fig. 61 TGA thermogram for a co-crystal of celecoxib and nicotinamide.

Fig. 62 Raman spectrum for a co-crystal of celecoxib and nicotinamide.

Fig. 63 Hydrogen-bonding motifs observed in co-crystals.

5

DETAILED DESCRIPTION OF THE INVENTION

The term “co-crystal” as used herein means a crystalline material comprised of two or more unique solids at room temperature, each containing distinctive physical characteristics, such as structure, melting point and heats of fusion, with the exception that, if specifically stated, the API may be a liquid at room temperature. The co-crystals of the present invention comprise a co-crystal former H-bonded to an API. The co-crystal former may be H-bonded directly to the API or may be H-bonded to an additional molecule which is bound to the API. The additional molecule may be H-bonded to the API or bound ionically or covalently to the API. The additional molecule could also be a different API. Solvates of API compounds that do not further comprise a co-crystal former are not co-crystals according to the present invention. The co-crystals may however, include one or more solvate molecules in the crystalline lattice. That is, solvates of co-crystals, or a co-crystal further comprising a solvent or compound that is a liquid at room temperature, is included in the present invention, but crystalline material comprised of only one solid and one or more liquids (at room temperature) are not included in the present invention, with the previously noted exception of specifically stated liquid APIs. The co-crystals may also be a co-crystal between a co-crystal former and a salt of an API, but the API and the co-crystal former of the present invention are constructed or bonded together through hydrogen bonds. Other modes of molecular recognition may also be present including, pi-stacking, guest-host complexation and van der Waals interactions. Of the interactions listed above, hydrogen-bonding is the dominant interaction in the formation of the co-crystal, (and a required interaction according to the present invention) whereby a non-covalent bond is formed between a hydrogen bond donor of one of the moieties and a hydrogen bond acceptor of the other. Hydrogen bonding can result in several different intermolecular configurations. For example, hydrogen bonds can result in the formation of dimers, linear chains, or cyclic structures. These configurations can further include extended (two-dimensional) hydrogen bond networks and isolated triads (Fig. 63). An alternative embodiment provides for a co-crystal wherein the co-crystal former is a second API. In another embodiment, the co-crystal former is not an API. In another embodiment the co-crystal

10

15

20

25

30

comprises two co-crystal formers. For purposes of the present invention, the chemical and physical properties of an API in the form of a co-crystal may be compared to a reference compound that is the same API in a different form. The reference compound may be specified as a free form, or more specifically, a free acid, free base, or zwitter ion; a salt, or more specifically for example, an inorganic base addition salt such as sodium, potassium, lithium, calcium, magnesium, ammonium, aluminum salts or organic base addition salts, or an inorganic acid addition salts such as HBr, HCl, sulfuric, nitric, or phosphoric acid addition salts or an organic acid addition salt such as acetic, propionic, pyruvic, malonic, succinic, malic, maleic, fumaric, tartaric, citric, benzoic, methanesulfonic, ethanesulfonic, stearic or lactic acid addition salt; an anhydrate or hydrate of a free form or salt, or more specifically, for example, a hemihydrate, monohydrate, dihydrate, trihydrate, tetrahydrate, pentahydrate; or a solvate of a free form or salt. For example, the reference compound for an API in salt form co-crystallized with a co-crystal former can be the API salt form. Similarly, the reference compound for a free acid API co-crystallized with a co-crystal former can be the free acid API. The reference compound may also be specified as crystalline or amorphous.

According to the present invention, the co-crystals can include an acid addition salt or base addition salt of an API. Acid addition salts include, but are not limited to, inorganic acids such as hydrochloric acid, hydrobromic acid, sulfuric acid, nitric acid, and phosphoric acid, and organic acids such as acetic acid, propionic acid, hexanoic acid, heptanoic acid, cyclopentanepropionic acid, glycolic acid, pyruvic acid, lactic acid, malonic acid, succinic acid, malic acid, maleic acid, fumaric acid, tartaric acid, citric acid, benzoic acid, o-(4-hydroxybenzoyl)benzoic acid, cinnamic acid, mandelic acid, methanesulfonic acid, ethanesulfonic acid, 1,2-ethanedithionyl acid, 2-hydroxyethanesulfonic acid, benzenesulfonic acid, p-chlorobenzenesulfonic acid, 2-naphthalenesulfonic acid, p-toluenesulfonic acid, camphorsulfonic acid, 4-methylbicyclo[2.2.2]oct-2-ene-1-carboxylic acid, glucoheptonic acid, 4,4'-methylenebis(3-hydroxy-2-ene-1-carboxylic acid), 3-phenylpropionic acid, trimethylacetic acid, tertiary butylacetic acid, lauryl sulfuric acid, gluconic acid, glutaric acid, hydroxynaphthoic acid, salicylic acid, stearic acid, and muconic acid. Base addition salts include, but are not limited to, inorganic bases such as sodium, potassium, lithium, ammonium, calcium and magnesium salts, and organic bases such as primary, secondary and tertiary amines (e.g. isopropylamine, trimethyl amine, diethyl amine,

tri(iso-propyl) amine, tri(n-propyl) amine, ethanolamine, 2-dimethylaminoethanol, tromethamine, lysine, arginine, histidine, caffeine, procaine, hydrabamine, choline, betaine, ethylenediamine, glucosamine, N-alkylglucamines, theobromine, purines, piperazine, piperidine, morpholine, and N-ethylpiperidine).

5 The ratio of API to co-crystal former may be stoichiometric or non-stoichiometric according to the present invention. For example, 1:1, 1:1.5 and 1:2 ratios of API:co-crystal former are acceptable.

10 It has surprisingly been found that when an API and a selected co-crystal former are allowed to form co-crystals, the resulting co-crystals give rise to improved properties of the API, as compared to the API in a free form (including free acids, free bases, and zwitter ions, hydrates, solvates, etc.), or an acid or base salt thereof particularly with respect to: solubility, dissolution, bioavailability, stability, C_{max}, T_{max}, processability, longer lasting therapeutic plasma concentration, hygroscopicity, crystallization of amorphous compounds, decrease in form diversity (including polymorphism and crystal habit), change in morphology or crystal habit, etc. For example, a co-crystal form of an API is particularly advantageous where the original API is insoluble or sparingly soluble in water. Additionally, the co-crystal properties conferred upon the API are also useful because the bioavailability of the API can be improved and the plasma concentration and/or serum concentration of the API can be improved. This is particularly
15 advantageous for orally-administrable formulations. Moreover, the dose response of the API can be improved, for example by increasing the maximum attainable response and/or increasing the potency of the API by increasing the biological activity per dosing equivalent.

20 Accordingly, in a first aspect, the present invention provides a pharmaceutical composition comprising a co-crystal of an API and a co-crystal former, such that the API and co-crystal former are capable of co-crystallizing from a solution phase under crystallization conditions or from the solid-state, for example, through grinding or heating. In another aspect, the API has at least one functional group selected from ether, thioether, alcohol, thiol, aldehyde, ketone, thioketone, nitrate ester, phosphate ester, thiophosphate ester, ester, thioester, sulfate ester, carboxylic acid, phosphonic acid, phosphinic acid, sulfonic acid, amide, primary amine, secondary amine, ammonia, tertiary amine, sp² amine, thiocyanate, cyanamide, oxime, nitrile, diazo, organohalide, nitro, s-heterocyclic ring, thiophene, n-heterocyclic ring, pyrrole, o-heterocyclic ring, furan, epoxide, peroxide, hydroxamic acid, imidazole, and pyridine and a co-crystal
30

former which has at least one functional group selected from ether, thioether, alcohol, thiol, aldehyde, ketone, thioketone, nitrate ester, phosphate ester, thiophosphate ester, ester, thioester, sulfate ester, carboxylic acid, phosphonic acid, phosphinic acid, sulfonic acid, amide, primary amine, secondary amine, ammonia, tertiary amine, sp² amine, thiocyanate, cyanamide, oxime, nitrile, diazo, organohalide, nitro, s-heterocyclic ring, thiophene, n-heterocyclic ring, pyrrole, o-heterocyclic ring, furan, epoxide, peroxide, hydroxamic acid, imidazole, and pyridine, or a functional group in a Table herein, such that the API and co-crystal former are capable of co-crystallizing from a solution phase under crystallization conditions.

The co-crystals of the present invention are formed where the API and co-crystal former are bonded together through hydrogen bonds. Other non-covalent interactions, including pi-stacking and van der Waals interactions, may also be present.

In one embodiment, the co-crystal former is selected from the co-crystal formers of Table I and Table II. In other embodiments, the co-crystal former of Table I is specified as a Class 1, Class 2, or Class 3 co-crystal former (see column labeled “class” Table I). In another embodiment, the difference in pK_a value of the co-crystal former and the API is less than 2. In other embodiments, the difference in pK_a values of the co-crystal former and API is less than 3, less than 4, less than 5, between 2 and 3, between 3 and 4, or between 4 and 5. Table I lists multiple pK_a values for co-crystal formers having multiple functionalities. It is readily apparent to one skilled in the art the particular functional group corresponding to a particular pK_a value.

In another embodiment the particular functional group of a co-crystal former interacting with the API is specified (see for example Table I, columns labeled “Functionality” and “Molecular Structure” and the column of Table II labeled “Co-Crystal Former Functional Group”). In a further embodiment the functional group of the API interacting with the co-crystal former functional group is specified (see, for example, Tables II and III).

In another embodiment, the co-crystal comprises more than one co-crystal former. For example, two, three, four, five, or more co-crystal formers can be incorporated in a co-crystal with an API. Co-crystals which comprise two or more co-crystal formers and an API are bound together via hydrogen bonds. In one embodiment, incorporated co-crystal formers are hydrogen bonded to the API molecules. In another embodiment, co-crystal formers are hydrogen bonded to either the API molecules or the incorporated co-crystal formers.

In a further embodiment, several co-crystal formers can be contained in a single compartment, or kit, for ease in screening an API for potential co-crystal species. The co-crystal kit can comprise 5, 10, 15, 20, 25, 30, 40, 50, 60, 70, 80, 90, 100, or more of the co-crystal formers in Tables I and II. The co-crystal formers are in solid form and in an array of individual reaction vials such that individual co-crystal formers can be tested with one or more APIs by one or more crystallization methods or multiple co-crystal formers can be easily tested against one or more compounds by one or more crystallization methods. The crystallization methods include, but are not limited to, melt recrystallization, grinding, milling, standing, co-crystal formation from solution by evaporation, thermally driven crystallization from solution, co-crystal formation from solution by addition of anti-solvent, co-crystal formation from solution by vapor-diffusion, co-crystal formation from solution by drown-out, co-crystal formation from solution by any combination of the above mentioned techniques, co-crystal formation by co-sublimation, co-crystal formation by sublimation using a Knudsen cell apparatus, co-crystal formation by standing the desired components of the co-crystal in the presence of solvent vapor, co-crystal formation by slurry conversion of the desired components of the co-crystal in a solvent or mixtures of solvents, or co-crystal formation by any combination of the above techniques in the presence of additives, nucleates, crystallization enhancers, precipitants, chemical stabilizers, or anti-oxidants. The co-crystallization kits can be used alone or as part of larger crystallization experiments. For example, kits can be constructed as single co-crystal former single well kits, single co-crystal former multi-well kits, multi-co-crystal former single well kits, or multi-co-crystal former multi-well kits.

In a further embodiment, the API is selected from an API of Table IV or elsewhere herein. For pharmaceuticals listed in Table IV, co-crystals can comprise such APIs in free form (i.e. free acid, free base, zwitter ion), salts, solvates, hydrates, or the like. For APIs in Table IV listed as salts, solvates, hydrates, and the like, the API can either be of the form listed in Table IV or its corresponding free form, or of another form that is not listed. Table IV includes the CAS number, chemical name, or a PCT or patent reference (each incorporated herein in their entireties). In further embodiments, the functional group of the particular API interacting with the co-crystal former is specified. A specific functional group of a co-crystal former, a specific co-crystal former, or a specified functional group or a specific co-crystal former interacting with the particular API may also be specified. It is noted that for Table II, the co-crystal

former, and optionally the specific functionality, and each of the listed corresponding interacting groups are included as individual species of the present invention. Thus, each specific combination of a co-crystal former and one of the interacting groups in the same row may be specified as a species of the present invention. The same is true for other combinations as discussed in the Tables and elsewhere herein.

In each process according to the invention, there is a need to contact the API with the co-crystal former. This may involve grinding the two solids together or melting one or both components and allowing them to recrystallize. This may also involve either solubilizing the API and adding the co-crystal former, or solubilizing the co-crystal former and adding the API. Crystallization conditions are applied to the API and co-crystal former. This may entail altering a property of the solution, such as pH or temperature and may require concentration of the solute, usually by removal of the solvent, typically by drying the solution. Solvent removal results in the concentration of both API and co-crystal former increasing over time so as to facilitate crystallization. Once the solid phase comprising any crystals is formed, this may be tested as described herein.

The co-crystals obtained as a result of such process steps may be readily incorporated into a pharmaceutical composition by conventional means. Pharmaceutical compositions in general are discussed in further detail below and may further comprise a pharmaceutically-acceptable diluent, excipient or carrier.

In a further aspect, the present invention provides a process for the production of a pharmaceutical composition, which process comprises:

- (1) providing an API which has at least one functional group selected from ether, thioether, alcohol, thiol, aldehyde, ketone, thioketone, nitrate ester, phosphate ester, thiophosphate ester, ester, thioester, sulfate ester, carboxylic acid, phosphonic acid, phosphinic acid, sulfonic acid, amide, primary amine, secondary amine, ammonia, tertiary amine, sp² amine, thiocyanate, cyanamide, oxime, nitrile diazo, organohalide, nitro, s-heterocyclic ring, thiophene, n-heterocyclic ring, pyrrole, o-heterocyclic ring, furan, epoxide, peroxide, hydroxamic acid, imidazole, and pyridine or of Table II or III;
- (2) providing a co-crystal former which has at least one functional group selected from ether, thioether, alcohol, thiol, aldehyde, ketone, thioketone, nitrate ester, phosphate ester, thiophosphate ester, ester, thioester, sulfate ester, carboxylic acid, phosphonic acid, phosphinic acid, sulfonic acid, amide, primary amine, secondary amine, ammonia, tertiary amine, sp² amine, thiocyanate, cyanamide, oxime, nitrile,

diazo, organohalide, nitro, s-heterocyclic ring, thiophene, n-heterocyclic ring, pyrrole, o-heterocyclic ring, furan, epoxide, peroxide, hydroxamic acid, imidazole, and pyridine or of Table I, II, or III;

- (3) grinding, heating or contacting in solution the API with the co-crystal former under crystallization conditions;
- (4) isolating co-crystals formed thereby; and
- (5) incorporating the co-crystals into a pharmaceutical composition.

In a still further aspect the present invention provides a process for the production of a pharmaceutical composition, which comprises:

- (1) grinding, heating or contacting in solution an API with a co-crystal former, under crystallization conditions, so as to form a solid phase;
- (2) isolating co-crystals comprising the API and the co-crystal former; and
- (3) incorporating the co-crystals into a pharmaceutical composition.

Assaying the solid phase for the presence of co-crystals of the API and the co-crystal former may be carried out by conventional methods known in the art. For example, it is convenient and routine to use powder X-ray diffraction techniques to assess the presence of co-crystals. This may be affected by comparing the spectra of the API, the crystal former and putative co-crystals in order to establish whether or not true co-crystals had been formed. Other techniques, used in an analogous fashion, include differential scanning calorimetry (DSC), thermogravimetric analysis (TGA) and Raman spectroscopy. Single crystal X-ray diffraction is especially useful in identifying co-crystal structures.

In a further aspect, the present invention therefore provides a process of screening for co-crystal compounds, which comprises:

- (1) providing (i) an API compound, and (ii) a co-crystal former; and
- (2) screening for co-crystals of APIs with co-crystal formers by subjecting each combination of API and co-crystal former to a step comprising:
 - (a) grinding, heating or contacting in solution the API with the co-crystal former under crystallization conditions so as to form a solid phase; and
 - (b) isolating co-crystals comprising the API and the co-crystal former.

An alternative embodiment is drawn to a process of screening for co-crystal compounds, which comprises:

- (1) providing (i) an API or a plurality of different APIs, and (ii) a co-crystal former or a plurality of different co-crystal formers, wherein at least one of the API and the co-crystal former is provided as a plurality thereof; and
- (2) screening for co-crystals of APIs with co-crystal formers by subjecting each combination of API and co-crystal former to a step comprising
 - (a) grinding, heating or contacting in solution the API with the co-crystal former under crystallization conditions so as to form a solid phase; and
 - (b) isolating co-crystals comprising the API and the co-crystal former.

Solubility Modulation

In a further aspect, the present invention provides a process for modulating the solubility of an API, which process comprises:

- (1) grinding, heating or contacting in solution the API with a co-crystal former under crystallization conditions, so as to form a co-crystal of the API and the co-crystal former; and
- (2) isolating co-crystals comprising the API and the co-crystal former.

In one embodiment, the solubility of the API is modulated such that the aqueous solubility is increased. Solubility of APIs may be measured by any conventional means such as chromatography (e.g., HPLC) or spectroscopic determination of the amount of API in a saturated solution of the API, such as UV-spectroscopy, IR-spectroscopy, Raman spectroscopy, quantitative mass spectroscopy, or gas chromatography.

In another aspect of the invention, the API may have low aqueous solubility. Typically, low aqueous solubility in the present application refers to a compound having a solubility in water which is less than or equal to 10 mg/mL, when measured at 37 degrees C, and preferably less than or equal to 5 mg/mL or 1 mg/mL. Low aqueous solubility can further be specifically defined as less than or equal to 900, 800, 700, 600, 500, 400, 300, 200 150 100, 90, 80, 70, 60, 50, 40, 30, 20 micrograms/mL, or further 10, 5 or 1 micrograms/mL, or further 900, 800, 700, 600, 500, 400, 300, 200 150, 100 90, 80, 70, 60, 50, 40, 30, 20, or 10 ng/mL, or less than 10 ng/mL when measured at 37 degrees C. Aqueous solubility can also be specified as less than 500, 400, 300, 200, 150, 100, 75, 50 or 25 mg/mL. As embodiments of the present invention, solubility can

be increased 2, 3, 4, 5, 7, 10, 15, 20, 25, 50, 75, 100, 200, 300, 500, 750, 1000, 5000, or 10,000 times by making a co-crystal of the reference form (e.g., crystalline or amorphous free acid, free base or zwitter ion, hydrate or solvate), or a salt thereof. Further aqueous solubility can be measured in simulated gastric fluid (SGF) or simulated intestinal fluid (SIF) rather than water. SGF (non-diluted) of the present invention is made by combining 1 g/L Triton X-100 and 2 g/L NaCl in water and adjusting the pH with 20 mM HCl to obtain a solution with a final pH=1.7 (SIF is 0.68% monobasic potassium phosphate, 1% pancreatin, and sodium hydroxide where the pH of the final solution is 7.5). The pH of the solvent used may also be specified as 1, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8, 1.9, 2, 2.1, 2.2, 2.3, 2.4, 2.5, 2.6, 2.7, 2.8, 2.9, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, or 12, or any pH in between successive values.

Examples of embodiments includes: co-crystal compositions with an aqueous solubility, at 37 degrees C and a pH of 7.0, that is increased at least 5 fold over the reference form, co-crystal compositions with a solubility in SGF that is increased at least 5 fold over the reference form, co-crystal compositions with a solubility in SIF that is increased at least 5 fold over the reference form.

Dissolution Modulation

In another aspect of the present invention, the dissolution profile of the API is modulated whereby the aqueous dissolution rate or the dissolution rate in simulated gastric fluid or in simulated intestinal fluid, or in a solvent or plurality of solvents is increased. Dissolution rate is the rate at which API solids dissolve in a dissolution medium. For APIs whose absorption rates are faster than the dissolution rates (e.g., steroids), the rate-limiting step in the absorption process is often the dissolution rate. Because of a limited residence time at the absorption site, APIs that are not dissolved before they are removed from intestinal absorption site are considered useless. Therefore, the rate of dissolution has a major impact on the performance of APIs that are poorly soluble. Because of this factor, the dissolution rate of APIs in solid dosage forms is an important, routine, quality control parameter used in the API manufacturing process.

$$\text{Dissolution rate} = K S (C_s - C)$$

where K is dissolution rate constant, S is the surface area, C_s is the apparent solubility, and C is the concentration of API in the dissolution medium.

For rapid API absorption, $C_s - C$ is approximately equal to C_s .

5 The dissolution rate of APIs may be measured by conventional means known in the art.

The increase in the dissolution rate of a co-crystal, as compared to the reference form (e.g., free form or salt), may be specified, such as by 10, 20, 30, 40, 50, 60, 70, 80, 90, or 100%, or by 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25, 30, 40, 50, 75, 100, 125, 150, 175, 200, 250, 300, 350, 400, 500, 1000, 10,000, or 100,000 fold greater than the reference
10 form (e.g., free form or salt form) in the same solution. Conditions under which the dissolution rate is measured is the same as discussed above. The increase in dissolution may be further specified by the time the composition remains supersaturated before reaching equilibrium solubility.

Examples of above embodiments include: co-crystal compositions with a
15 dissolution rate in aqueous solution, at 37 degrees C and a pH of 7.0, that is increased at least 5 fold over the reference form, co-crystal compositions with a dissolution rate in SGF that is increased at least 5 fold over the reference form, co-crystal compositions with a dissolution rate in SIF that is increased at least 5 fold over the reference form.

20 Bioavailability Modulation

The methods of the present invention are used to make a pharmaceutical API formulation with greater solubility, dissolution, and bioavailability. Bioavailability can be improved via an increase in AUC, reduced time to T_{max} , (the time to reach peak blood serum levels), or increased C_{max} . The present invention can result in higher
25 plasma concentrations of API when compared to the neutral form or salt alone (reference form).

AUC is the area under the plot of plasma concentration of API (not logarithm of the concentration) against time after API administration. The area is conveniently determined by the "trapezoidal rule": The data points are connected by straight line
30 segments, perpendiculars are erected from the abscissa to each data point, and the sum of the areas of the triangles and trapezoids so constructed is computed. When the last

measured concentration (C_n , at time t_n) is not zero, the AUC from t_n to infinite time is estimated by C_n/k_{el} .

The AUC is of particular use in estimating bioavailability of APIs, and in estimating total clearance of APIs (Cl_T). Following single intravenous doses, $AUC = D/Cl_T$, for single compartment systems obeying first-order elimination kinetics, where D is the dose; alternatively, $AUC = C_0/k_{el}$, where k_{el} is the API elimination rate constant. With routes other than the intravenous, for such systems, $AUC = F \cdot D/Cl_T$, where F is the absolute bioavailability of the API.

Thus, in a further aspect, the present invention provides a process for modulating the bioavailability of an API when administered in its normal and effective dose range as a co-crystal, whereby the AUC is increased, the time to T_{max} is reduced, or C_{max} is increased, as compared to a reference form, which process comprises:

- (1) grinding, heating or contacting in solution the API with a co-crystal former under crystallization conditions, so as to form a co-crystal of the API and the co-crystal former; and
- (2) isolating co-crystals comprising the API and the co-crystal former.

Examples of the above embodiments include: co-crystal compositions with a time to T_{max} that is reduced by at least 10% as compared to the reference form, co-crystal compositions with a time to T_{max} that is reduced by at least 20% over the reference form, co-crystal compositions with a time to T_{max} that is reduced by at least 40% over the reference form, co-crystal compositions with a time to T_{max} that is reduced by at least 50% over the reference form, co-crystal compositions with a T_{max} that is reduced by at least 60% over the reference form, co-crystal compositions with a T_{max} that is reduced by at least 70% over the reference form, co-crystal compositions with a T_{max} that is reduced by at least 80% over the reference form, co-crystal compositions with a T_{max} that is reduced by at least 90% over the reference form, co-crystal compositions with a C_{max} that is increased by at least 20% over the reference form, co-crystal compositions with a C_{max} that is increased by at least 30% over the reference form, co-crystal compositions with a C_{max} that is increased by at least 40% over the reference form, co-crystal compositions with a C_{max} that is increased by at least 50% over the reference form, co-crystal compositions with a C_{max} that is increased by at least 60% over the reference form, co-crystal compositions with a C_{max} that is increased by at least 70% over the reference form, co-crystal compositions with a C_{max} that is increased by at least 80% over the reference form, co-crystal compositions with a C_{max} that is

increased by at least 2 fold, 3 fold, 5 fold, 7.5 fold, 10 fold, 25 fold, 50 fold or 100 fold, co-crystal compositions with an AUC that is increased by at least 10% over the reference form, co-crystal compositions with an AUC that is increased by at least 20% over the reference form, co-crystal compositions with an AUC that is increased by at least 30% over the reference form, co-crystal compositions with an AUC that is increased by at least 40% over the reference form, co-crystal compositions with an AUC that is increased by at least 50% over the reference form, co-crystal compositions with an AUC that is increased by at least 60% over the reference form, co-crystal compositions with an AUC that is increased by at least 70% over the reference form, co-crystal compositions with an AUC that is increased by at least 80% over the reference form or co-crystal compositions with an AUC that is increased by at least 2 fold, 3 fold, 4 fold, 5 fold, 6 fold, 7 fold, 8 fold, 9 fold, or 10 fold. Other examples include wherein the reference form is crystalline, wherein the reference form is amorphous, wherein the reference form is an anhydrous crystalline sodium salt, or wherein the reference form is an anhydrous crystalline HCl salt.

Dose Response Modulation

In a further aspect the present invention provides a process for improving the dose response of an API, which process comprises:

- (1) contacting in solution an API with a co-crystal former under crystallization conditions, so as to form a co-crystal of the API and the co-crystal former; and
- (2) isolating co-crystals comprising the API and the co-crystal former.

Dose response is the quantitative relationship between the magnitude of response and the dose inducing the response and may be measured by conventional means known in the art. The curve relating effect (as the dependent variable) to dose (as the independent variable) for an API-cell system is the "dose-response curve". Typically, the dose-response curve is the measured response to an API plotted against the dose of the API (mg/kg) given. The dose response curve can also be a curve of AUC against the dose of the API given.

In an embodiment of the present invention, a co-crystal of the present invention has an increased dose response curve or a more linear dose response curve than the corresponding reference compound.

5 Increased Stability

In a still further aspect the present invention provides a process for improving the stability of an API (as compared to a reference form such as its free form or a salt thereof), which process comprises:

- (1) grinding, heating or contacting in solution the pharmaceutical salt with a co-crystal former under crystallization conditions, so as to form a co-crystal of the API and the co-crystal former; and
- (2) isolating co-crystals comprising the API and the co-crystal former.

In a preferred embodiment, the compositions of the present invention, including the API or active pharmaceutical ingredient (API) and formulations comprising the API, are suitably stable for pharmaceutical use. Preferably, the API or formulations thereof of the present invention are stable such that when stored at 30 degrees C for 2 years, less than 0.2 % of any one degradant is formed. The term degradant refers herein to product(s) of a single type of chemical reaction. For example, if a hydrolysis event occurs that cleaves a molecule into two products, for the purpose of the present invention, it would be considered a single degradant. More preferably, when stored at 40 degrees C for 2 years, less than 0.2 % of any one degradant is formed. Alternatively, when stored at 30 degrees C for 3 months, less than 0.2% or 0.15 %, or 0.1 % of any one degradant is formed, or when stored at 40 degrees C for 3 months, less than 0.2 % or 0.15 %, or 0.1 % of any one degradant is formed. Further alternatively, when stored at 60 degrees C for 4 weeks, less than 0.2 % or 0.15 %, or 0.1 % of any one degradant is formed. The relative humidity (RH) may be specified as ambient (RH), 75 % (RH), or as any single integer between 1 to 99 %.

30 Difficult to Salt or Unsaltable Compounds

In a still further aspect the present invention provides a process for making co-crystals of unsaltable or difficult to salt APIs which process comprises:

- (1) grinding, heating or contacting in solution an API with a co-crystal former under crystallization conditions, so as to form a co-crystal of the API and the co-crystal former; and
- (2) isolating co-crystals comprising the API and the co-crystal former.

5

Difficult to salt compounds include bases with a $pK_a < 3$ or acids with a $pK_a > 10$. Zwitter ions are also difficult to salt or unsaltable compounds according to the present invention.

10 Decreasing Hygroscopicity

In a still further aspect, the present invention provides a method for decreasing the hygroscopicity of an API, which method comprises:

- (1) grinding, heating or contacting in solution the API with a co-crystal former under crystallization conditions, so as to form a co-crystal of the API and the co-crystal former; and
- (2) isolating co-crystals comprising the API and the co-crystal former.

15

20

25

30

An aspect of the present invention provides a pharmaceutical composition comprising a co-crystal of an API that is less hygroscopic than amorphous or crystalline, free form or salt (including metal salts such as sodium, potassium, lithium, calcium, magnesium) or another reference compound. Hygroscopicity can be assessed by dynamic vapor sorption analysis, in which 5-50 mg of the compound is suspended from a Cahn microbalance. The compound being analyzed should be placed in a non-hygroscopic pan and its weight should be measured relative to an empty pan composed of identical material and having nearly identical size, shape, and weight. Ideally, platinum pans should be used. The pans should be suspended in a chamber through which a gas, such as air or nitrogen, having a controlled and known percent relative humidity (%RH) is flowed until equilibrium criteria are met. Typical equilibrium criteria include weight changes of less than 0.01 % over 3 minutes at constant humidity and temperature. The relative humidity should be measured for samples dried under dry nitrogen to constant weight (<0.01 % change in 3 minutes) at 40 degrees C unless doing so would de-solvate or otherwise convert the material to an amorphous compound. In one aspect, the hygroscopicity of a dried compound can be assessed by increasing the RH from 5 to 95 % in increments of 5 % RH and then decreasing the RH from 95 to 5 %

in 5 % increments to generate a moisture sorption isotherm. The sample weight should be allowed to equilibrate between each change in % RH. If the compound deliquesces or becomes amorphous above 75 % RH, but below 95 % RH, the experiment should be repeated with a fresh sample and the relative humidity range for the cycling should be narrowed to 5-75 % RH or 10-75 % RH, instead of 5-95 %RH. If the sample cannot be dried prior to testing due to lack of form stability, than the sample should be studied using two complete humidity cycles of either 10-75 % RH or 5-95 % RH, and the results of the second cycle should be used if there is significant weight loss at the end of the first cycle.

Hygroscopicity can be defined using various parameters. For purposes of the present invention, a non-hygroscopic molecule should not gain or lose more than 1.0 %, or more preferably, 0.5 % weight at 25 degrees C when cycled between 10 and 75 % RH (relative humidity at 25 degrees C). The non-hygroscopic molecule more preferably should not gain or lose more than 1.0 %, or more preferably, 0.5 % weight when cycled between 5 and 95 % RH at 25 degrees C, or more than 0.25 % of its weight between 10 and 75 % RH. Most preferably, a non-hygroscopic molecule will not gain or lose more than 0.25 % of its weight when cycled between 5 and 95 % RH.

Alternatively, for purposes of the present invention, hygroscopicity can be defined using the parameters of Callaghan et al., "Equilibrium moisture content of pharmaceutical excipients", in *Api Dev. Ind. Pharm.*, Vol. 8, pp. 335-369 (1982). Callaghan et al. classified the degree of hygroscopicity into four classes.

Class 1: Non-hygroscopic	Essentially no moisture increases occur at relative humidities below 90 %.
Class 2: Slightly hygroscopic	Essentially no moisture increases occur at relative humidities below 80%.
Class 3: Moderately hygroscopic	Moisture content does not increase more than 5 % after storage for 1 week at relative humidities below 60 %.
Class 4: Very hygroscopic	Moisture content increase may occur at relative humidities as low as 40 to 50 %.

Alternatively, for purposes of the present invention, hygroscopicity can be defined using the parameters of the European Pharmacopoeia Technical Guide (1999, p. 86) which has defined hygroscopicity, based on the static method, after storage at 25 degrees C for 24 hours at 80 % RH:

Slightly hygroscopic: Increase in mass is less than 2 percent m/m and equal to or greater than 0.2 percent m/m.

Hygroscopic: Increase in mass is less than 15 percent m/m and equal to or greater than 0.2 percent m/m.

Very Hygroscopic: Increase in mass is equal to or greater than 15 percent m/m.

Deliquescent: Sufficient water is absorbed to form a liquid.

Co-crystals of the present invention can be set forth as being in Class 1, Class 2, or Class 3, or as being Slightly hygroscopic, Hygroscopic, or Very Hygroscopic. Co-crystals of the present invention can also be set forth based on their ability to reduce hygroscopicity. Thus, preferred co-crystals of the present invention are less hygroscopic than a reference compound. The reference compound can be specified as the API in free form (free acid, free base, hydrate, solvate, etc.) or salt (e.g., especially metal salts such as sodium, potassium, lithium, calcium, or magnesium). Further included in the present invention are co-crystals that do not gain or lose more than 1.0 % weight at 25 degrees C when cycled between 10 and 75 % RH, wherein the reference compound gains or loses more than 1.0 % weight under the same conditions. Further included in the present invention are co-crystals that do not gain or lose more than 0.5 % weight at 25 degrees C when cycled between 10 and 75 % RH, wherein the reference compound gains or loses more than 0.5 % or more than 1.0 % weight under the same conditions. Further included in the present invention are co-crystals that do not gain or lose more than 1.0 % weight at 25 degrees C when cycled between 5 and 95 % RH, wherein the reference compound gains or loses more than 1.0 % weight under the same conditions. Further included in the present invention are co-crystals that do not gain or lose more than 0.5 % weight at 25 degrees C when cycled between 5 and 95 % RH, wherein the

reference compound gains or loses more than 0.5 % or more than 1.0 % weight under the same conditions. Further included in the present invention are co-crystals that do not gain or lose more than 0.25 % weight at 25 degrees C when cycled between 5 and 95 % RH, wherein the reference compound gains or loses more than 0.5 % or more than 1.0 % weight under the same conditions.

Further included in the present invention are co-crystals that have a hygroscopicity (according to Callaghan et al.) that is at least one class lower than the reference compound or at least two classes lower than the reference compound. Included are a Class 1 co-crystal of a Class 2 reference compound, a Class 2 co-crystal of a Class 3 reference compound, a Class 3 co-crystal of a Class 4 reference compound, a Class 1 co-crystal of a Class 3 reference compound, a Class 1 co-crystal of a Class 4 reference compound, or a Class 2 co-crystal of a Class 4 reference compound.

Further included in the present invention are co-crystals that have a hygroscopicity (according to the European Pharmacopoeia Technical Guide) that is at least one class lower than the reference compound or at least two classes lower than the reference compound. Non-limiting examples include; a slightly hygroscopic co-crystal of a hygroscopic reference compound, a hygroscopic co-crystal of a very hygroscopic reference compound, a very hygroscopic co-crystal of a deliquescent reference compound, a slightly hygroscopic co-crystal of a very hygroscopic reference compound, a slightly hygroscopic co-crystal of a deliquescent reference compound, and a hygroscopic co-crystal of a deliquescent reference compound.

Crystallizing Amorphous Compounds

In a further aspect, the present invention provides a process for crystallizing an amorphous compound, which process comprises:

- (1) grinding, heating or contacting in solution the API with a co-crystal former under crystallization conditions, so as to form a co-crystal of the API and the co-crystal former; and
- (2) isolating co-crystals comprising the API and the co-crystal former.

An amorphous compound includes compounds that do not crystallize using routine methods in the art.

Decreasing Form Diversity

In a still further embodiment aspect the present invention provides a process for reducing the form diversity of an API, which process comprises:

- (1) grinding, heating or contacting in solution the API with a co-crystal former under crystallization conditions, so as to form a co-crystal of the API and the co-crystal former; and
- (2) isolating co-crystals comprising the API and the co-crystal former.

For purposes of the present invention, the number of forms of a co-crystal is compared to the number of forms of a reference compound (e.g. the free form or a salt of the API) that can be made using routine methods in the art.

Morphology Modulation

In a still further aspect the present invention provides a process for modifying the morphology of an API, which process comprises:

- (1) grinding, heating or contacting in solution the API with a co-crystal former under crystallization conditions, so as to form a co-crystal of the API and the co-crystal former; and
- (2) isolating co-crystals comprising the API and the co-crystal former.

In an embodiment the co-crystal comprises or consists of a co-crystal former and a pharmaceutical wherein the interaction between the two, e.g., H-bonding, occurs between a functional group of Table III of an API with a corresponding interacting group of Table III. In a further embodiment, the co-crystal comprises a co-crystal former of Table I or II and an API with a corresponding interacting group of Table III. In a further embodiment the co-crystal comprises an API from Table IV and a co-crystal former with a functional group of Table III. In a further embodiment, the co-crystal is from Table I or II. In an aspect of the invention, only co-crystals having an H-bond acceptor on the first molecule and an H-bond donor on the second molecule, where the first and second molecules are either co-crystal former and API respectively or API and co-crystal former respectively, are included in the present invention. Table IV includes the CAS number, chemical name or a PCT or patent reference (each incorporated herein in their entireties). Thus, whether a particular API contains an H-bond donor, acceptor or both is readily apparent.

In another embodiment, the co-crystal former and API each have only one H-bond donor/acceptor. In another aspect, the molecular weight of the API is less than 2000, 1500, 1000, 750, 500, 350, 200, or 150 Daltons. In another embodiment, the molecular weight of the API is between 100-200, 200-300, 300-400, 400-500, 500-600, 600-700, 700-800, 800-900, 900-1000, 1000-1200, 1200-1400, 1400-1600, 1600-1800, or 1800-2000. APIs with the above molecular weights may also be specifically excluded from the present invention.

In another embodiment, peptides, proteins, nucleic acids or other biological APIs are excluded from the present invention. In another embodiment, all non-pharmaceutically acceptable co-crystal formers are excluded from the present invention. In another embodiment, organometallic APIs are excluded from the present invention. In another embodiment, a co-crystal former comprising any one or more of the functional groups of Table III may be specifically excluded from the present invention. In another embodiment, any one or more of the co-crystal formers of Table I or II may be specifically excluded from the present invention. Any APIs currently known in the art may also be specifically excluded from the present invention. For example, carbanazepine, itraconazole, nabumetone, fluoxetine, acetaminophen and theophylline can each be specifically excluded from the present invention. In another embodiment, the API is not a salt, is not a non-metal salt, or is not a metal salt, e.g., sodium, potassium, lithium, calcium or magnesium. In another embodiment, the API is a salt, is a non-metal salt, or is a metal salt, e.g., sodium, potassium, lithium, calcium, magnesium. In one embodiment, the API does not contain a halogen. In one embodiment, the API does contain a halogen.

In another embodiment, any one or more of the APIs of Table IV may be specifically excluded from the present invention. Any APIs currently known in the art may also be specifically excluded from the present invention. For example, nabumetone:2,3-naphthalenediol, fluoxetine HCl:benzoic acid, fluoxetine HCl:succinic acid, acetaminophen:piperazine, acetaminophen:theophylline, theophylline:salicylic acid, theophylline:p-hydroxybenzoic acid, theophylline:sorbic acid, theophylline:1-hydroxy-2-naphthoic acid, theophylline:glycolic acid, theophylline:2,5-dihydroxybenzoic acid, theophylline:chloroacetic acid, bis(diphenylhydantoin):9-ethyladenine acetylacetone solvate, bis(diphenylhydantoin):9-ethyladenine 2,4-pentanedione solvate, 5,5-diphenylbarbituric acid:9-ethyladenine, bis(diphenylhydantoin):9-ethyladenine, 4-aminobenzoic acid:4-aminobenzonitrile,

sulfadimidine:salicylic acid, 8-hydroxyquinolinium 4-nitrobenzoate:4-nitrobenzoic acid, sulfaproxyline:caffeine, retro-inverso-isopropyl (2R,3S)-4-cyclohexyl-2-hydroxy-3-(N-((2R)-2-morpholinocarbonylmethyl-3-(1-naphthyl)propionyl)-L-histidylamino)butyrate:cinnamic acid monohydrate, benzoic acid:isonicotinamide, 3-(2-N',N'-(dimethylhydrazino)-4-thiazolylmethylthio)-N''-sulfamoylpropionamidine:maleic acid, diglycine hydrochloride ($C_2H_5NO_2:C_2H_6NO_2^+Cl^-$), octadecanoic acid:3-pyridinecarboxamide, cis-N-(3-methyl-1-(2-(1,2,3,4-tetrahydro)naphthyl)-piperidin-4-yl)-N-phenylpropanamide hydrochloride:oxalic acid, trans-N-(3-methyl-1-(2-(1,2,3,4-tetrahydro)naphthyl)-piperidin-4-ylum)-N-phenylpropanamide oxalate:oxalic acid dihydrate, bis(1-(3-((4-(2-isopropoxyphenyl)-1-piperazinyl)methyl)benzoyl)piperidine) succinate:succinic acid, bis(p-cyanophenyl)imidazolylmethane:succinic acid, cis-1-((4-(1-imidazolylmethyl)cyclohexyl)methyl)imidazole:succinic acid, (+)-2-(5,6-dimethoxy-1,2,3,4-tetrahydro-1-naphthyl)imidazoline:(+)-dibenzoyl-D-tartaric acid, raclopride:tartaric acid, 2,6-diamino-9-ethylpurine:5,5-diethylbarbituric acid, 5,5-diethylbarbituric acid:bis(2-aminopyridine), 5,5-diethylbarbituric acid:acetamide, 5,5-diethylbarbituric acid:KI₃, 5,5-diethylbarbituric acid:urea, bis(barbital):hexamethylphosphoramide, 5,5-diethylbarbituric acid:imidazole, barbital:1-methylimidazole, 5,5-diethylbarbituric acid:N-methyl-2-pyridone, 2,4-diamino-5-(3,4,5-trimethoxybenzyl)-pyrimidine:5,5-diethylbarbituric acid, bis(barbital):caffeine, bis(barbital):1-methylimidazole, bis(beta-cyclodextrin):bis(barbital) hydrate, tetrakis(beta-cyclodextrin):tetrakis(barbital), 9-ethyladenine:5,5-diethylbarbituric acid, barbital:N'-(p-cyanophenyl)-N-(p-iodophenyl)melamine, barbital:2-amino-4-(m-bromophenylamino)-6-chloro-1,3,5-triazine, 5,5-diethylbarbituric acid:N,N'-diphenylmelamine, 5,5-diethylbarbituric acid:N,N'-bis(p-chlorophenyl)melamine, N,N'-bis(p-bromophenyl)melamine:5,5-diethylbarbituric acid, 5,5-diethylbarbituric acid:N,N'-bis(p-iodophenyl)melamine, 5,5-diethylbarbituric acid:N,N'-bis(p-tolyl)melamine, 5,5-diethylbarbituric acid:N,N'-bis(m-tolyl)melamine, 5,5-diethylbarbituric acid:N,N'-bis(m-chlorophenyl)melamine, N,N'-Bis(m-methylphenyl)melamine:barbital, N,N'-bis(m-chlorophenyl)melamine:barbital tetrahydrofuran solvate, 5,5-diethylbarbituric acid:N,N'-bis(t-butyl)melamine, 5,5-diethylbarbituric acid:N,N'-di(t-butyl)melamine, 6,6'-diquinolyl ether:5,5-diethylbarbituric acid, 5-t-butyl-2,4,6-triaminopyrimidine:diethylbarbituric acid, N,N'-bis(4-

- carboxymethylphenyl)melamine:barbital ethanol solvate, N,N'-bis(4-t-butylphenyl)melamine:barbital, tris(5,17-N,N'-bis(4-amino-6-(butylamino)-1,3,5-triazin-2-yl)diamino-11,23-dinitro-25,26,27,28-tetrapropoxycalix(4)arene):hexakis(diethylbarbituric acid) toluene solvate, N,N'-bis(m-fluorophenyl)melamine:barbital, N,N'-bis(m-bromophenyl)melamine:barbital acetone solvate, N,N'-bis(m-iodophenyl)melamine:barbital acetonitrile solvate, N,N'-bis(m-trifluoromethylphenyl)melamine:barbital acetonitrile solvate, aminopyrine:barbital, N,N'-bis(4-fluorophenyl)melamine:barbital, N,N'-bis(4-trifluoromethylphenyl)melamine:barbital, 2,4-diamino-5-(3,4,5-trimethoxybenzyl)pyrimidine:barbital, hydroxybutyrate:hydroxyvalerate, 2-aminopyrimidine:succinic acid, 1,3-bis(((6-methylpyrid-2-yl)amino)carbonyl)benzene:glutaric acid, 5-t-butyl-2,4,6-triaminopyrimidine:diethylbarbituric acid, bis(dithiobiuret-S,S')nickel(II):diuracil, platinum 3,3'-dihydroxymethyl-2,2'-bipyridine dichloride:AgF₃CSO₃, 4,4'-bipyridyl:isophthalic acid, 4,4'-bipyridyl:1,4-naphthalenedicarboxylic acid, 4,4'-bipyridyl:1,3,5-cyclohexane-tricarboxylic acid, 4,4'-bipyridyl:tricarballic acid, urotropin:azelaic acid, insulin:C8-HI (octanoyl-N^c-LysB29-human insulin), isonicotinamide:cinnamic acid, isonicotinamide:3-hydroxybenzoic acid, isonicotinamide:3-N,N-dimethylaminobenzoic acid, isonicotinamide:3,5-bis(trifluoromethyl)-benzoic acid, isonicotinamide:d,l-mandelic acid, isonicotinamide:chloroacetic acid, isonicotinamide:fumaric acid monoethyl ester, isonicotinamide:12-bromododecanoic acid, isonicotinamide:fumaric acid, isonicotinamide:succinic acid, isonicotinamide:4-ketopimelic acid, isonicotinamide:thiodiglycolic acid, 1,3,5-cyclohexane-tricarboxylic acid:hexamethyltetramine, 1,3,5-cyclohexane-tricarboxylic acid:4,7-phenanthroline, 4,7-phenanthroline:oxalic acid, 4,7-phenanthroline:terephthalic acid, 4,7-phenanthroline:1,3,5-cyclohexane-tricarboxylic acid, 4,7-phenanthroline:1,4-naphthalenedicarboxylic acid, pyrazine:methanoic acid, pyrazine:ethanoic acid, pyrazine:propanoic acid, pyrazine:butanoic acid, pyrazine:pentanoic acid, pyrazine:hexanoic acid, pyrazine:heptanoic acid, pyrazine:octanoic acid, pyrazine:nonanoic acid, pyrazine:decanoic acid, diammine-(deoxy-quanyl-quanyl-N⁷,N⁷)-platinum:tris(glycine) hydrate, 2-aminopyrimidine:p-phenylenediacetic acid, bis(2-aminopyrimidin-1-ium)fumarate:fumaric acid, 2-aminopyrimidine:indole-3-acetic acid, 2-aminopyrimidine:N-methylpyrrole-2-carboxylic acid, 2-aminopyrimidine:thiophen-2-

carboxylic acid, 2-aminopyrimidine:(+)-camphoric acid, 2,4,6-Trinitrobenzoic acid: 2-aminopyrimidine, 2-aminopyrimidine:4-aminobenzoic acid, 2-aminopyrimidine:bis(phenoxyacetic acid), 2-aminopyrimidine:(2,4-dichlorophenoxy)acetic acid, 2-aminopyrimidine:(3,4-dichlorophenoxy)acetic acid, 2-aminopyrimidine:indole-2-carboxylic acid, 2-aminopyrimidine:terephthalic acid, 2-aminopyrimidine:bis(2-nitrobenzoic acid), 2-aminopyrimidine:bis(2-aminobenzoic acid), 2-aminopyrimidine:3-aminobenzoic acid, 2-hexeneoic acid:isonicotinamide, 4-nitrobenzoic acid:isonicotinamide, 3,5-dinitrobenzoic acid:isonicotinamide:4-methylbenzoic acid, 2-amino-5-nitropyrimidine:2-amino-3-nitropyridine, 3,5-dinitrobenzoic acid:4-chlorobenzamide, 3-dimethylaminobenzoic acid:4-chlorobenzamide, fumaric acid:4-chlorobenzamide, oxine:4-nitrobenzoic acid, oxine:3,5-dinitrobenzoic acid, oxine:3,5-dinitrosalicylic acid, 3-[2-(N',N'-dimethylhydrazino)-4-thiazolylmethylthio]-N²-sulfamoylpropionamidine: maleic acid, 5-fluorouracil:9-ethylhypoxanthine, 5-fluorouracil:cytosine dihydrate, 5-fluorouracil:theophylline monohydrate, stearic acid:nicotinamide, cis-1-{[4-(1-imidazolylmethyl)cyclohexyl]methyl}imidazole:succinic acid, CGS18320B:succinic acid, sulfaproxyline:caffeine, 4-aminobenzoic acid:4-aminobenzonitrile, 3,5-dinitrobenzoic acid:isonicotinamide:3-methylbenzoic acid, 3,5-dinitrobenzoic acid:isonicotinamide:4-(dimethylamino)benzoic acid, 3,5-dinitrobenzoic acid:isonicotinamide:4-hydroxy-3-methoxycinnamic acid, isonicotinamide:oxalic acid, isonicotinamide:malonic acid, isonicotinamide:succinic acid, isonicotinamide:glutaric acid, isonicotinamide:adipic acid, benzoic acid:isonicotinamide, mazapertine:succinate, betaine:dichloronitrophenol, betainepyridine:dichloronitrophenol, betainepyridine:pentachlorophenol, 4-{2-[1-(2-hydroxyethyl)-4-pyridylidene]-ethylidene}-cyclo-hexa-2,5-dien-1-one:methyl 2,4-dihydroxybenzoate, 4-{2-[1-(2-hydroxyethyl)-4-pyridylidene]-ethylidene}-cyclo-hexa-2,5-dien-1-one:2,4-dihydroxypropiophenone, 4-{2-[1-(2-hydroxyethyl)-4-pyridylidene]-ethylidene}-cyclo-hexa-2,5-dien-1-one:2,4-dihydroxyacetophenone, squaric acid:4,4'-dipyridylacetylene, squaric acid:1,2-bis(4-pyridyl)ethylene, chloranilic acid:1,4-bis[(4-pyridyl)ethynyl]benzene, 4,4'-bipyridine:phthalic acid, 4,4'-dipyridylacetylene:phthalic acid, bis(pentamethylcyclopentadienyl)iron:bromanilic acid, bis(pentamethylcyclopentadienyl)iron:chloranilic acid, bis(pentamethylcyclopentadienyl)iron:cyananilic acid, pyrazinotetrathiafulvalene:chloranilic acid, phenol:pentafluorophenol, co-crystals of

itraconazole, and co-crystals of topiramate are specifically excluded from the present invention.

Excipients employed in pharmaceutical compositions of the present invention can be solids, semi-solids, liquids or combinations thereof. Preferably, excipients are solids. Compositions of the invention containing excipients can be prepared by any known technique of pharmacy that comprises admixing an excipient with an API or therapeutic agent. A pharmaceutical composition of the invention contains a desired amount of API per dose unit and, if intended for oral administration, can be in the form, for example, of a tablet, a caplet, a pill, a hard or soft capsule, a lozenge, a cachet, a dispensable powder, granules, a suspension, an elixir, a dispersion, a liquid, or any other form reasonably adapted for such administration. If intended for parenteral administration, it can be in the form, for example, of a suspension or transdermal patch. If intended for rectal administration, it can be in the form, for example, of a suppository. Presently preferred are oral dosage forms that are discrete dose units each containing a predetermined amount of the API, such as tablets or capsules.

In another embodiment, APIs with an inappropriate pH for transdermal patches can be co-crystallized with an appropriate co-crystal former, thereby adjusting its pH to an appropriate level for use as a transdermal patch. In another embodiment, an APIs pH level can be optimized for use in a transdermal patch via co-crystallization with an appropriate co-crystal former.

Non-limiting examples follow of excipients that can be used to prepare pharmaceutical compositions of the invention.

Pharmaceutical compositions of the invention optionally comprise one or more pharmaceutically acceptable carriers or diluents as excipients. Suitable carriers or diluents illustratively include, but are not limited to, either individually or in combination, lactose, including anhydrous lactose and lactose monohydrate; starches, including directly compressible starch and hydrolyzed starches (e.g., CelutabTM and EmdexTM); mannitol; sorbitol; xylitol; dextrose (e.g., CereleaseTM 2000) and dextrose monohydrate; dibasic calcium phosphate dihydrate; sucrose-based diluents; confectioner's sugar; monobasic calcium sulfate monohydrate; calcium sulfate dihydrate; granular calcium lactate trihydrate; dextrates; inositol; hydrolyzed cereal solids; amylose; celluloses including microcrystalline cellulose, food grade sources of alpha- and amorphous cellulose (e.g., RexcclJ), powdered cellulose, hydroxypropylcellulose (HPC) and hydroxypropylmethylcellulose (HPMC); calcium

carbonate; glycine; bentonite; block co-polymers; polyvinylpyrrolidone; and the like. Such carriers or diluents, if present, constitute in total about 5% to about 99%, preferably about 10% to about 85%, and more preferably about 20% to about 80%, of the total weight of the composition. The carrier, carriers, diluent, or diluents selected
5 preferably exhibit suitable flow properties and, where tablets are desired, compressibility.

Lactose, mannitol, dibasic sodium phosphate, and microcrystalline cellulose (particularly Avicel PH microcrystalline cellulose such as Avicel PH 101), either individually or in combination, are preferred diluents. These diluents are chemically
10 compatible with many co-crystals described herein. The use of extragranular microcrystalline cellulose (that is, microcrystalline cellulose added to a granulated composition) can be used to improve hardness (for tablets) and/or disintegration time. Lactose, especially lactose monohydrate, is particularly preferred. Lactose typically provides compositions having suitable release rates of co-crystals, stability, pre-
15 compression flowability, and/or drying properties at a relatively low diluent cost. It provides a high density substrate that aids densification during granulation (where wet granulation is employed) and therefore improves blend flow properties and tablet properties.

Pharmaceutical compositions of the invention optionally comprise one or more
20 pharmaceutically acceptable disintegrants as excipients, particularly for tablet formulations. Suitable disintegrants include, but are not limited to, either individually or in combination, starches, including sodium starch glycolate (e.g., ExplotabTM of PenWest) and pregelatinized corn starches (e.g., NationalTM 1551 of National Starch and Chemical Company, NationalTM 1550, and ColorconTM 1500), clays (e.g., VeegumTM
25 HV of R.T. Vanderbilt), celluloses such as purified cellulose, microcrystalline cellulose, methylcellulose, carboxymethylcellulose and sodium carboxymethylcellulose, croscarmellose sodium (e.g., Ac-Di-SolTM of FMC), alginates, crospovidone, and gums such as agar, guar, locust bean, karaya, pectin and tragacanth gums.

Disintegrants may be added at any suitable step during the preparation of the
30 composition, particularly prior to granulation or during a lubrication step prior to compression. Such disintegrants, if present, constitute in total about 0.2% to about 30%, preferably about 0.2% to about 10%, and more preferably about 0.2% to about 5%, of the total weight of the composition.

Croscarmellose sodium is a preferred disintegrant for tablet or capsule disintegration, and, if present, preferably constitutes about 0.2% to about 10%, more preferably about 0.2% to about 7%, and still more preferably about 0.2% to about 5%, of the total weight of the composition. Croscarmellose sodium confers superior
5 intragranular disintegration capabilities to granulated pharmaceutical compositions of the present invention.

Pharmaceutical compositions of the invention optionally comprise one or more pharmaceutically acceptable binding agents or adhesives as excipients, particularly for tablet formulations. Such binding agents and adhesives preferably impart sufficient
10 cohesion to the powder being tableted to allow for normal processing operations such as sizing, lubrication, compression and packaging, but still allow the tablet to disintegrate and the composition to be absorbed upon ingestion. Such binding agents may also prevent or inhibit crystallization or recrystallization of a co-crystal of the present invention once the salt has been dissolved in a solution. Suitable binding agents and
15 adhesives include, but are not limited to, either individually or in combination, acacia; tragacanth; sucrose; gelatin; glucose; starches such as, but not limited to, pregelatinized starches (e.g., NationalTM 1511 and NationalTM 1500); celluloses such as, but not limited to, methylcellulose and carmellose sodium (e.g., TyloseTM); alginic acid and salts of alginic acid; magnesium aluminum silicate; PEG; guar gum; polysaccharide acids;
20 bentonites; povidone, for example povidone K-15, K-30 and K-29/32; polymethacrylates; HPMC; hydroxypropylcellulose (e.g., KlucelTM of Aqualon); and ethylcellulose (e.g., EthocelTM of the Dow Chemical Company). Such binding agents and/or adhesives, if present, constitute in total about 0.5% to about 25%, preferably about 0.75% to about 15%, and more preferably about 1% to about 10%, of the total
25 weight of the pharmaceutical composition.

Many of the binding agents are polymers comprising amide, ester, ether, alcohol or ketone groups and, as such, are preferably included in pharmaceutical compositions of the present invention. Polyvinylpyrrolidones such as povidone K-30 are especially preferred. Polymeric binding agents can have varying molecular weight, degrees of
30 crosslinking, and grades of polymer. Polymeric binding agents can also be copolymers, such as block co-polymers that contain mixtures of ethylene oxide and propylene oxide units. Variation in these units' ratios in a given polymer affects properties and performance. Examples of block co-polymers with varying compositions of block units are Poloxamer 188 and Poloxamer 237 (BASF Corporation).

Pharmaceutical compositions of the invention optionally comprise one or more pharmaceutically acceptable wetting agents as excipients. Such wetting agents are preferably selected to maintain the co-crystal in close association with water, a condition that is believed to improve bioavailability of the composition. Such wetting agents can also be useful in solubilizing or increasing the solubility of co-crystals.

Non-limiting examples of surfactants that can be used as wetting agents in pharmaceutical compositions of the invention include quaternary ammonium compounds, for example benzalkonium chloride, benzethonium chloride and cetylpyridinium chloride, dioctyl sodium sulfosuccinate, polyoxyethylene alkylphenyl ethers, for example nonoxynol 9, nonoxynol 10, and degrees Ctoxynol 9, poloxamers (polyoxyethylene and polyoxypropylene block copolymers), polyoxyethylene fatty acid glycerides and oils, for example polyoxyethylene (8) caprylic/capric mono- and diglycerides (e.g., Labrasol™ of Gattefosse), polyoxyethylene (35) castor oil and polyoxyethylene (40) hydrogenated castor oil; polyoxyethylene alkyl ethers, for example polyoxyethylene (20) cetostearyl ether, polyoxyethylene fatty acid esters, for example polyoxyethylene (40) stearate, polyoxyethylene sorbitan esters, for example polysorbate 20 and polysorbate 80 (e.g., Tween™ 80 of ICI), propylene glycol fatty acid esters, for example propylene glycol laurate (e.g., Lauroglycol™ of Gattefosse), sodium lauryl sulfate, fatty acids and salts thereof, for example oleic acid, sodium oleate and triethanolamine oleate, glyceryl fatty acid esters, for example glyceryl monostearate, sorbitan esters, for example sorbitan monolaurate, sorbitan monooleate, sorbitan monopalmitate and sorbitan monostearate, tyloxapol, and mixtures thereof. Such wetting agents, if present, constitute in total about 0.25% to about 15%, preferably about 0.4% to about 10%, and more preferably about 0.5% to about 5%, of the total weight of the pharmaceutical composition.

Wetting agents that are anionic surfactants are preferred. Sodium lauryl sulfate is a particularly preferred wetting agent. Sodium lauryl sulfate, if present, constitutes about 0.25% to about 7%, more preferably about 0.4% to about 4%, and still more preferably about 0.5% to about 2%, of the total weight of the pharmaceutical composition.

Pharmaceutical compositions of the invention optionally comprise one or more pharmaceutically acceptable lubricants (including anti-adherents and/or glidants) as excipients. Suitable lubricants include, but are not limited to, either individually or in combination, glyceryl behapate (e.g., Compritol™ 888 of Gattefosse); stearic acid and

salts thereof, including magnesium, calcium and sodium stearates; hydrogenated vegetable oils (e.g., Sterotex™ of Abitec); colloidal silica; talc; waxes; boric acid; sodium benzoate; sodium acetate; sodium fumarate; sodium chloride; DL-leucine; PEG (e.g., Carbowax™ 4000 and Carbowax™ 6000 of the Dow Chemical Company);
 5 sodium oleate; sodium lauryl sulfate; and magnesium lauryl sulfate. Such lubricants, if present, constitute in total about 0.1% to about 10%, preferably about 0.2% to about 8%, and more preferably about 0.25% to about 5%, of the total weight of the pharmaceutical composition.

Magnesium stearate is a preferred lubricant used, for example, to reduce friction
 10 between the equipment and granulated mixture during compression of tablet formulations.

Suitable anti-adherents include, but are not limited to, talc, cornstarch, DL-leucine, sodium lauryl sulfate and metallic stearates. Talc is a preferred anti-adherent or glidant used, for example, to reduce formulation sticking to equipment surfaces and also
 15 to reduce static in the blend. Talc, if present, constitutes about 0.1% to about 10%, more preferably about 0.25% to about 5%, and still more preferably about 0.5% to about 2%, of the total weight of the pharmaceutical composition.

Glidants can be used to promote powder flow of a solid formulation. Suitable glidants include, but are not limited to, colloidal silicon dioxide, starch, talc, tribasic calcium phosphate, powdered cellulose and magnesium trisilicate. Colloidal silicon
 20 dioxide is particularly preferred.

Other excipients such as colorants, flavors and sweeteners are known in the pharmaceutical art and can be used in pharmaceutical compositions of the present invention. Tablets can be coated, for example with an enteric coating, or uncoated.
 25 Compositions of the invention can further comprise, for example, buffering agents.

Optionally, one or more effervescent agents can be used as disintegrants and/or to enhance organoleptic properties of pharmaceutical compositions of the invention. When present in pharmaceutical compositions of the invention to promote dosage form disintegration, one or more effervescent agents are preferably present in a total amount
 30 of about 30% to about 75%, and preferably about 45% to about 70%, for example about 60%, by weight of the pharmaceutical composition.

According to a particularly preferred embodiment of the invention, an effervescent agent, present in a solid dosage form in an amount less than that effective to promote disintegration of the dosage form, provides improved dispersion of the API

in an aqueous medium. Without being bound by theory, it is believed that the effervescent agent is effective to accelerate dispersion of the API from the dosage form in the gastrointestinal tract, thereby further enhancing absorption and rapid onset of therapeutic effect. When present in a pharmaceutical composition of the invention to promote intragastric dispersion but not to enhance disintegration, an effervescent agent is preferably present in an amount of about 1% to about 20%, more preferably about 2.5% to about 15%, and still more preferably about 5% to about 10%, by weight of the pharmaceutical composition.

An "effervescent agent" herein is an agent comprising one or more compounds which, acting together or individually, evolve a gas on contact with water. The gas evolved is generally oxygen or, most commonly, carbon dioxide. Preferred effervescent agents comprise an acid and a base that react in the presence of water to generate carbon dioxide gas. Preferably, the base comprises an alkali metal or alkaline earth metal carbonate or bicarbonate and the acid comprises an aliphatic carboxylic acid.

Non-limiting examples of suitable bases as components of effervescent agents useful in the invention include carbonate salts (e.g., calcium carbonate), bicarbonate salts (e.g., sodium bicarbonate), sesquicarbonate salts, and mixtures thereof. Calcium carbonate is a preferred base.

Non-limiting examples of suitable acids as components of effervescent agents and/or solid organic acids useful in the invention include citric acid, tartaric acid (as D-, L-, or D/L-tartaric acid), malic acid (as D-, L-, or DL-malic acid), maleic acid, fumaric acid, adipic acid, succinic acid, acid anhydrides of such acids, acid salts of such acids, and mixtures thereof. Citric acid is a preferred acid.

In a preferred embodiment of the invention, where the effervescent agent comprises an acid and a base, the weight ratio of the acid to the base is about 1:100 to about 100:1, more preferably about 1:50 to about 50:1, and still more preferably about 1:10 to about 10:1. In a further preferred embodiment of the invention, where the effervescent agent comprises an acid and a base, the ratio of the acid to the base is approximately stoichiometric.

Excipients which solubilize APIs typically have both hydrophilic and hydrophobic regions, or are preferably amphiphilic or have amphiphilic regions. One type of amphiphilic or partially-amphiphilic excipient comprises an amphiphilic polymer or is an amphiphilic polymer. A specific amphiphilic polymer is a polyalkylene glycol, which is commonly comprised of ethylene glycol and/or propylene

glycol subunits. Such polyalkylene glycols can be esterified at their termini by a carboxylic acid, ester, acid anhydride or other suitable moiety. Examples of such excipients include poloxamers (symmetric block copolymers of ethylene glycol and propylene glycol; e.g., poloxamer 237), polyalkylene glycolated esters of tocopherol (including esters formed from a di- or multi-functional carboxylic acid; e.g., d-alpha-tocopherol polyethylene glycol-1000 succinate), and macroglycerides (formed by alcoholysis of an oil and esterification of a polyalkylene glycol to produce a mixture of mono-, di- and tri-glycerides and mono- and di-esters; e.g., stearyl macrogol-32 glycerides). Such pharmaceutical compositions are advantageously administered orally.

Pharmaceutical compositions of the present invention can comprise about 10 % to about 50 %, about 25 % to about 50 %, about 30 % to about 45 %, or about 30 % to about 35 % by weight of a co-crystal; about 10 % to about 50 %, about 25 % to about 50 %, about 30 % to about 45 %, or about 30 % to about 35 % by weight of an excipient which inhibits crystallization in aqueous solution, in simulated gastric fluid, or in simulated intestinal fluid; and about 5 % to about 50 %, about 10 % to about 40 %, about 15 % to about 35 %, or about 30 % to about 35 % by weight of a binding agent. In one example, the weight ratio of the co-crystal to the excipient which inhibits crystallization to binding agent is about 1 to 1 to 1.

Solid dosage forms of the invention can be prepared by any suitable process, not limited to processes described herein.

An illustrative process comprises (a) a step of blending an API of the invention with one or more excipients to form a blend, and (b) a step of tableting or encapsulating the blend to form tablets or capsules, respectively.

In a preferred process, solid dosage forms are prepared by a process comprising (a) a step of blending a co-crystal of the invention with one or more excipients to form a blend, (b) a step of granulating the blend to form a granulate, and (c) a step of tableting or encapsulating the blend to form tablets or capsules respectively. Step (b) can be accomplished by any dry or wet granulation technique known in the art, but is preferably a dry granulation step. A salt of the present invention is advantageously granulated to form particles of about 1 micrometer to about 100 micrometer, about 5 micrometer to about 50 micrometer, or about 10 micrometer to about 25 micrometer. One or more diluents, one or more disintegrants and one or more binding agents are preferably added, for example in the blending step, a wetting agent can optionally be added, for example in the granulating step, and one or more disintegrants are preferably

added after granulating but before tableting or encapsulating. A lubricant is preferably added before tableting. Blending and granulating can be performed independently under low or high shear. A process is preferably selected that forms a granulate that is uniform in API content, that readily disintegrates, that flows with sufficient ease so that weight variation can be reliably controlled during capsule filling or tableting, and that is dense enough in bulk so that a batch can be processed in the selected equipment and individual doses fit into the specified capsules or tablet dies.

In an alternative embodiment, solid dosage forms are prepared by a process that includes a spray drying step, wherein an API is suspended with one or more excipients in one or more sprayable liquids, preferably a non-protic (e.g., non-aqueous or non-alcoholic) sprayable liquid, and then is rapidly spray dried over a current of warm air.

A granulate or spray dried powder resulting from any of the above illustrative processes can be compressed or molded to prepare tablets or encapsulated to prepare capsules. Conventional tableting and encapsulation techniques known in the art can be employed. Where coated tablets are desired, conventional coating techniques are suitable.

Excipients for tablet compositions of the invention are preferably selected to provide a disintegration time of less than about 30 minutes, preferably about 25 minutes or less, more preferably about 20 minutes or less, and still more preferably about 15 minutes or less, in a standard disintegration assay.

Pharmaceutically acceptable co-crystals can be administered by controlled- or delayed-release means. Controlled-release pharmaceutical products have a common goal of improving drug therapy over that achieved by their non-controlled release counterparts. Ideally, the use of an optimally designed controlled-release preparation in medical treatment is characterized by a minimum of drug substance being employed to cure or control the condition in a minimum amount of time. Advantages of controlled-release formulations include: 1) extended activity of the drug; 2) reduced dosage frequency; 3) increased patient compliance; 4) usage of less total drug; 5) reduction in local or systemic side effects; 6) minimization of drug accumulation; 7) reduction in blood level fluctuations; 8) improvement in efficacy of treatment; 9) reduction of potentiation or loss of drug activity; and 10) improvement in speed of control of diseases or conditions. Kim, Cherng-ju, Controlled Release Dosage Form Design, 2 (Technomic Publishing, Lancaster, Pa.: 2000).

Conventional dosage forms generally provide rapid or immediate drug release from the formulation. Depending on the pharmacology and pharmacokinetics of the drug, use of conventional dosage forms can lead to wide fluctuations in the concentrations of the drug in a patient's blood and other tissues. These fluctuations can impact a number of parameters, such as dose frequency, onset of action, duration of efficacy, maintenance of therapeutic blood levels, toxicity, side effects, and the like. Advantageously, controlled-release formulations can be used to control a drug's onset of action, duration of action, plasma levels within the therapeutic window, and peak blood levels. In particular, controlled- or extended-release dosage forms or formulations can be used to ensure that the maximum effectiveness of a drug is achieved while minimizing potential adverse effects and safety concerns, which can occur both from under dosing a drug (i.e., going below the minimum therapeutic levels) as well as exceeding the toxicity level for the drug.

Most controlled-release formulations are designed to initially release an amount of drug (active ingredient) that promptly produces the desired therapeutic effect, and gradually and continually release other amounts of drug to maintain this level of therapeutic or prophylactic effect over an extended period of time. In order to maintain this constant level of drug in the body, the drug must be released from the dosage form at a rate that will replace the amount of drug being metabolized and excreted from the body. Controlled-release of an active ingredient can be stimulated by various conditions including, but not limited to, pH, ionic strength, osmotic pressure, temperature, enzymes, water, and other physiological conditions or compounds.

A variety of known controlled- or extended-release dosage forms, formulations, and devices can be adapted for use with the co-crystals and compositions of the invention. Examples include, but are not limited to, those described in U.S. Pat. Nos.: 3,845,770; 3,916,899; 3,536,809; 3,598,123; 4,008,719; 5,674,533; 5,059,595; 5,591,767; 5,120,548; 5,073,543; 5,639,476; 5,354,556; 5,733,566; and 6,365,185 B1; each of which is incorporated herein by reference. These dosage forms can be used to provide slow or controlled-release of one or more active ingredients using, for example, hydroxypropylmethyl cellulose, other polymer matrices, gels, permeable membranes, osmotic systems (such as OROS® (Alza Corporation, Mountain View, Calif. USA)), multilayer coatings, microparticles, liposomes, or microspheres or a combination thereof to provide the desired release profile in varying proportions. Additionally, ion exchange

materials can be used to prepare immobilized, adsorbed co-crystals and thus effect controlled delivery of the drug. Examples of specific anion exchangers include, but are not limited to, Duolite® A568 and Duolite® AP143 (Rohm & Haas, Spring House, PA. USA).

5 One embodiment of the invention encompasses a unit dosage form which comprises a pharmaceutically acceptable co-crystal, or a solvate, hydrate, dehydrate, anhydrous, or amorphous form thereof, and one or more pharmaceutically acceptable excipients or diluents, wherein the pharmaceutical composition or dosage form is formulated for controlled-release. Specific dosage forms utilize an osmotic drug
10 delivery system.

A particular and well-known osmotic drug delivery system is referred to as OROS® (Alza Corporation, Mountain View, Calif. USA). This technology can readily be adapted for the delivery of compounds and compositions of the invention. Various aspects of the technology are disclosed in U.S. Pat. Nos. 6,375,978 B1; 6,368,626 B1;
15 6,342,249 B1; 6,333,050 B2; 6,287,295 B1; 6,283,953 B1; 6,270,787 B1; 6,245,357 B1; and 6,132,420; each of which is incorporated herein by reference. Specific adaptations of OROS® that can be used to administer compounds and compositions of the invention include, but are not limited to, the OROS® Push-Pull™, Delayed Push-Pull™, Multi-Layer Push-Pull™, and Push-Stick™ Systems, all of which are well known. See, e.g.,
20 <http://www.alza.com>. Additional OROS® systems that can be used for the controlled oral delivery of compounds and compositions of the invention include OROS®-CT and L-OROS®. Id.; see also, Delivery Times, vol. II, issue II (Alza Corporation).

Conventional OROS® oral dosage forms are made by compressing a drug powder (e.g. co-crystal) into a hard tablet, coating the tablet with cellulose derivatives to
25 form a semi-permeable membrane, and then drilling an orifice in the coating (e.g., with a laser). Kim, Cherng-ju, Controlled Release Dosage Form Design, 231-238 (Technomic Publishing, Lancaster, Pa.: 2000). The advantage of such dosage forms is that the delivery rate of the drug is not influenced by physiological or experimental conditions. Even a drug with a pH-dependent solubility can be delivered at a constant
30 rate regardless of the pH of the delivery medium. But because these advantages are provided by a build-up of osmotic pressure within the dosage form after administration, conventional OROS® drug delivery systems cannot be used to effectively deliver drugs with low water solubility. Id. at 234. Because co-crystals of this invention can be far

more soluble in water than the API itself, they are well suited for osmotic-based delivery to patients. This invention does, however, encompass the incorporation of conventional crystalline API (e.g. pure API without co-crystal former), and non-salt isomers and isomeric mixtures thereof, into OROS® dosage forms.

5 A specific dosage form of the invention comprises: a wall defining a cavity, the wall having an exit orifice formed or formable therein and at least a portion of the wall being semipermeable; an expandable layer located within the cavity remote from the exit orifice and in fluid communication with the semipermeable portion of the wall; a dry or substantially dry state drug layer located within the cavity adjacent to the exit
10 orifice and in direct or indirect contacting relationship with the expandable layer; and a flow-promoting layer interposed between the inner surface of the wall and at least the external surface of the drug layer located within the cavity, wherein the drug layer comprises a co-crystal, or a solvate, hydrate, dehydrate, anhydrous, or amorphous form thereof. See U.S. Pat. No. 6,368,626, the entirety of which is incorporated herein by
15 reference.

Another specific dosage form of the invention comprises: a wall defining a cavity, the wall having an exit orifice formed or formable therein and at least a portion of the wall being semipermeable; an expandable layer located within the cavity remote from the exit orifice and in fluid communication with the semipermeable portion of the wall; a
20 drug layer located within the cavity adjacent the exit orifice and in direct or indirect contacting relationship with the expandable layer; the drug layer comprising a liquid, active agent formulation absorbed in porous particles, the porous particles being adapted to resist compaction forces sufficient to form a compacted drug layer without significant exudation of the liquid, active agent formulation, the dosage form optionally having a
25 placebo layer between the exit orifice and the drug layer, wherein the active agent formulation comprises a co-crystal, or a solvate, hydrate, dehydrate, anhydrous, or amorphous form thereof. See U.S. Pat. No. 6,342,249, the entirety of which is incorporated herein by reference.

30 The invention will now be described in further detail, by way of example, with reference to the accompanying drawings.

EXEMPLIFICATION

General Methods for the Preparation of Co-Crystals

a) High Throughput crystallization using the CrystalMax platform

5 CrystalMax™ comprises a sequence of automated, integrated high throughput robotic stations capable of rapid generation, identification and characterization of polymorphs, salts, and co-crystals of APIs and API candidates. Worksheet generation and combinatorial mixture design is carried out using proprietary design software InForm™. Typically, an API or an API candidate is dispensed from an organic solvent into tubes
10 and dried under a stream of nitrogen. Salts and/or co-crystal formers may also be dispensed and dried in the same fashion. Water and organic solvents may be combinatorially dispensed into the tubes using a multi-channel dispenser. Each tube in a 96-tube array is then sealed within 15 seconds of combinatorial dispensing to avoid solvent evaporation. The mixtures are then rendered supersaturated by heating to 70
15 degrees C for 2 hours followed by a 1 degree C/minute cooling ramp to 5 degrees C. Optical checks are then conducted to detect crystals and/or solid material. Once a solid has been identified in a tube, it is isolated through aspiration and drying. Raman spectra are then obtained on the solids and cluster classification of the spectral patterns is performed using proprietary software (QForm™).

20 b) Crystallization from solution

Co-crystals may be obtained by dissolving the separate components in a solvent and adding one to the other. The co-crystal may then precipitate or crystallize as the solvent mixture is evaporated slowly. The co-crystal may also be obtained by dissolving the two components in the same solvent or a mixture of solvents.

25 c) Crystallization from the melt

A co-crystal may be obtained by melting the two components together and allowing recrystallization to occur. In some cases, an anti-solvent may be added to facilitate crystallization.

d) Thermal microscopy

30 A co-crystal may be obtained by melting the higher melting component on a glass slide and allowing it to recrystallize. The second component is then melted and is also allowed to recrystallize. The co-crystal may form as a separated phase/band in between the eutectic bands of the two original components.

e) Mixing and/or grinding

A co-crystal may be obtained by mixing or grinding two components together in the solid state.

Analytical Methods

5

Procedure for DSC analysis

DSC analysis of the samples was performed using a Q1000 Differential Scanning Calorimeter (TA Instruments, New Castle, DE, U.S.A.), which uses Advantage for QW-Series, version 1.0.0.78, Thermal Advantage Release 2.0 (⁸2001 TA Instruments-Water LLC). In addition, the analysis software used was Universal Analysis 2000 for Windows 95/95/2000/NT, version 3.1E;Build 3.1.0.40 (⁸2001 TA Instruments-Water LLC).

15 For the DSC analysis, the purge gas used was dry nitrogen, the reference material was an empty aluminum pan that was crimped, and the sample purge was 50 mL/minute.

DSC analysis of the sample was performed by placing ≤ 2 mg of sample in an aluminum pan with a crimped pan closure. The starting temperature was typically 20 degrees C with a heating rate of 10 degrees C/minute, and the ending temperature was 300 degrees C. Unless otherwise indicated, all reported transitions are as stated ± 1.0 degrees C.

20

Procedure for TGA analysis

TGA analysis of samples was performed using a Q500 Thermogravimetric Analyzer (TA Instruments, New Castle, DE, U.S.A.), which uses Advantage for QW-Series, version 1.0.0.78, Thermal Advantage Release 2.0 (⁸2001 TA Instruments-Water LLC). In addition, the analysis software used was Universal Analysis 2000 for Windows 95/95/2000/NT, version 3.1E;Build 3.1.0.40 (⁸2001 TA Instruments-Water LLC).

25

30 For all of the TGA experiments, the purge gas used was dry nitrogen, the balance purge was 40 mL/minute N₂, and the sample purge was 60 mL/minute N₂.

TGA of the sample was performed by placing ≤ 2 mg of sample in a platinum pan. The starting temperature was typically 20 degrees C with a heating rate of 10 degrees C/minute, and the ending temperature was 300 degrees C.

5 Procedure for PXRD analysis

A powder X-ray diffraction pattern for the samples was obtained using a D/Max Rapid, Contact (Rigaku/MSC, The Woodlands, TX, U.S.A.), which uses as its control software RINT Rapid Control software, Rigaku Rapid/XRD, version 1.0.0 (⁸1999 Rigaku Co.). In addition, the analysis software used were RINT Rapid display software, version 1.18 (Rigaku/MSC), and JADE XRD Pattern Processing, versions 5.0 and 6.0 (⁸1995-2002, 10 Materials Data, Inc.).

For the PXRD analysis, the acquisition parameters were as follows: source was Cu with a K line at 1.5406Å; x-y stage was manual; collimator size was 0.3 or 0.8 mm; capillary 15 tube (Charles Supper Company, Natick, MA, U.S.A.) was 0.3 mm ID; reflection mode was used; the power to the X-ray tube was 46 kV; the current to the X-ray tube was 40 mA; the omega-axis was oscillating in a range of 0-5 degrees at a speed of 1 degree/minute; the phi-axis was spinning at an angle of 360 degrees at a speed of 2 degrees/second; 0.3 or 0.8 mm collimator; the collection time was 60 minutes; the 20 temperature was room temperature; and the heater was not used. The sample was presented to the X-ray source in a boron rich glass capillary.

In addition, the analysis parameters were as follows: the integration 2-theta range was 2-40 or 60 degrees; the integration chi range was 0-360 degrees; the number of chi 25 segments was 1; the step size used was 0.02; the integration utility was cylint; normalization was used; dark counts were 8; omega offset was 180; and chi and phi offsets were 0.

The relative intensity of peaks in a diffractogram is not necessarily a limitation of the 30 PXRD pattern because peak intensity can vary from sample to sample, e.g., due to crystalline impurities. Further, the angles of each peak can vary by about +/- 0.1 degrees, preferably +/-0.05. The entire pattern or most of the pattern peaks may also shift by about +/- 0.1 degree due to differences in calibration, settings, and other variations from instrument to instrument and from operator to operator.

Procedure for Raman Acquisition, Filtering and Binning

Acquisition

5 The sample was either left in the glass vial in which it was processed or an
aliquot of the sample was transferred to a glass slide. The glass vial or slide was
positioned in the sample chamber. The measurement was made using an Almega™
Dispersive Raman (Almega™ Dispersive Raman, Thermo-Nicolet, 5225 Verona Road,
Madison, WI 53711-4495) system fitted with a 785nm laser source. The sample was
10 manually brought into focus using the microscope portion of the apparatus with a 10x
power objective (unless otherwise noted), thus directing the laser onto the surface of the
sample. The spectrum was acquired using the parameters outlined in Table A. (Exposure
times and number of exposures may vary; changes to parameters will be indicated for
each acquisition.)

15

Filtering and Binning

Each spectrum in a set was filtered using a matched filter of feature size 25 to
remove background signals, including glass contributions and sample fluorescence. This
is particularly important as large background signal or fluorescence limit the ability to
20 accurately pick and assign peak positions in the subsequent steps of the binning process.
Filtered spectra were binned using the peak pick and bin algorithm with the parameters
given in Table B. The sorted cluster diagrams for each sample set and the corresponding
cluster assignments for each spectral file were used to identify groups of samples with
similar spectra, which was used to identify samples for secondary analyses.

Table A. Raman Spectral acquisition parameters

Parameter	Setting Used
Exposure time (s)	2.0
Number of exposures	10
Laser source wavelength (nm)	785
Laser power (%)	100
Aperture shape	pin hole
Aperture size (um)	100
Spectral range	104-3428
Grating position	Single
Temperature at acquisition (degrees C)	24.0

Table B. Raman Filtering and Binning Parameters

Parameter	Setting Used
<i>Filtering Parameters</i>	
Filter type	Matched
Filter size	25
<i>QC Parameters</i>	
Peak Height Threshold	1000
Region for noise test (cm ⁻¹)	0-10000
RMS noise threshold	10000
Automatically eliminate failed spectra	Yes
<i>Region of Interest</i>	
Include (cm ⁻¹)	104-3428
Exclude region I (cm ⁻¹)	
Exclude region II (cm ⁻¹)	
Exclude region III (cm ⁻¹)	
Exclude region IV (cm ⁻¹)	
<i>Peak Pick Parameters</i>	
Peak Pick Sensitivity	Variable
Peak Pick Threshold	100
<i>Peak Comparison Parameters</i>	
Peak Window (cm ⁻¹)	2
<i>Analysis Parameters</i>	
Number of clusters	Variable

Procedure for Single Crystal X-Ray Diffraction

- 10 Single crystal x-ray data were collected on a Bruker SMART-APEX CCD diffractometer (M. J. Zawarotko, Department of Chemistry, University of South Florida). Lattice parameters were determined from least squares analysis. Reflection

data was integrated using the program SAINT. The structure was solved by direct methods and refined by full matrix least squares using the program SHELXTL (Sheldrick, G. M. SHELXTL, Release 5.03; Siemens Analytical X-ray Instruments Inc.: Madison, WI).

5

The co-crystals of the present invention can be characterized, e.g., by the TGA or DSC data or by any one, any two, any three, any four, any five, any six, any seven, any eight, any nine, any ten, or any single integer number of PXRD 2-theta angle peaks or Raman shift peaks listed herein or disclosed in a figure, or by single crystal x-ray diffraction data.

10

Example 1

1:1 carbamazepine:saccharin co-crystals (Form I) were prepared. A 12-block experiment was designed with 12 solvents. 1152 crystallization experiments were carried out using the CMAX platform. The co-crystal was obtained from a mixture of isopropyl acetate and heptane. Detailed characterization of the co-crystal is listed in Table V. (See Figs. 1 and 2)

15

Example 2

1:1 carbamazepine:nicotinamide co-crystals (Form I) were prepared. A 12-block experiment was designed with 12 solvents. 1152 crystallization experiments were carried out using the CMAX platform. The co-crystal was obtained from samples containing toluene, acetone, or isopropyl acetate. Detailed characterization of the co-crystal is listed in Table V. (See Figs. 3 and 4)

20

25

Example 3

1:1 carbamazepine:trimesic acid co-crystals (Form I) were prepared. A 9-block experiment was designed with 10 solvents. 864 crystallization experiments with 8 co-crystal formers and 3 concentrations were carried out using the CMAX platform. The co-crystal was obtained from samples containing methanol. Detailed characterization of the co-crystal is listed in Table V. (See Fig. 5)

30

Example 4

1:1 celecoxib:nicotinamide co-crystals were prepared. Celecoxib (100 mg, 0.26 mmol) and nicotinamide (32.0 mg, 0.26 mmol) were each dissolved in acetone (2 mL). The two solutions were mixed and the resulting mixture was allowed to evaporate slowly overnight. The precipitated solid was collected and characterized. Detailed characterization of the co-crystal is listed in Table V.

Example 5

Co-crystals of topiramate and 18-crown-6 were prepared. An equimolar amount of topiramate and 18-crown-6 were dissolved in ether separately. The solution containing topiramate was then added to the solution containing 18-crown-6. A white solid precipitated after minor agitation and was collected and dried. Detailed characterization of the co-crystal is listed in Table V. (See Figs. 6 and 7)

Example 6

Co-crystals of olanzapine and nicotinamide (Form I and II) were prepared. A 9-block experiment was designed with 12 solvents. 864 crystallization experiments with 10 co-crystal formers and 3 concentrations were carried out using the CMAX platform. The co-crystal was obtained from tubes containing isopropyl acetate. PXRD and DSC characterization of the co-crystal (Form I and II) is listed in Table V. (See Figs. 8, 9, and 30)

Example 7

Co-crystals of celecoxib and 18-crown-6 were prepared. A solution of celecoxib (157.8 mg, 0.4138 mmol) in Et₂O (10.0 mL) was added to 18-crown-6 (118.1 mg, 0.447 mmol). The opaque solid dissolves immediately and a white solid subsequently began to crystallize very rapidly. The solid was collected via filtration and was washed with additional Et₂O (5 mL). Detailed characterization of the co-crystal is listed in Table V. (See Figs. 10 and 11)

Example 8

Co-crystals of itraconazole and succinic acid were prepared. Approximately 51.1 mg of *cis*-itraconazole free base, 0.75 mL of THF, and a magnetic stir bar were charged into a screw cap vial, heated to reflux to dissolve, and then the vial was closed with the screw

cap and placed on top of a hot plate maintained at a temperature between 60 and 75 degrees C. A solution of 77.7 mg of succinic acid in 1.58 mL of THF was prepared. 0.20 mL of the succinic acid solution was added to the *cis*-itraconazole solution and the solution remained clear. 0.75 mL of iso-propylacetate was added and the solution was
 5 seeded with <1 mg of the L-tartaric acid co-crystal salt from Example 10 below. The heat was turned off and the sample crystallized as it cooled to room temperature. The cooled sample was suction filtered. It was rinsed with 0.2-0.3 mL of THF. The filter cake was broken-up and allowed to air-dry for 1 hour prior to analysis. (See Figs. 12 and 13)

Example 9

Co-crystals of itraconazole and fumaric acid were prepared. Approximately 500 mg of *cis*-itraconazole free base was placed in a 50 mL screw top bottle along with 33.33 mL of tetrahydrofuran (THF). 3.0887 mL of fumaric acid stock solution
 15 (prepared in Example 1) was then added to the beaker (resulting in a 1.05:1 ratio of salt former to free base). The cap was screwed on to seal the bottle and the bottle was placed in a 70 degrees C oven (Model # 1400E, VWR Scientific) and heated for approximately 1 hour. Thereafter, the bottle was removed from the oven, the cap from the bottle was removed, and the sample was allowed to evaporate under flowing air
 20 under ambient conditions. When all but about 5 mL of the solvent had evaporated, the remaining solvent was removed by decantation and the solid was isolated by filtering over a Whatman filter using suction. This solid was returned back into the 50 mL bottle with the remaining solid and the bottle was placed into the vacuum oven at approximately 25 mm Hg and the solid was allowed to dry for 4 days prior to analysis.
 25 (See Figs. 14 and 15)

Example 10

Co-crystals of itraconazole and tartaric acid were prepared. Approximately
 30 100.4 mg of *cis*-itraconazole free base, 0.90 mL of THF, and a magnetic stir bar were charged into a screw cap vial, heated to reflux to dissolve, and then the vial was closed with the screw cap and placed in an oil bath maintained at 70 degrees C. A solution of 138.5 mg of L(+) tartaric acid in 1.15 mL of THF was prepared. 0.21 mL of the L(+)tartaric acid solution was added to the *cis*-itraconazole solution and the solution

remained clear. 0.90 mL of iso-propylacetate was added and the solution was seeded with <1 mg of the salt from a preparation of DL-tartaric acid co-crystal. The sample was allowed to crystallize over about 5 minutes in the 70 degrees C oil bath before it was removed and allowed to cool to room temperature. The cooled sample was suction
 5 filtered. It was rinsed with 0.2-0.3 mL of THF. The filter cake was broken-up and allowed to air-dry for 4 hours prior to analysis. (See Figs. 16 and 17)

Example 11

10 Co-crystals of itraconazole and malic acid were prepared. To prepare the L-malic acid co-crystal salt of *cis*-itraconazole, 100.4 mg of *cis*-itraconazole free base, 0.50 mL of THF, and a magnetic stir bar were charged into a screw cap vial. A solution of 191.3 mg of L(-)malic acid in 5.0 mL of THF was prepared. 0.50 mL of the L-malic acid solution was added to the vial containing *cis*-itraconazole and the solution was
 15 heated with a heat gun to dissolve. The solution was allowed to cool and was then seeded with <1 mg of the salt from *cis*-itraconazole-L-tartaric acid co-crystal. The cooled crystals were filtered in a centrifuge filter tube. The filter cake was broken-up and allowed to air-dry prior to analysis. (See Figs. 18 and 19)

20 Example 12

Co-crystals of itraconazole HCl and tartaric acid were prepared. Approximately 212.7mg of L-tartaric acid and 118 microL of 37% HCl were dissolved in 25 mL of hot dioxane. This solution was added to 1.0 g of *cis*-itraconazole dissolved in 50 mL of hot dioxane with stirring. The mixture was heated until a clear solution formed and was
 25 then allowed to cool to room temperature. Upon cooling, 50 mL tert-butyl methyl ether was added and the crystals were harvested by vacuum filtration on a Buchner funnel with #4 Whatman filter paper. The crystals were washed 3 times with 5 mL aliquots of cold tert-butyl methyl ether and left to air dry. Approximately 573 mg of a crystalline form of *cis*-itraconazole HCl-tartaric acid (1:1:0.5) co-crystal were obtained. (See Figs.
 30 20 and 21)

Example 13

Co-crystals of modafinil and malonic acid were prepared. Using a 250 mg/ml modafinil-acetic acid solution, malonic acid was dissolved on a hotplate (about 67 degrees C) at a 1:2 modafinil to malonic acid ratio. The mixture was dried under
 5 flowing nitrogen overnight. A powdery white solid was produced. After further drying for 1 day, acetic acid is removed (as determined by TGA) and the crystal structure, as determined by PXRD, remains the same. (See Fig. 22)

Example 14

10 Co-crystals of modafinil and benzamide were prepared. Modafinil (1 mg, 0.0037mmol) and benzamide (0.45 mg, 0.0037 mmol) were dissolved in 1,2-dichloroethane (400 microL). The solution was allowed to evaporate to dryness and the resulting solid was characterized using PXRD. PXRD data for the co-crystal is listed in Table V. (See Fig. 23)

Example 15

15 Co-crystals of modafinil and mandelic acid were prepared. Modafinil (1 mg, 0.0037mmol) and mandelic acid (0.55 mg, 0.0037 mmol) were dissolved in acetone (400 microL). The solution was allowed to evaporate to dryness and the resulting solid
 20 was characterized using PXRD. PXRD data for the co-crystal is listed in Table V. (See Fig. 24)

Example 16

25 Co-crystals of modafinil and glycolic acid were prepared. Modafinil (1 mg, 0.0037mmol) and glycolic acid (0.30 mg, 0.0037 mmol) were dissolved in acetone (400 microL). The solution was allowed to evaporate to dryness and the resulting solid was characterized using PXRD. PXRD data for the co-crystal is listed in Table V. (See Fig. 25)

Example 17

30 Co-crystals of modafinil and fumaric acid were prepared. Modafinil (1 mg, 0.0037mmol) and fumaric acid (0.42 mg, 0.0037 mmol) were dissolved in 1,2-dichloroethane (400 microL). The solution was allowed to evaporate to dryness and the

resulting solid was characterized using PXRD. PXRD data for the co-crystal is listed in Table V. (See Fig. 26)

Example 18

5 Co-crystals of modafinil and maleic acid were prepared. Using a 250 mg/ml modafinil-acetic acid solution, maleic acid was dissolved on a hotplate (about 67 degrees C) at a 2:1 modafinil to maleic ratio. The mixture was dried under flowing nitrogen overnight. A clear amorphous material remained. Solids began to grow after 2 days stored in a sealed vial at room temperature. (See Fig. 43)

10

Example 19

Co-crystals of olanzapine and nicotinamide (Form III) were prepared. Olanzapine (40 μ L of 25 mg/mL stock solution in tetrahydrofuran) and nicotinamide (37.6 μ L of 20 mg/mL stock solution in methanol) were added to a glass vial and dried under a flow of nitrogen. To the solid mixture was added isopropyl acetate (100 μ L) and the vial was sealed with an aluminum cap. The suspension was then heated at 70 degrees C for two hours in order to dissolve all of the solid material. The solution was then cooled to 5 degrees C and maintained at that temperature for 24 hours. After 24 hours the vial was uncapped and the mixture was concentrated to 50 μ L of total volume. The vial was then
15 resealed with an aluminum cap and was maintained at 5 degrees C for an additional 24 hours. Large, yellow plates were observed and were collected (Form III). The solid was characterized with single crystal x-ray diffraction and powder x-ray diffraction. PXRD characterization of the co-crystal is listed in Table V. (See Fig. 31 and 32A-D)

Single crystal x-ray analysis reveals that the olanzapine:nicotinamide (Form III) co-crystal is made up of a ternary system containing olanzapine, nicotinamide, water and isopropyl acetate in the unit cell. The co-crystal crystallizes in the monoclinic space group $P2_1/c$ and contains one olanzapine, one nicotinamide, 4 waters and one isopropyl acetate solvate in the asymmetric unit. The packing diagram is made up of a two-dimensional hydrogen-bonded network with the water molecules connecting the
25 olanzapine and nicotinamide moieties. The packing diagram is also comprised of alternating olanzapine and nicotinamide layers connected through hydrogen bonding via the water and isopropyl acetate molecules, as shown in Figure 32B. The olanzapine layer propagates along the b axis at $c/4$ and $3c/4$. The nicotinamide layer propagates along the b axis at $c/2$. The top of Figure 32C illustrates the nicotinamide
30

superstructure. The nicotinamide molecules form dimers which hydrogen bond to chains of 4 water molecules. The water chains terminate with isopropyl acetate molecules on each side.

5 Crystal data: $C_{45}H_{64}N_{10}O_7S_2$, $M = 921.18$, monoclinic $P2_1/c$; $a = 14.0961(12) \text{ \AA}$, $b = 12.5984(10) \text{ \AA}$, $c = 27.219(2) \text{ \AA}$, $\alpha = 90^\circ$, $\beta = 97.396(2)^\circ$, $\gamma = 90^\circ$, $T = 100(2) \text{ K}$, $Z = 4$, $D_c = 1.276 \text{ Mg/m}^3$, $U = 4793.6(7) \text{ \AA}^3$, $\lambda = 0.71073 \text{ \AA}$; 24952 reflections measured, 8457 unique ($R_{int} = 0.0882$). Final residuals were $R_1 = 0.0676$, $wR_2 = 0.1461$ for $I > 2\sigma(I)$, and $R_1 = 0.1187$, $wR_2 = 0.1687$ for all 8457 data.

10

Example 20

Co-crystals of 5-fluorouracil and urea were prepared. To 5-fluorouracil (1g, 7.69 mmol) and urea (0.46g, 7.69 mmol) was added methanol (100 mL). The solution was heated at
15 65 degrees C and sonicated until all the material dissolved. The solution was then cooled to 5 degrees C and maintained at that temperature overnight. After about 3 days a white precipitate was observed and collected. The solid was characterized by DSC, PXRD, Raman spectroscopy, and TGA. Characterization data are listed in Table V. (See Figs. 33- 36)

20

Example 21

Co-crystals of hydrochlorothiazide and nicotinic acid were prepared. Hydrochlorothiazide (12.2 mg, 0.041 mmol) and nicotinic acid (5 mg, 0.041 mmol) were dissolved in methanol (1 mL). The solution was then cooled to 5 degrees C and
25 maintained at that temperature for 12 hours. A white solid precipitated and was collected and characterized using PXRD. (See Fig. 37)

Example 22

Co-crystals of hydrochlorothiazide and 18-crown-6 were prepared. Hydrochlorothiazide
30 (100 mg, 0.33 mmol) was dissolved in diethyl ether (15 mL) and was added to a solution of 18-crown-6 (87.2 mg, 0.33 mmol) in diethyl ether (15 mL). A white precipitate immediately began to form and was collected and characterized as the hydrochlorothiazide:18-crown-6 co-crystal using PXRD. (See Fig. 38)

Example 23

Co-crystals of hydrochlorothiazide and piperazine were prepared. Hydrochlorothiazide (17.3 mg, 0.058 mmol) and piperazine (5 mg, 0.058 mmol) were dissolved in a 1:1 mixture of ethyl acetate and acetonitrile (1 mL). The solution was then cooled to 5 degrees C and maintained at that temperature for 12 hours. A white solid precipitated and was collected and characterized using PXRD. (See Fig. 39)

Example 24

Acetaminophen:4,4'-bipyridine:water (1:1:1 stoichiometry)

50 mg (0.3307 mmol) acetaminophen and 52 mg (0.3329 mmol) 4,4'-bipyridine were dissolved in hot water and allowed to stand. Slow evaporation yielded colorless needles of a 1:1:1 acetaminophen/4,4'-bipyridine/water co-crystal, as shown in Figure 44A-B.

Crystal data: (Bruker SMART-APEX CCD Diffractometer). $C_{36}H_{44}N_2O_4$, $M=339.84$, triclinic, space group $P\bar{1}$; $a = 7.0534(8)$, $b = 9.5955(12)$, $c = 19.3649(2)$ Å, $\alpha = 86.326(2)$, $\beta = 80.291(2)$, $\gamma = 88.880(2)^\circ$, $U = 1308.1(3)$ Å³, $T = 200(2)$ K, $Z = 2$, $\mu(\text{Mo-K}\alpha) = 0.090$ mm⁻¹, $D_c = 1.294$ Mg/m³, $\lambda = 0.71073$ Å, $F(000) = 537$, $2\theta_{\text{max}} = 25.02^\circ$; 6289 reflections measured, 4481 unique ($R_{\text{int}} = 0.0261$). Final residuals for 344 parameters were $R_1 = 0.0751$, $wR_2 = 0.2082$ for $I > 2\sigma(I)$, and $R_1 = 0.1119$, $wR_2 = 0.2377$ for all 4481 data.

Crystal packing: The co-crystals contain bilayered sheets in which water molecules act as a hydrogen bonded bridge between the network bipyridine moieties and the acetaminophen. Bipyridine guests are sustained by π - π stacking interactions between two network bipyridines. The layers stack via π - π interactions between the phenyl groups of the acetaminophen moieties.

Differential Scanning Calorimetry: (TA Instruments 2920 DSC), 57.77 degrees C (endotherm); m.p. = 58-60 degrees C (MEL-TEMP); (acetaminophen m.p. = 169 degrees C, 4,4'-bipyridine m.p. = 111-114 degrees C).

Example 25

Phenytoin:Pyridone (1:1 stoichiometry)

28 mg (0.1109 mmol) phenytoin and 11 mg (0.1156 mmol) 4-hydroxypyridone were dissolved in 2 mL acetone and 1 mL ethanol with heating and stirring. Slow

evaporation yielded colorless needles of a 1:1 phenytoin/pyridone co-crystal, as shown in Figure 45A-B.

Crystal data: (Bruker SMART-APEX CCD Diffractometer), $C_{20}H_{17}N_3O_3$, $M = 347.37$, monoclinic $P2_1/c$; $a = 16.6583(19)$, $b = 8.8478(10)$, $c = 11.9546(14)$ Å, $\beta = 96.618(2)^\circ$, $U = 1750.2(3)$ Å³, $T = 200(2)$ K, $Z = 4$, $\mu(\text{Mo-K}\alpha) = 0.091$ mm⁻¹, $D_c = 1.318$ Mg/m³, $\lambda = 0.71073$ Å, $F(000) = 728$, $2\theta_{\text{max}} = 56.60^\circ$; 10605 reflections measured, 4154 unique ($R_{\text{int}} = 0.0313$). Final residuals for 247 parameters were $R_1 = 0.0560$, $wR_2 = 0.1356$ for $I > 2\sigma(I)$, and $R_1 = 0.0816$, $wR_2 = 0.1559$ for all 4154 data.

Crystal packing: The co-crystal is sustained by hydrogen bonding of adjacent phenytoin molecules between the carbonyl and the amine closest to the tetrahedral carbon, and by hydrogen bonding between pyridone carbonyl functionalities and the amine not involved in phenytoin-phenytoin interactions. The pyridone carbonyl also hydrogen bonds with adjacent pyridone molecules forming a one-dimensional network.

Infrared Spectroscopy: (Nicolet Avatar 320 FTIR), characteristic peaks for the co-crystal were identified as: 2° amine found at 3311 cm⁻¹, carbonyl (ketone) found at 1711 cm⁻¹, olephin peak found at 1390 cm⁻¹.

Differential Scanning Calorimetry: (TA Instruments 2920 DSC), 233.39 degrees C (endotherm) and 271.33 degrees C (endotherm); m.p. = 231-233 degrees C (MEL-TEMP); (phenytoin m.p. = 295 degrees C, pyridone m.p. = 148 degrees C).

Thermogravimetric Analysis: (TA Instruments 2950 Hi-Resolution TGA), a 29.09% weight loss starting at 192.80 degrees C, 48.72% weight loss starting at 238.27 degrees C, and 18.38% loss starting at 260.17 degrees C followed by complete decomposition.

Powder x-ray diffraction: (Rigaku Miniflex Diffractometer using Cu K α ($\lambda = 1.540562$), 30kV, 15mA). The powder data were collected over an angular range of 3° to 40° 2 θ in continuous scan mode using a step size of 0.02° 2 θ and a scan speed of 2.0°/minute. PXRD: Showed analogous peaks to the simulated PXRD derived from the single crystal data. In all cases of recrystallization and solid state reaction, experimental (calculated): 5.2 (5.3); 11.1 (11.3); 15.1 (15.2); 16.2 (16.4); 16.7 (17.0); 17.8 (17.9); 19.4 (19.4); 19.8 (19.7); 20.3 (20.1); 21.2 (21.4); 23.3 (23.7); 26.1 (26.4); 26.4 (26.6); 27.3 (27.6); 29.5 (29.9).

Example 26

Aspirin (acetylsalicylic acid):4,4'-bipyridine (2:1 stoichiometry)

50 mg (0.2775 mmol) aspirin and 22 mg (0.1388 mmol) 4,4'-bipyridine were dissolved in 4 mL hexane. 8 mL ether was added to the solution and allowed to stand for one hour, yielding colorless needles of a 2:1 aspirin/4,4'-bipyridine co-crystal, as shown in Figure 46A-D. Alternatively, aspirin/4,4'-bipyridine (2:1 stoichiometry) can be made by grinding the solid ingredients in a pestle and mortar.

Crystal data: (Bruker SMART-APEX CCD Diffractometer), $C_{28}H_{24}N_2O_8$, $M = 516.49$, orthorhombic $Pbcn$; $a = 28.831(3)$, $b = 11.3861(12)$, $c = 8.4144(9)$ Å, $U = 2762.2(5)$ Å³, $T = 173(2)$ K, $Z = 4$, $\mu(\text{Mo-K}\alpha) = 0.092$ mm⁻¹, $D_c = 1.242$ Mg/m³, $\lambda = 0.71073$ Å, $F(000) = 1080$, $2\theta_{\text{max}} = 25.02^\circ$; 12431 reflections measured, 2433 unique ($R_{\text{int}} = 0.0419$). Final residuals for 202 parameters were $R_1 = 0.0419$, $wR_2 = 0.1358$ for $I > 2\sigma(I)$, and $R_1 = 0.0541$, $wR_2 = 0.1482$ for all 2433 data.

Crystal packing: The co-crystal contains the carboxylic acid-pyridine heterodimer that crystallizes in the $Pbcn$ space group. The structure is an inclusion compound containing disordered solvent in the channels. In addition to the dominant hydrogen bonding interaction of the heterodimer, π - π stacking of the bipyridine and phenyl groups of the aspirin and hydrophobic interactions contribute to the overall packing interactions.

Infrared Spectroscopy: (Nicolet Avatar 320 FTIR), characteristic (-COOH) peak at 1679 cm^{-1} was shifted up and less intense at 1694 cm^{-1} , where as the lactone peak is shifted down slightly from 1750 cm^{-1} to 1744 cm^{-1} .

Differential Scanning Calorimetry: (TA Instruments 2920 DSC), 95.14 degrees C (endotherm); m.p. = 91-96 degrees C (MEL-TEMP); (aspirin m.p. = 1345 degrees C, 4,4'-bipyridine m.p. = 111-114 degrees C).

Thermogravimetric Analysis: (TA Instruments 2950 Hi-Resolution TGA), weight loss of 9% starting at 22.62 degrees C, 49.06% weight loss starting at 102.97 degrees C followed by complete decomposition starting at 209.37 degrees C.

Example 27

Ibuprofen:4,4'-Bipyridine (2:1 stoichiometry)

50 mg (0.242 mmol) racemic ibuprofen and 18mg (0.0960 mmol) 4,4'-bipyridine were dissolved in 5 mL acetone. Slow evaporation of the solvent yielded colorless needles of a 2:1 ibuprofen/4,4'-bipyridine co-crystal, as shown in Figure 47A-D.

Crystal data: (Bruker SMART-APEX CCD Diffractometer), $C_{36}H_{44}N_2O_4$,
 $M = 568.73$, triclinic, space group $P-1$; $a = 5.759(3)$, $b = 11.683(6)$, $c = 24.705(11)$ Å,
 $\alpha = 93.674(11)$, $\beta = 90.880(10)$, $\gamma = 104.045(7)^\circ$, $U = 1608.3(13)$ Å³, $T = 200(2)$ K,
 $Z = 2$, $\mu(\text{Mo-K}\alpha) = 0.076 \text{ mm}^{-1}$, $D_c = 1.174 \text{ Mg/m}^3$, $\lambda = 0.71073$ Å, $F(000) = 612$,
5 $2\theta_{\text{max}} = 23.29^\circ$; 5208 reflections measured, 3362 unique ($R_{\text{int}} = 0.0826$). Final residuals
for 399 parameters were $R_1 = 0.0964$, $wR_2 = 0.2510$ for $I > 2\sigma(I)$, and $R_1 = 0.1775$,
 $wR_2 = 0.2987$ for all 3362 data.

Crystal packing: The co-crystal contains ibuprofen/bipyridine heterodimers,
sustained by two hydrogen bonded carboxylic acidpyridine supramolecular synthons,
10 arranged in a herringbone motif that packs in the space group $P-1$. The heterodimer is
an extended version of the homodimer and packs to form a two-dimensional network
sustained by π - π stacking of the bipyridine and phenyl groups of the ibuprofen and
hydrophobic interactions from the ibuprofen tails.

Infrared Spectroscopy: (Nicolet Avatar 320 FTIR). Analysis observed
15 stretching of aromatic C-H at 2899 cm^{-1} ; N-H bending and scissoring at 1886 cm^{-1} ;
C=O stretching at 1679 cm^{-1} ; C-H out-of-plane bending for both 4,4'-bipyridine and
ibuprofen at 808 cm^{-1} and 628 cm^{-1} .

Differential Scanning Calorimetry: (TA Instruments 2920 DSC), 64.85 degrees
C (endotherm) and 118.79 degrees C (endotherm); m.p. = 113-120 degrees C (MEL-
20 TEMP); (ibuprofen m.p. = 75-77 degrees C, 4,4'-bipyridine m.p. = 111-114 degrees C).

Thermogravimetric Analysis: (TA Instruments 2950 Hi-Resolution TGA),
13.28% weight loss between room temperature and 100.02 degrees C immediately
followed by complete decomposition.

Powder x-ray diffraction: (Rigaku Miniflex Diffractometer using Cu K α
25 ($\lambda = 1.540562$), 30kV, 15mA). The powder data were collected over an angular range
of 3° to $40^\circ 2\theta$ in continuous scan mode using a step size of $0.02^\circ 2\theta$ and a scan speed of
 $2.0^\circ/\text{minute}$. PXRD derived from the single crystal data, experimental (calculated): 3.4
(3.6); 6.9 (7.2); 10.4 (10.8); 17.3 (17.5); 19.1 (19.7).

Example 28

Flurbiprofen:4,4'-bipyridine (2:1 stoichiometry)

50 mg (0.2046 mmol) flurbiprofen and 15 mg (0.0960 mmol) 4,4'-bipyridine were dissolved in 3 mL acetone. Slow evaporation of the solvent yielded colorless
 5 needles of a 2:1 flurbiprofen/4,4'-bipyridine co-crystal, as shown in Figure 48A-D.

Crystal data: (Bruker SMART-APEX CCD Diffractometer), $C_{40}H_{34}F_2N_2O_4$, $M = 644.69$, monoclinic $P2_1/n$; $a = 5.860(4)$, $b = 47.49(3)$, $c = 5.928(4)$ Å, $\beta = 107.382$ (8)°, $U = 1574.3(19)$ Å³, $T = 200(2)$ K, $Z = 2$, $\mu(\text{Mo-K}\alpha) = 0.096$ mm⁻¹, $D_c = 1.360$ Mg/m³, $\lambda = 0.71073$ Å, $F(000) = 676$, $2\theta_{\text{max}} = 21.69^\circ$; 4246 reflections measured, 1634
 10 unique ($R_{\text{int}} = 0.0677$). Final residuals for 226 parameters were $R_1 = 0.0908$, $wR_2 = 0.2065$ for $I > 2\sigma(I)$, and $R_1 = 0.1084$, $wR_2 = 0.2209$ for all 1634 data.

Crystal packing: The co-crystal contains flurbiprofen/bipyridine heterodimers, sustained by two hydrogen bonded carboxylic acidpyridine supramolecular synthon, arranged in a herringbone motif that packs in the space group $P2_1/n$. The heterodimer is
 15 an extended version of the homodimer and packs to form a two-dimensional network sustained by π - π stacking and hydrophobic interactions of the bipyridine and phenyl groups of the flurbiprofen.

Infrared Spectroscopy: (Nicolet Avatar 320 FTIR), aromatic C-H stretching at 3057 cm⁻¹ and 2981 cm⁻¹; N-H bending and scissoring at 1886 cm⁻¹; C=O stretching at
 20 1690 cm⁻¹; C=C and C=N ring stretching at 1418 cm⁻¹.

Differential Scanning Calorimetry: (TA Instruments 2920 DSC), 162.47 degrees C (endotherm); m.p. = 155-160 degrees C (MEL-TEMP); (flurbiprofen m.p. = 110-111 degrees C, 4,4'-bipyridine m.p. = 111-114 degrees C).

Thermogravimetric Analysis: (TA Instruments 2950 Hi-Resolution TGA),
 25 30.93% weight loss starting at 31.13 degrees C and a 46.26% weight loss starting at 168.74 degrees C followed by complete decomposition.

Powder x-ray diffraction: (Rigaku Miniflex Diffractometer using Cu K α ($\lambda = 1.540562$), 30kV, 15mA), the powder data were collected over an angular range of 3° to 40° 2θ in continuous scan mode using a step size of 0.02° 2θ and a scan speed of
 30 2.0°/minute. PXRD derived from the single crystal data: experimental (calculated): 16.8 (16.8); 17.1 (17.5); 18.1 (18.4); 19.0 (19.0); 20.0 (20.4); 21.3 (21.7); 22.7 (23.0); 25.0 (25.6); 26.0 (26.1); 26.0 (26.6); 26.1 (27.5); 28.2 (28.7); 29.1 (29.7).

Example 29

Flurbiprofen:trans-1,2-bis (4-pyridyl) ethylene (2:1 stoichiometry)

25 mg (0.1023 mmol) flurbiprofen and 10 mg (0.0548 mmol) trans-1, 2-bis (4-pyridyl) ethylene were dissolved in 3 mL acetone. Slow evaporation of the solvent yielded colorless needles of a 2:1 flurbiprofen/1,2-bis (4-pyridyl) ethylene co-crystal, as shown in Figure 49A-B.

Crystal data: (Bruker SMART-APEX CCD Diffractometer), $C_{42}H_{36}F_2N_2O_4$, $M = 670.73$, monoclinic $P2_1/n$; $a = 5.8697(9)$, $b = 47.357(7)$, $c = 6.3587(10)$ Å, $\beta = 109.492(3)^\circ$, $U = 1666.2(4)$ Å³, $T = 200(2)$ K, $Z = 2$, $\mu(Mo-K\alpha) = 0.093$ mm⁻¹, $D_c = 1.337$ Mg/m³, $\lambda = 0.71073$ Å, $F(000) = 704$, $2\theta_{max} = 21.69^\circ$, 6977 reflections measured, 2383 unique ($R_{int} = 0.0383$). Final residuals for 238 parameters were $R_1 = 0.0686$, $wR_2 = 0.1395$ for $I > 2\sigma(I)$, and $R_1 = 0.1403$, $wR_2 = 0.1709$ for all 2383 data.

Crystal packing: The co-crystal contains flurbiprofen/1,2-bis (4-pyridyl) ethylene heterodimers, sustained by two hydrogen bonded carboxylic acid-pyridine supramolecular synthons, arranged in a herringbone motif that packs in the space group $P2_1/n$. The heterodimer from 1,2-bis (4-pyridyl) ethylene further extends the homodimer relative to example 28 and packs to form a two-dimensional network sustained by π - π stacking and hydrophobic interactions of the bipyridine and phenyl groups of the flurbiprofen.

Infrared Spectroscopy: (Nicolet Avatar 320 FTIR), aromatic C-H stretching at 2927 cm⁻¹ and 2850 cm⁻¹; N-H bending and scissoring at 1875 cm⁻¹; C=O stretching at 1707 cm⁻¹; C=C and C=N ring stretching at 1483 cm⁻¹.

Differential Scanning Calorimetry: (TA Instruments 2920 DSC), 100.01 degrees C, 125.59 degrees C and 163.54 degrees C (endotherms); m.p. = 153-158 degrees C (MEL-TEMP); (flurbiprofen m.p. = 110-111 degrees C, trans-1, 2-bis (4-pyridyl) ethylene m.p. = 150-153 degrees C).

Thermogravimetric Analysis: (TA Instruments 2950 Hi-Resolution TGA), 91.79% weight loss starting at 133.18 degrees C followed by complete decomposition.

Powder x-ray diffraction: (Rigaku Miniflex Diffractometer using Cu K α ($\lambda = 1.540562$), 30kV, 15mA), the powder data were collected over an angular range of 3° to 40° 2 θ in continuous scan mode using a step size of 0.02° 2 θ and a scan speed of 2.0°/minute. PXRD derived from the single crystal data, experimental (calculated): 3.6 (3.7); 17.3 (17.7); 18.1 (18.6); 18.4 (18.6); 19.1 (19.3); 22.3 (22.5); 23.8 (23.9); 25.9 (26.4); 28.1 (28.5).

Example 30

Carbamazepine:*p*-Phthalaldehyde (1:1 stoichiometry)

25 mg (0.1058 mmol) carbamazepine and 7 mg (0.0521 mmol) *p*-
 5 phthalaldehyde were dissolved in approximately 3 mL methanol. Slow evaporation of
 the solvent yielded colorless needles of a 1:1 carbamazepine/*p*-phthalaldehyde co-
 crystal, as shown in Figure 50A-B.

Crystal data: (Bruker SMART-APEX CCD Diffractometer), $C_{38}H_{30}N_4O_4$,
 $M = 606.66$, monoclinic $C2/c$; $a = 29.191(16)$, $b = 4.962(3)$, $c = 20.316(11)$ Å,
 10 $\beta = 92.105(8)^\circ$, $U = 2941(3)$ Å³, $T = 200(2)$ K, $Z = 4$, $\mu(\text{Mo-K}\alpha) = 0.090$ mm⁻¹,
 $D_c = 1.370$ Mg/m³, $\lambda = 0.71073$ Å, $F(000) = 1272$, $2\theta_{\text{max}} = 43.66^\circ$, 3831 reflections
 measured, 1559 unique ($R_{\text{int}} = 0.0510$). Final residuals for 268 parameters were
 $R_1 = 0.0332$, $wR_2 = 0.0801$ for $I > 2\sigma(I)$, and $R_1 = 0.0403$, $wR_2 = 0.0831$ for all 1559
 data.

15 Crystal packing: The co-crystals contain hydrogen bonded carboxamide
 homodimers that crystallize in the space group $C2/c$. The 1° amines of the homodimer
 are bifurcated to the carbonyl of the *p*-phthalaldehyde forming a chain with an adjacent
 homodimer. The chains pack in a crinkled tape motif sustained by π - π interactions
 between phenyl rings of the CBZ.

20 Infrared Spectroscopy: (Nicolet Avatar 320 FTIR). The 1° amine
 unsymmetrical and symmetrical stretching was shifted down to 3418 cm⁻¹; aliphatic
 aldehyde and 1° amide C=O stretching was shifted up to 1690 cm⁻¹; N-H in-plane
 bending at 1669 cm⁻¹; C-H aldehyde stretching at 2861 cm⁻¹ and H-C=O bending at
 1391 cm⁻¹.

25 Differential Scanning Calorimetry: (TA Instruments 2920 DSC), 128.46
 degrees C (endotherm), m.p. = 121-124 degrees C (MEL-TEMP), (carbamazepine
 m.p. = 190.2 degrees C, *p*-phthalaldehyde m.p. = 116 degrees C).

Thermogravimetric Analysis: (TA Instruments 2950 Hi-Resolution TGA),
 17.66% weight loss starting at 30.33 degrees C then a 17.57% weight loss starting at
 30 100.14 degrees C followed by complete decomposition.

Powder x-ray diffraction: (Rigaku Miniflex Diffractometer using Cu K α
 $(\lambda = 1.540562)$, 30kV, 15mA). The powder data were collected over an angular range
 of 3° to 40° 2θ in continuous scan mode using a step size of 0.02° 2θ and a scan speed of
 2.0°/minute. PXRD derived from the single crystal data, experimental (calculated): 8.5

(8.7); 10.6 (10.8); 11.9 (12.1); 14.4 (14.7) 15.1 (15.2); 18.0 (18.1); 18.5 (18.2); 19.8 (18.7); 23.7 (24.0); 24.2 (24.2); 26.4 (26.7); 27.6 (27.9); 27.8 (28.2); 28.7 (29.1); 29.3 (29.6); 29.4 (29.8).

5 Example 31

Carbamazepine:nicotinamide (Form II) (1:1 stoichiometry)

25 mg (0.1058 mmol) carbamazepine and 12 mg (0.0982 mmol) nicotinamide were dissolved in 4 mL of DMSO, methanol or ethanol. Slow evaporation of the solvent yielded colorless needles of a 1:1 carbamazepine/nicotinamide co-crystal, as shown in Figure 51.

Using a separate method, 25 mg (0.1058 mmol) carbamazepine and 12 mg (0.0982mmol) nicotinamide were ground together with mortar and pestle. The solid was determined to be 1:1 carbamazepine/nicotinamide microcrystals (PXRD).

Crystal data: (Bruker SMART-APEX CCD Diffractometer), $C_{21}H_{18}N_4O_2$,
 15 $M = 358.39$, monoclinic $P2_1/n$; $a = 5.0961(8)$, $b = 17.595(3)$, $c = 19.647(3)$ Å,
 $\beta = 90.917(3)^\circ$, $U = 1761.5(5)$ Å³, $T = 200(2)$ K, $Z = 4$, $\mu(\text{Mo-K}\alpha) = 0.090$ mm⁻¹,
 $D_c = 1.351$ Mg/m³, $\lambda = 0.71073$ Å, $F(000) = 752$, $2\theta_{\text{max}} = 56.60^\circ$, 10919 reflections
 measured, 4041 unique ($R_{\text{int}} = 0.0514$). Final residuals for 248 parameters were
 $R_1 = 0.0732$, $wR_2 = 0.1268$ for $I > 2\sigma(I)$, and $R_1 = 0.1161$, $wR_2 = 0.1430$ for all 4041
 20 data.

Crystal packing: The co-crystals contain hydrogen bonded carboxamide homodimers. The 1° amines are bifurcated to the carbonyl of the nicotinamide on each side of the dimer. The 1° amines of each nicotinamide are hydrogen bonded to the carbonyl of the adjoining dimer. The dimers form chains with π - π interactions from the phenyl groups of the CBZ.

Infrared Spectroscopy: (Nicolet Avatar 320 FTIR), unsymmetrical and symmetrical stretching shifts down to 3443 cm⁻¹ and 3388 cm⁻¹ accounting for 1° amines; 1° amide C=O stretching at 1690 cm⁻¹; N-H in-plane bending at 1614 cm⁻¹; C=C stretching shifted down to 1579 cm⁻¹; aromatic H's from 800 cm⁻¹ to 500 cm⁻¹ are present.

Differential Scanning Calorimetry: (TA Instruments 2920 DSC), 74.49 degrees C (endotherm) and 159.05 degrees C (endotherm), m.p. = 153-158 degrees C (MEL-TEMP), (carbamazepine m.p. = 190.2 degrees C, nicotinamide m.p. = 150-160 degrees C).

Thermogravimetric Analysis: (TA Instruments 2950 Hi-Resolution TGA), 57.94% weight loss starting at 205.43 degrees C followed by complete decomposition.

Powder x-ray diffraction: (Rigaku Miniflex Diffractometer using Cu K α (λ = 1.540562), 30kV, 15mA). The powder data were collected over an angular range of 3° to 40° 2 θ in continuous scan mode using a step size of 0.02° 2 θ and a scan speed of 2.0°/minute. PXRD: Showed analogous peaks to the simulated PXRD derived from the single crystal data. PXRD analysis experimental (calculated): 6.5 (6.7); 8.8 (9.0); 10.1 (10.3); 13.2 (13.5); 15.6 (15.8); 17.7 (17.9); 17.8 (18.1); 18.3 (18.6); 19.8 (20.1); 20.4 (20.7); 21.6 (22.); 22.6 (22.8); 22.9 (23.2); 26.4 (26.7); 26.7 (27.0); 28.0 (28.4).

Example 32

Carbamazepine:saccharin (Form II) (1:1 stoichiometry)

25 mg (0.1058mmol) carbamazepine and 19 mg (0.1037 mmol) saccharin were dissolved in approximately 4 mL ethanol. Slow evaporation of the solvent yielded colorless needles of a 1:1 carbamazepine/saccharin cocrystal, as shown in Figure 52. Solubility measurements indicate that this multiple-component crystal of carbamazepine has improved solubility over previously known forms of carbamazepine (*e.g.*, increased molar solubility and longer solubility in aqueous solutions).

Crystal data: (Bruker SMART-APEX CCD Diffractometer), C₂₂H₁₇N₃O₄S₁, M = 419.45, triclinic *P*-1; a = 7.5140(11), b = 10.4538(15), c = 12.6826(18) Å, α = 83.642(2)°, β = 85.697(2)°, γ = 75.411(2)°, U = 957.0(2) Å³, T = 200(2) K, Z = 2, μ (Mo-K α) = 0.206 mm⁻¹, D_c = 1.456 Mg/m³, λ = 0.71073 Å, F(000) = 436, 2 θ_{\max} = 56.20°; 8426 reflections measured, 4372 unique (*R*_{int} = 0.0305). Final residuals for 283 parameters were *R*₁ = 0.0458, *wR*₂ = 0.1142 for *I* > 2 σ (*I*), and *R*₁ = 0.0562, *wR*₂ = 0.1204 for all 4372 data.

Crystal packing: The co-crystals contain hydrogen bonded carboxamide homodimers. The 2° amines of the saccharin are hydrogen bonded to the carbonyl of the CBZ on each side forming a tetramer. The crystal has a space group of *P*-1 with π - π interactions between the phenyl groups of the CBZ and the saccharin phenyl groups.

Infrared Spectroscopy: (Nicolet Avatar 320 FTIR), unsymmetrical and symmetrical stretching shifts up to 3495 cm⁻¹ accounting for 1° amines; C=O aliphatic stretching was shifted up to 1726 cm⁻¹; N-H in-plane bending at 1649 cm⁻¹; C=C stretching shifted down to 1561 cm⁻¹; (O=S=O) sulfonyl peak at 1330 cm⁻¹ C-N aliphatic stretching 1175 cm⁻¹.

Differential Scanning Calorimetry: (TA Instruments 2920 DSC), 75.31 degrees C (endotherm) and 177.32 degrees C (endotherm), m.p. = 148-155 degrees C (MEL-TEMP); (carbamazepine m.p. = 190.2 degrees C, saccharin m.p. = 228.8 degrees C).

Thermogravimetric Analysis: (TA Instruments 2950 Hi-Resolution TGA),
 5 3.342% weight loss starting at 67.03 degrees C and a 55.09% weight loss starting at 118.71 degrees C followed by complete decomposition.

Powder x-ray diffraction: (Rigaku Miniflex Diffractometer using Cu K α (λ = 1.540562), 30kV, 15mA). The powder data were collected over an angular range of 3° to 40° 2 θ in continuous scan mode using a step size of 0.02° 2 θ and a scan speed of
 10 2.0°/minute. PXRD derived from the single crystal data, experimental (calculated): 6.9 (7.0); 12.2 (12.2); 13.6 (13.8); 14.0 (14.1); 14.1 (14.4); 15.3 (15.6); 15.9 (15.9); 18.1 (18.2); 18.7 (18.8); 20.2 (20.3); 21.3 (21.5); 23.7 (23.9); 26.3 (26.4); 28.3 (28.3).

Example 33

15 Carbamazepine:2,6-pyridinedicarboxylic acid (2:3 stoichiometry)

36 mg (0.1524 mmol) carbamazepine and 26 mg (0.1556 mmol) 2,6-pyridinedicarboxylic acid were dissolved in approximately 2 mL ethanol. Slow evaporation of the solvent yielded clear needles of a 1:1 carbamazepine/2,6-pyridinedicarboxylic acid co-crystal, as shown in Figure 54A-B.

20 Crystal data: (Bruker SMART-APEX CCD Diffractometer). C₂₂H₁₇N₃O₅, M=403.39, orthorhombic P2(1)2(1)2(1); a=7.2122, b=14.6491, c=17.5864 Å, α =90°, β =90°, γ =90°, V=1858.0(2) Å³, T=100 K, Z=4, μ (MO-K α)=0.104 mm⁻¹, D_c=1.442 Mg/m³, λ =0.71073 Å, F(000)840, 2 θ_{\max} =28.3. 16641 reflections measured, 4466 unique (R_{int} =0.093). Final residuals for 271 parameters were R_1 =0.0425 and wR_2 =0.0944 for
 25 $I > 2\sigma(I)$.

Crystal packing: Each hydrogen on the CBZ 1° amine is hydrogen bonded to a carbonyl group of a different 2,6-pyridinedicarboxylic acid moiety. The carbonyl of the CBZ carboxamide is hydrogen bonded to two hydroxide groups of one 2,6-pyridinedicarboxylic acid moiety.

30 Infrared Spectroscopy: (Nicolet Avatar 320 FTIR). 3439 cm⁻¹, (N-H stretch, 1° amine, CBZ); 1734 cm⁻¹, (C=O); 1649 cm⁻¹, (C=C).

Melting Point: 214-216 degrees C (MEL-TEMP). (carbamazepine m.p. = 191-192 degrees C, 2,6-pyridinedicarboxylic acid m.p. = 248-250 degrees C).

Thermogravimetric Analysis: (TA Instruments 2950 Hi-Resolution TGA). 69% weight loss starting at 215 degrees C and a 17% weight loss starting at 392 degrees C followed by complete decomposition.

5 Example 34

Carbamazepine:5-nitroisophthalic acid (1:1 stoichiometry)

40 mg (0.1693 mmol) carbamazepine and 30 mg (0.1421 mmol) 5-nitroisophthalic acid were dissolved in approximately 3 mL methanol or ethanol. Slow evaporation of the solvent yielded yellow needles of a 1:1 carbamazepine/5-nitroisophthalic acid co-crystal, as shown in Figure 55A-B.

Crystal data: (Bruker SMART-APEX CCD Diffractometer). $C_{47}H_{40}N_6O_{16}$, $M=944.85$, monoclinic $C2/c$; $a=34.355(8)$, $b=5.3795(13)$, $c=23.654(6)$ Å, $\alpha=90^\circ$, $\beta=93.952(6)^\circ$, $\gamma=90^\circ$, $V=4361.2(18)$ Å³, $T=200(2)$ K, $Z=4$, $\mu(MO-K\alpha)=0.110$ mm⁻¹, $D_c=1.439$ Mg/m³, $\lambda=0.71073$ Å, $F(000)1968$, $2\theta_{max}=26.43^\circ$. 11581 reflections measured, 4459 unique ($R_{int}=0.0611$). Final residuals for 311 parameters were $R_1=0.0725$, $wR_2=0.1801$ for $I>2\sigma(I)$, and $R_1=0.1441$, $wR_2=0.1204$ for all 4459 data.

Crystal packing: The co-crystals are sustained by hydrogen bonded carboxylic acid homodimers between the two 5-nitroisophthalic acid moieties and hydrogen bonded carboxy-amide heterodimers between the carbamazepine and 5-nitroisophthalic acid moiety. There is solvent hydrogen bonded to an additional N-H donor from the carbamazepine moiety.

Infrared Spectroscopy: (Nicolet Avatar 320 FTIR). 3470 cm⁻¹, (N-H stretch, 1° amine, CBZ); 3178 cm⁻¹, (C-H stretch, alkene); 1688 cm⁻¹, (C=O); 1602 cm⁻¹, (C=C).

25 Differential Scanning Calorimetry: (TA Instruments 2920 DSC). 190.51 degrees C (endotherm). m.p. = NA (decomposes at 197-200 degrees C) (MEL-TEMP). (carbamazepine m.p. = 191-192 degrees C, 5-nitroisophthalic acid m.p. = 260-261 degrees C).

Thermogravimetric Analysis: (TA Instruments 2950 Hi-Resolution TGA). 30 32.02% weight loss starting at 202 degrees C, a 12.12% weight loss starting at 224 degrees C and a 17.94% weight loss starting at 285 degrees C followed by complete decomposition.

Powder x-ray diffraction: (Rigaku Miniflex Diffractometer using $\text{CuK}\alpha$ ($\lambda=1.540562$), 30kV, 15mA). The powder data were collected over an angular range of 3 to 40 2θ in continuous scan mode using a step size of 0.02 2θ and a scan speed of 2.0 /min. PXRD: Showed analogous peaks to the simulated PXRD derived from the single crystal data. PXRD analysis experimental (calculated): 10.138 (10.283), 15.291 (15.607), 17.438 (17.791), 21.166 (21.685), 31.407 (31.738), 32.650 (32.729).

Example 35

Carbamazepine:1,3,5,7-adamantane tetracarboxylic acid (1:1 stoichiometry)

15 mg (0.1524 mmol) carbamazepine and 20 mg (0.1556 mmol) 1,3,5,7-adamantanetetracarboxylic acid were dissolved in approximately 1 mL methanol or 1 mL ethanol. Slow evaporation of the solvent yields clear plates of a 2:1 carbamazepine/1,3,5,7-adamantanetetracarboxylic acid co-crystal, as shown in Figure 56A-B.

Crystal data: (Bruker SMART-APEX CCD Diffractometer). $\text{C}_{44}\text{H}_{40}\text{N}_2\text{O}_{10}$, $M=784.80$, monoclinic $C2/c$; $a=18.388(4)$, $b=12.682(3)$, $c=16.429(3)$ Å, $\beta=100.491(6)^\circ$, $V=3767.1(14)$ Å³, $T=100(2)$ K, $Z=4$, $\mu(\text{MO-K}\alpha)=0.099$ mm⁻¹, $D_c=1.384$ Mg/m³, $\lambda=0.71073$ Å, $F(000)1648$, $2\theta_{\text{max}}=28.20^\circ$. 16499 reflections measured, 4481 unique ($R_{\text{int}}=0.052$). Final residuals for 263 parameters were $R_1=0.0433$ and $wR_2=0.0913$ for $I>2\sigma(I)$.

Crystal packing: The co-crystals form a single 3D network of four tetrahedron, linked by square planes similar to the *PtS* topology. The crystals are sustained by hydrogen bonding.

Infrared Spectroscopy: (Nicolet Avatar 320 FTIR). 3431 cm⁻¹, (N-H stretch, 1° amine, CBZ); 3123 cm⁻¹, (C-H stretch, alkene); 1723 cm⁻¹, (C=O); 1649 cm⁻¹, (C=C).

Melting Point: (MEL-TEMP). 258-260 degrees C (carbamazepine m.p. = 191-192 degrees C, adamantanetetracarboxylic acid m.p. = >390 degrees C).

Thermogravimetric Analysis: (TA Instruments 2950 Hi-Resolution TGA). 9% weight loss starting at 189 degrees C, a 52% weight loss starting at 251 degrees C and a 31% weight loss starting at 374 degrees C followed by complete decomposition.

Example 36

Carbamazepine:benzoquinone (1:1 stoichiometry)

25 mg (0.1058 mmol) carbamazepine and 11 mg (0.1018 mmol) benzoquinone was dissolved in 2 mL methanol or THF. Slow evaporation of the solvent produced an average yield of yellow crystals of a 1:1 carbamazepine/benzoquinone co-crystal, as shown in Figure 57A-B.

Crystal data: (Bruker SMART-APEX CCD Diffractometer). $C_{21}H_{16}N_2O_3$, $M=344.36$, monoclinic $P2(1)/c$; $a=10.3335(18)$, $b=27.611(5)$, $c=4.9960(9)$ Å, $\beta=102.275(3)^\circ$, $V=1392.9(4)$ Å³, $T=100(2)$ K, $Z=3$, $D_c=1.232$ Mg/m³, $\mu(MO-K\alpha)=0.084$ mm⁻¹, $\lambda=0.71073$ Å, $F(000)540$, $2\theta_{max}=28.24^\circ$. 8392 reflections measured, 3223 unique ($R_{int}=0.1136$). Final residuals for 199 parameters were $R_1=0.0545$ and $wR_2=0.1358$ for $I>2\sigma(I)$, and $R_1=0.0659$ and $wR_2=0.1427$ for all 3223 data.

Crystal packing: The co-crystals contain hydrogen bonded carboxamide homodimers. Each 1° amine on the CBZ is bifurcated to a carbonyl group of a benzoquinone moiety. The dimers form infinite chains.

Infrared Spectroscopy: (Nicolet Avatar 320 FTIR). 3420 cm⁻¹, (N-H stretch, 1° amine, CBZ); 2750 cm⁻¹, (aldehyde stretch); 1672 cm⁻¹, (C=O); 1637 cm⁻¹, (C=C, CBZ).

Melting Point: 170 degrees C (MEL-TEMP). (carbamazepine m.p. = 191-192 degrees C, benzoquinone m.p. = 115.7 degrees C).

Thermogravimetric Analysis: (TA Instruments 2950 Hi-Resolution TGA). 20.62% weight loss starting at 168 degrees C and a 78% weight loss starting at 223 degrees C followed by complete decomposition.

Example 37

Carbamazepine:trimesic acid (Form II) (1:1 stoichiometry)

36 mg (0.1524 mmol) carbamazepine and 31 mg (0.1475 mmol) trimesic acid were dissolved in a solvent mixture of approximately 2 mL methanol and 2 mL dichloromethane. Slow evaporation of the solvent mixture yielded white starbursts of a 1:1 carbamazepine/trimesic acid co-crystal, as shown in Figure 58A-B.

Crystal data: (Bruker SMART-APEX CCD Diffractometer). $C_{24}H_{18}N_2O_7$, $M=446.26$, monoclinic $C2/c$; $a=32.5312(50)$, $b=5.2697(8)$, $c=24.1594(37)$ Å, $\alpha=90^\circ$, $\beta=98.191(3)^\circ$, $\gamma=90^\circ$, $V=4099.39(37)$ Å³, $T=-173$ K, $Z=8$, $\mu(MO-K\alpha)=0.110$ mm⁻¹, $D_c=1.439$ Mg/m³, $\lambda=0.71073$ Å, $F(000)1968$, $2\theta_{max}=26.43^\circ$. 11581 reflections

measured, 4459 unique ($R_{\text{int}}=0.0611$). Final residuals for 2777 parameters were $R_1=0.1563$, $wR_2=0.1887$ for $I>2\sigma(I)$, and $R_1=0.1441$, $wR_2=0.1204$ for all 3601 data.

Crystal packing: The co-crystals are sustained by hydrogen bonded carboxylic acid homodimers between carbamazepine and trimesic acid moieties and hydrogen
5 bonded carboxylic acid-amine heterodimers between two trimesic acid moieties arranged in a stacked ladder formation.

Infrared Spectroscopy: (Nicolet Avatar 320 FTIR). 3486 cm^{-1} (N-H stretch, 1° amine, CBZ); 1688 cm^{-1} (C=O, 1° amide stretch, CBZ); 1602 cm^{-1} (C=C, CBZ).

Differential Scanning Calorimetry: (TA Instruments 2920 DSC). 273 degrees
10 C (endotherm). m.p. = NA, decomposes at 278 degrees C (MEL-TEMP).
(carbamazepine m.p. = 191-192 degrees C, trimesic acid m.p. = 380 degrees C)

Thermogravimetric Analysis: (TA Instruments 2950 Hi-Resolution TGA).
62.83% weight loss starting at 253 degrees C and a 30.20% weight loss starting at 278
degrees C followed by complete decomposition.

15 Powder x-ray diffraction: (Rigaku Miniflex Diffractometer using $\text{CuK}\alpha$
($\lambda=1.540562$), 30kV, 15mA). The powder data were collected over an angular range of
3 to 40 2 in continuous scan mode using a step size of 0.02 2 and a scan speed of 2.0
/min. PXRD analysis experimental: 10.736, 12.087, 16.857, 24.857, 27.857.

Table V. Detailed Characterization of Co-Crystals

All PXRD peaks are in units of degrees 2-theta

All Raman shifts are in units of cm^{-1}

Carbamazepine: Saccharin

PXRD (Form I): 7.01, 12.07, 14.09, 15.41, 18.47, 20.13, 22.01, 23.57, 24.41, 28.31 (Fig. 1)

PXRD (Form II): 6.9, 12.2, 13.6, 14.0, 14.1, 15.3, 15.9, 18.1, 18.7, 20.2, 21.3, 23.7, 26.3, 28.3

DSC (Form I): Broad endotherm at 161.9 degrees C (Fig. 2)

TGA (Form I): Decomposition above 200 degrees CDSC (Form II): Endothermic transitions at 75.31 and 177.32 degrees C

TGA (Form II): 3.342 percent weight loss starting at 67.03 degrees C, 55.09 percent weight loss starting at 118.71 degrees C, followed by decomposition

Method: CMAX

Carbamazepine: Nicotinamide

PXRD (Form I): 4.97, 6.67, 8.75, 10.25, 13.25, 17.91, 18.49, 19.95, 20.49, 22.73, 24.39, 26.49 (Fig. 3)

PXRD (Form II): 6.5, 8.8, 10.1, 13.2, 15.6, 17.7, 17.8, 18.3, 19.8, 20.4, 21.6, 22.6, 22.9, 26.4, 26.7, 28.0

DSC (Form I): Sharp endotherm at 156.9 degrees C (Fig. 4)

TGA (Form I): Decomposition beginning at ~150 degrees CDSC (Form II): Endothermic transitions at 74.49 and 159.05 degrees C

TGA (Form II): 57.94 percent weight loss starting at 205.43 degrees C, followed by decomposition

Method: CMAX

Carbamazepine: Trimesic acid

PXRD (Form I): 10.89, 12.23, 14.83, 16.25, 17.05, 18.13, 18.47, 21.47, 21.95, 24.57, 25.11, 27.99 (Fig. 5)

PXRD (Form II): 10.74, 12.09, 16.86, 24.86, 27.86

DSC (Form II): Endothermic transition at 273 degrees C

TGA (Form II): 62.83 percent weight loss starting at 253 degrees C, 30.20 percent weight loss starting at 278 degrees C, followed by decomposition

Method: CMAX

Celecoxib: Nicotinamide

PXRD: 3.77, 7.56, 9.63, 14.76, 15.21, 16.01, 17.78, 18.68, 19.31, 20.44, 21.19, 22.10

DSC: Two endothermic transitions at 117.2 and 118.8 degrees C and a sharp endotherm at 129.7 degrees C

TGA: Decomposition beginning at ~150 degrees C

Raman: 1617.5, 1598.7, 1452.1, 1370.3, 1162.5, 1044.3, 972.9, 796.4, 631.8, 392.5, 205.9

Method: Slow evaporation of a 1:1 solution from acetone

Table V (Continued)

Topiramate: 18-Crown-6

PXRD: 10.79, 11.07, 12.17, 13.83, 16.13, 18.03, 18.51, 18.79, 19.21, 21.43, 22.25, 24.11 (Fig. 6)

DSC: Sharp endotherm at 134.7 degrees C, followed by an exotherm at 203 degrees C (Fig. 7)

TGA: Rapid decomposition beginning at ~ 135 degrees C and leveling off slightly after 200 degrees C

Raman: 2994.5, 2942.7, 1471.6, 1427.4, 1261.7, 849.4, 804.5, 745.1, 629.2, 280.4, 225.9

Method: Addition of an ether solution containing 1 equivalent of topiramate to an ether solution containing 18-crown-6. Product precipitated following minor agitation of the combined mixture and was collected.

Olanzapine: Nicotinamide

PXRD (Form I): 4.89, 8.65, 12.51, 14.19, 15.59, 17.15, 19.71, 21.05, 23.95, 24.59, 25.53, 26.71 (Fig. 8)

PXRD (Form II): 6.41, 12.85, 18.67, 21.85, 24.37 (Fig.30)

PXRD (Form III): 6.41, 12.85, 14.91, 18.67, 21.85, 24.37 (Fig. 31)

DSC (Form I): Slightly broad endotherm at 126.1 degrees C (Fig. 9)

Method: See above

Celecoxib: 18-Crown-6

PXRD: 8.73, 11.89, 12.57, 13.13, 15.01, 16.37, 17.03, 17.75, 18.45, 20.75, 22.37, 23.11, 24.33, 24.97, 26.61, 28.15 (Fig. 10)

DSC: Sharp endotherm at 189.6 degrees C (Fig. 11)

TGA: Decomposition above 200 degrees C with a 25% weight loss between ~190-210 degrees C

Method: A solution containing one equivalent of celecoxib in ether was added to a solution containing 18-crown-6. A white solid formed immediately and was collected.

Itraconazole: Succinic Acid

PXRD: 3.0, 6.0, 8.1, 9.0, 17.1, 24.5 (Fig. 12)

DSC: Single endothermic transition at 160.1 degrees C \pm 1.0 degrees C (Fig. 13)

TGA: Less than 0.1 % volatile components by weight

Method: See above

Itraconazole: Fumaric Acid

PXRD: 4.6, 5.9, 9.2, 10.6, 19.1, 20.8 (Fig. 14)

DSC: The material had a weak endothermic transition at 141.7 degrees C and a strong endothermic transition at 179.58 degrees C (Fig. 15)

TGA: The sample loses 0.5 % of its weight on the TGA between room temperature and 100 degrees C

Method:

Itraconazole: Tartaric Acid

PXRD: 4.1, 6.2, 8.3, 20.7, 25.6, 26.3 (Fig. 16)

DSC: An endothermic transition at 180.74 degrees C (Fig. 17)

TGA: Less than 0.1 % volatile components by weight by TGA.

Method: See above

Table V (Continued)

Itraconazole: Malic acid

PXRD: 4.4, 5.9, 8.8, 17.7, 20.0, 21.1, 22.6 (Fig. 18)

DSC: The sample has a strong endothermic transition at 154.36 degrees C (Fig.19)

TGA: The sample contained less than 0.1% volatile components by weight

Method: See above

ItraconazoleHCl: Tartaric acid

PXRD: 3.7, 11.0, 13.8, 16.5, 17.8 (Fig. 20)

DSC: The sample has a peak endothermic transition at 161degrees C (Fig. 21)

TGA: The sample contained less than 0.1 % volatile components by weight

Method: See above

Modafinil: Malonic acid

PXRD: 5.00, 9.17, 16.81, 18.26, 19.43, 21.36, 21.94, 22.77, 24.49, 25.63, 28.45 (Fig. 22)

DSC: Endothermic transition at 106.23 degrees C (Fig. 40)

Raman: 1601, 1183, 1032, 1004, 814, 633, 265, 222 (Fig. 42)

Method: See above

Modafinil: Benzamide

PXRD: 5.11, 9.35, 10.25, 10.79, 14.07, 16.87, 18.33, 19.53, 21.38, 22.05, 22.89, 23.57, 24.73, 25.19, 25.81, 26.51, 28.60 (Fig. 23)

Method: Slow evaporation from a 1:1 solution in 1,2-dichloroethane

Modafinil: Mandelic acid

PXRD: 6.11, 6.75, 9.53, 10.31, 14.77, 15.77, 16.99, 18.03, 20.01, 21.61, 22.47, 23.27, 25.27, 25.75, 27.23 (Fig. 24)

Method: Slow evaporation from a 1:1 solution in acetone

Modafinil: Glycolic acid

PXRD: 6.09, 9.51, 14.91, 15.97, 19.01, 20.03, 21.59, 22.43, 22.75, 23.75, 25.03, 25.71 (Fig. 25)

Method: Slow evaporation from a 1:1 solution in acetone

Modafinil: Fumaric acid

PXRD: 5.87, 7.19, 8.95, 12.49, 13.99, 16.13, 17.09, 18.19, 19.99, 21.57, 23.48, 25.01, 25.79, 28.17, 28.87, 29.69, 32.19 (Fig. 26)

Method: Slow evaporation from a 1:1 solution in 1,2-dichloroethane

Modafinil: Maleic acid

PXRD: 4.69, 6.15, 9.61, 10.23, 15.65, 16.53, 17.19, 18.01, 19.27, 19.53, 19.97, 21.83, 22.45, 25.65 (Fig. 43)

Method: See above

5-fluorouracil: Urea

PXRD: 11.23, 12.69, 13.27, 15.93, 16.93, 20.37, 23.65, 25.55, 26.87, 32.49 (Fig. 36)

DSC: Sharp endotherm at 207.6 degrees C (Fig. 33)

TGA: 32 percent weight loss between 150 and 220 degrees C (Fig. 34)

Raman: 1347.1, 1024.4, 756.9, 643.7, 545.3 (Fig. 35)

Method: See above

Hydrochlorothiazide: Nicotinic acid

PXRD: 8.57, 13.23, 14.31, 16.27, 17.89, 18.75, 21.13, 21.45, 24.41, 25.73, 26.57, 27.43 (Fig. 37)

Method: See above

Table V (Continued)
<p>Hydrochlorothiazide: 18-crown-6 PXRD: 9.97, 10.43, 11.57, 11.81, 12.83, 14.53, 15.67, 16.61, 19.05, 20.31, 20.65, 21.09, 21.85, 22.45, 23.63, 24.21, 25.33, 26.73 (Fig. 38) Method: See above</p>
<p>Hydrochlorothiazide: piperazine PXRD: 6.85, 13.75, 15.93, 18.71, 20.67, 20.93, 23.27, 24.17, 28.33, 28.87, 30.89 (Fig. 39) Method: See above</p>
<p>Acetaminophen: 4,4'-bipyridine:water DSC: Endothermic transition at 57.77 degrees C Method: See above</p>
<p>Phenytoin: Pyridone PXRD: 5.2, 11.1, 15.1, 16.2, 16.7, 17.8, 19.4, 19.8, 20.3, 21.2, 23.3, 26.1, 26.4, 27.3, 29.5 DSC: Endothermic transitions at 233.39 and 271.33 degrees C TGA: 29.09 percent weight loss starting at 192.8 degrees C, 48.72 percent weight loss starting at 238.27 degrees C, 18.38 percent weight loss starting at 260.17 degrees C, followed by decomposition Method: See above</p>
<p>Aspirin: 4,4'-bipyridine DSC: Endothermic transition at 95.14 degrees C TGA: 9 percent weight loss starting at 22.62 degrees C, 49.06 percent weight loss starting at 102.97 degrees C, decomposition starting at 209.37 degrees C Method: See above</p>
<p>Ibuprofen: 4,4'-bipyridine PXRD: 3.4, 6.9, 10.4, 17.3, 19.1 DSC: Endothermic transitions at 64.85 and 118.79 degrees C TGA: 13.28 percent weight loss between room temperature and 100.02 degrees C followed by decomposition Method: See above</p>
<p>Flurbiprofen: 4,4'-bipyridine PXRD: 16.8, 17.1, 18.1, 19.0, 20.0, 21.3, 22.7, 25.0, 26.0, 26.0, 26.1, 28.2, 29.1 DSC: Endothermic transition at 162.47 degrees C TGA: 30.93 percent weight loss starting at 31.13 degrees C, 46.26 percent weight loss starting at 168.74 degrees C, followed by decomposition Method: See above</p>
<p>Flurbiprofen:trans-1,2-bis (4-pyridyl) ethylene PXRD: 3.6, 17.3, 18.1, 18.4, 19.1, 22.3, 23.8, 25.9, 28.1 DSC: Endothermic transitions at 100.01, 125.59, and 163.54 degrees C TGA: 91.79 percent weight loss starting at 133.18 degrees C followed by decomposition Method: See above</p>

Table V (Continued)

Carbamazepine: p-phthalaldehyde

PXRD: 8.5, 10.6, 11.9, 14.4, 15.1, 18.0, 18.5, 19.8, 23.7, 24.2, 26.4, 27.6, 27.8, 28.7, 29.3, 29.4

DSC: Endothermic transition at 128.46 degrees C

TGA: 17.66 percent weight loss starting at 30.33 degrees C, 17.57 percent weight loss starting at 100.14 degrees C, followed by decomposition

Method: See above

Carbamazepine: 2,6-pyridinecarboxylic acid

TGA: 69 percent weight loss starting at 215 degrees C, 17 percent weight loss starting at 392 degrees C, followed by decomposition

Method: See above

Carbamazepine: 5-nitroisophthalic acid

PXRD: 10.14, 15.29, 17.44, 21.17, 31.41, 32.65

TGA: 32.02 percent weight loss starting at 202 degrees C, 12.12 percent weight loss starting at 224 degrees C, 17.94 percent weight loss starting at 285 degrees C, followed by decomposition

Method: See above

Carbamazepine: 1,3,5,7-adamantane tetracarboxylic acid

TGA: 9 percent weight loss starting at 189 degrees C, 52 percent weight loss starting at 251 degrees C, 31 percent weight loss starting at 374 degrees C, followed by decomposition

Method: See above

Carbamazepine: Benzoquinone

TGA: 20.62 percent weight loss starting at 168 degrees C, 78 percent weight loss starting at 223 degrees C, followed by decomposition

Method: See above

Example 38

- 5 A co-crystal with a modulated dissolution profile has been prepared. Celecoxib: nicotinamide co-crystals were prepared via methods shown in example 4. (See Fig. 27)

Example 39

- 10 A co-crystal with a modulated dissolution profile has been prepared. Itraconazole: succinic acid, itraconazole:tartaric acid and itraconazole:malic acid co-crystals were prepared via methods shown in examples 8, 10 and 11. (See Fig. 28)

Example 40

A co-crystal of an unsaltable or difficult to salt API has been prepared. Celecoxib: nicotinamide co-crystals were prepared via methods shown in example 4.

5 Example 41

A co-crystal with an improved hygroscopicity profile has been prepared. Celecoxib: nicotinamide co-crystals were prepared via methods shown in example 4. (See Fig. 29)

Example 42

- 10 A co-crystal with reduced form diversity as compared to the API has been prepared. Co-crystals of carbamazepine and saccharin have been prepared via method shown in example 1.

TABLE I







Co-Crystal Former	MW (g/mol)	MP (°C)	Class	Functionality	# acceptors	# donors	Molecular Structure	pKa Values
1-Hydroxy-2-naphthoic acid	188.18	191-192	2	Carboxylic acid, alcohol	1	2		2.7, 13.5
4-aminobenzoic acid	137.14	187-188	2	Amine, carboxylic acid	1	3		4.7, 4.8
4-aminopyridine	94.11	158-159	3	Amine, pyridine	1	2		10
4-Chlorobenzene- sulfonic acid	192.63	67	1	SO ₃ H	3	1		0-1
4-ethoxyphenyl urea	180.2	173-174	3	Amide, NH	2	3		~7-9
7-oxo-DHEA	303	190-192	1	Alcohol, Ketone	3	1		

TABLE I






Co-Crystal Former	MW (g/mol)	MP (°C)	Class	Functionality	# acceptors	# donors	Molecular Structure	pKa Values
Acesulfame	163.15	123-124	3	SO ₂ , Amide	4	1		~5-7
Acetohydroxamic acid	75.07	89-92	3	Amide, NH, OH	2	2		8.7
Adenine	135.13	220 (sub.)	1	Amine, NH	3	3		3.8
Adipic Acid	146.14	152	1	Carboxylic acid	2	2	HOOC(CH ₂) ₄ COOH	4.44, 5.44
Alanine	89.09	289-291	1	Amine, carboxylic acid	1	3		2.35, 9.87
Allopurinol	136.11	> 350	3	OH, NH	4	2		10.2

TABLE I







Co-Crystal Former	MW (g/mol)	MP (°C)	Class	Functionality	# acceptors	# donors	Molecular Structure	pKa Values
Arginine	174.2	244 (dec.)	1	Amine, COOH	2	7		2.18, 9.09, 13.2
Ascorbic acid	176.12	190-192	1	C=O, OH	6	4		4.17, 11.57
Asparagine	132.12	234-235	1	Amine, amide, COOH	3	5		2.02, 8.5
Aspartic acid	133.1	270-271	1	Amine, COOH	2	4		1.88, 3.65, 9.60
Benzenesulfonic Acid	158.18	43-44	1	SO ₃ H	2	1		0.70, 1.58
Benzoic acid*	122.12	122-123	2	COOH	1	1		4.19

TABLE I






Co-Crystal Former	MW (g/mol)	MP (°C)	Class	Functionality	# acceptors	# donors	Molecular Structure	pKa Values
Caffeine	194.19	238	3	C=O	3	0		
Camphoric acid	200.23	186-189	2	Carboxylic acid	2	2		4.72, 5.83
Capric acid	172.27	31.4	1	Carboxylic acid	1	1	$\text{CH}_3(\text{CH}_2)_8\text{COOH}$	4.9
Chrysin	254.24	285	1	Phenol, ether, ketone	2	2		
Cinnamic acid	144.2	133	3	Carboxylic acid	1	1		4.4
Citric Acid	192.12	153	1	OH, COOH	4	4		3.13, 4.76, 6.40

TABLE I







Co-Crystal Former	MW (g/mol)	MP (°C)	Class	Functionality	# acceptors	# donors	Molecular Structure	pKa Values
Clemizole	325.84	167	1	Pyrrolidine	3	0		
Cyclamic acid	179.24	169-170	3	NH, SO ₃ H	2	2		-2
Cysteine	121.15	---	1	Amine, COOH, SH	2	4		1.71, 8.33, 10.78
Dimethylglycine	103.1	178-192	1	Amine, Carboxylic acid	2	1		2.5
D-Ribose	150.13	87	1	Alcohol, ether	1	4		
Fumaric acid	116.07	287	1	COOH	2	2		3.03, 4.38

TABLE I







Co-Crystal Former	MW (g/mol)	MP (°C)	Class	Functionality	# acceptors	# donors	Molecular Structure	pKa Values
Galactaric acid	210.14	255 (dec)	1	Carboxylic acid, alcohol	2	6		3.08, 3.63
Genistein	270.24	297-298	1	Alcohol, Phenol, ether, ketone	2	3		
Gentisic acid	154.12	199-200 form I, 205 form II	2	Carboxylic acid, alcohol, phenol	1	3		2.93
Glucamine, N-Methyl	195.22	128-129	1	Alcohol, Amine	5	6		8.03(B)
Gluconic acid	196.15	131	1	OH, COOH	6	6		3.76
Glucosamine	179.17	88	1	OH	5	6		6.91

TABLE I







Co-Crystal Former	MW (g/mol)	MP (°C)	Class	Functionality	# acceptors	# donors	Molecular Structure	pKa Values
Glucuronic acid	194.14	165	1	Carboxylic acid, alcohol, aldehyde	2	5		3.18
Glutamic acid	147.13	160	1	Amine, COOH	2	4		2.19, 4.25, 9.67
Glutamine	146.15	185-186	1	Amine, Amide, COOH	2	5		2.17, 9.13
Glutaric acid	132.11	98-98	1	COOH	2	2		2.7, 4.5
Glycine	75.07	182	1	Amine, COOH	2	3		2.34, 9.6
Glycolic acid	76.05	80	1	OH, COOH	2	2		3.82

TABLE I







Co-Crystal Former	MW (g/mol)	MP (°C)	Class	Functionality	# acceptors	# donors	Molecular Structure	pKa Values
Hippuric acid	179.17	187-188	1	Amide, NH, COOH	2	2		3.55
Histidine	155.16	287 (dec.)	1	Amine, COOH, Imidazole	2	4		1.78, 5.97, 8.97
Hydroquinone*	110.11	170-171	2	OH, Phenol	2	2		~10
Imidazole	68.08	90-91	1	NH	1	1		6.92
Ipriflavone	280.32	115-117	1	Ketone, ether	3	0		
Isoleucine	131.17	168-170 (sub.)	1	Amine, COOH	1	3		2.32, 9.76

TABLE I






Co-Crystal Former	MW (g/mol)	MP (°C)	Class	Functionality	# acceptors	# donors	Molecular Structure	pKa Values
Lactobionic acid	358.3	128-130	2	Alcohol, carboxylic acid, ether	1	9		3.2
Lauric acid	200.32	44-48	1	Carboxylic acid	1	1	$\text{CH}_3(\text{CH}_2)_{10}\text{COOH}$	~4.5
Leucine	131.17	145-148 (sub.)	1	Carboxylic acid, amine	1	3		2.36, 9.6
Lysine	146.19	225 (dec.)	1	Amine, COOH	1	5		2.2, 8.9, 10.28
Maleic	116.07	138-139	1	COOH	2	2		1.92, 6.23
Malic acid	134.09	131-132	1	OH, COOH	3	3		3.46, 5.1

TABLE I







Co-Crystal Former	MW (g/mol)	MP (°C)	Class	Functionality	# acceptors	# donors	Molecular Structure	pKa Values
Malonic	104.06	135	1	COOH	2	2		2.83, 5.70
Mandelic acid	152.15	119	1	OH, COOH	2	2		3.37
Methionine	149.21	280-282 (dec.)	1	Amine, COOH, S- Me	2	3		2-3, 9
Nicotinamide	122.12	128-131	1	Pyridine, amide	2	2		3.3
Nicotinic acid	123.11	236-237	2	Carboxylic acid, pyridine	2	1		2.07(B), 4.85
Orotic acid	156.1	345-346	2	Carboxylic acid, lactam	3	3		5.85, 8.95

TABLE I







Co-Crystal Former	MW (g/mol)	MP (°C)	Class	Functionality	# acceptors	# donors	Molecular Structure	pKa Values
Oxalic acid	90.04	189 (dec)	2	Carboxylic acid	2	2		1.27, 4.27
Palmitic acid	256.43	63-64	1	Carboxylic acid	1	1	$\text{CH}_3(\text{CH}_2)_{14}\text{COOH}$	4.9
Pamoic	388.38	280 (dec)	2	Carboxylic acid, phenol	2	4		2.51, 3.1
Phenylalanine	165.19	283 (dec.)	1	Amine, COOH	1	3		~2, ~9
Piperazine	86.14	106	1	NH	0	2		9.82(B)
Procaine	236.31	61	1	Amine, C=O	2	2		8.9(B)
Proline	115.13	220-222 (dec.)	1	COOH, NH	1	2		1.99, 10.6

TABLE I







Co-Crystal Former	MW (g/mol)	MP (°C)	Class	Functionality	# acceptors	# donors	Molecular Structure	pKa Values
p-Toluenesulfonic acid	172.2	106-107	2	Sulfonic acid	2	1		-1.34
Pyridoxamine	168	193-194	2	OH, Amine, Pyridine	3	4		~9
Pyridoxine	170	160	2	Alcohol, Pyridine	3	3		~9
Pyroglutamic acid	129.12	162	2	Carboxylic acid, Lactam	2	2		3.32
Quercetin	302.24	314 dec.	1	Phenol, ether, ketone	2	5		
Resveratrol	228.24	253-255	1	Phenol	0	3		

TABLE I






Co-Crystal Former	MW (g/mol)	MP (°C)	Class	Functionality	# acceptors	# donors	Molecular Structure	pKa Values
Saccharin	183.19	228-230	1	Amide, C=O, S=O, N-H	3	1		2
Salicylic acid, 4-amino	153.14	150-151	3	COOH, OH, Aniline	1	4		3.25, 10, 3.5(B)
Salicylic acid	138.12	159	3	COOH, OH	2	2		2.98, 13.82
Sebacic acid	202.25	134.5	1	Carboxylic acid	2	2	HOOC(CH ₂) ₈ COOH	4.59, 5.59
Serine	105.09	228 (dec.)	1	Carboxylic acid, amine, OH	2	3		2.21, 9.15
Stearic acid	284.47	70-71	1	Carboxylic acid	1	1	CH ₃ (CH ₂) ₁₆ COOH	4.9
Succinic acid	118.09	185-187	1	Carboxylic acid	2	2		4.21, 5.64

TABLE I







Co-Crystal Former	MW (g/mol)	MP (°C)	Class	Functionality	# acceptors	# donors	Molecular Structure	pKa Values
Tartaric acid	150.09	205-206	1	Carboxylic acid	4	4		3.02, 4.36
Threonine	119.12	255-257 (dec.)	1	Amine, COOH, OH	2	4		2.15, 9.12
TRIS	121.13	171-172	2	Amine, OH	3	5		5.91, 8.3
Tryptophan	204.23	289 (dec.)	1	Amine, COOH, Indole	1	4		2.38, 9.39
Tyrosine	181.19	342-344	1	Amine, COOH, OH	2	3		2.2, 9.11, 10.07
Urea	60.06	Dec.	1	C=O, NH2	1	4		~8

TABLE I




Co-Crystal Former	MW (g/mol)	MP (°C)	Class	Functionality	# acceptors	# donors	Molecular Structure	pKa Values
Valine	117.15	315	1	Amine, COOH	1	3		~4.5, ~9
Vitamin K5	209.68	280-282 (dec.)	3	Amine, OH	1	3		~9
Xylitol	152.15	93-95 (l)	2	OH	5	5		~9

TABLE II

Co-crystal Former	Co-crystal Former Functional Group	Interacting Group						
		pyridine	ketone	aldehyde	ether	ester	amide	Carboxylic Acid
1,5-Naphthalene-disulfonic Acid	Sulfonic Acid	pyridine	ketone	thiol	amide	amine	aniline	phenol
1-Hydroxy-2-naphthoic acid	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
1-Hydroxy-2-naphthoic acid	alcohol	alcohol	ketone	thiol	amide	amine	aniline	phenol
4-Aminobenzoic Acid	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol
4-Aminobenzoic Acid	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
4-aminopyridine	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol
4-aminopyridine	Pyridine	*alcohol	pyridinium	*	*amide	nitro	*amine	*Carboxylic Acid
4-Chlorobenzene-Sulfonic Acid	Sulfonic Acid	pyridine	ketone	aldehyde	ether	ester	amide	Carboxylic Acid
4-ethoxyphenyl Urea	Amide	alcohol	ketone	thiol	amide	amine	aniline	phenol
4-ethoxyphenyl Urea	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol
7-oxo-DHEA	alcohol	alcohol	ketone	thiol	amide	amine	aniline	phenol
7-oxo-DHEA	Ketone	alcohol		thiol	amide	amine	aniline	phenol
Acesulfame	Sulfone	pyridine	ketone	aldehyde	ether	ester	amide	carboxilic acid
Acesulfame	Amide	alcohol	ketone	thiol	amide	amine	aniline	phenol
Acetohydroxamic Acid	Amide	alcohol	ketone	thiol	amide	amine	aniline	phenol
Acetohydroxamic Acid	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol
Acetohydroxamic Acid	Alcohol	alcohol	ketone	thiol	amide	amine	aniline	phenol
Adenine	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol
Adenine	N	*alcohol	pyridinium	*	*amide	nitro	*amine	*carboxilic acid
Adipic acid	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
Alanine	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol
Alanine	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
Allopurinaol	Alcohol	alcohol	ketone	thiol	amide	amine	aniline	phenol
Allopurinaol	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol
Arginine	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol
Arginine	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
Ascorbic Acid	Ketone	alcohol		thiol	amide	amine	aniline	phenol
Ascorbic Acid	Alcohol	alcohol	ketone	thiol	amide	amine	aniline	phenol
Ascorbic Acid	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol

TABLE II

Co-crystal Former	amine	metals	thioether		sulfate	alcohol		
1,5-Napthalene-disulfonic Acid	amine	metals	thioether					
1-Hydroxy-2-naphthoic acid	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals	aldehyde
1-Hydroxy-2-naphthoic acid	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals	aldehyde
4-Aminobenzoic Acid	phosphate	sulfate	sulfone	nitrate	pyridine		carboxylic acid	metals
4-Aminobenzoic Acid	phosphate	sulfate	sulfone	nitrate	pyridine		Carboxylic Acid	metals
4-aminopyridine	phosphate	sulfate	sulfone	nitrate	pyridine		carboxylic acid	metals
4-aminopyridine	*sulfonamide	*ketone	ether	triazole		ammonium	oxime	*chlorine
4-Chlorobenzene-Sulfonic Acid	amine	metals	thioether					
4-ethoxyphenyl Urea	phosphate	sulfate	sulfone	nitrate	sulfate	alcohol		
4-ethoxyphenyl Urea	phosphate	sulfate	sulfone	nitrate	pyridine		Carboxylic Acid	metals
7-oxo-DHEA	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals	aldehyde
7-oxo-DHEA	phosphate	sulfate	sulfone	nitrate	pyridine		Carboxylic Acid	metals
Acesulfame	amine	metals	thioether					
Acesulfame	phosphate	sulfate	sulfone	nitrate	sulfate	alcohol		
Acetohydroxamic Acid	phosphate	sulfate	sulfone	nitrate	pyridine		Carboxylic Acid	metals
Acetohydroxamic Acid	phosphate	sulfate	sulfone	nitrate	pyridine		carboxylic acid	metals
Acetohydroxamic Acid	phosphate	sulfate	sulfone	nitrate	pyridine		carboxylic acid	metals
Adenine	phosphate	sulfate	sulfone	nitrate	pyridine		Carboxylic Acid	metals
Adenine	phosphate	sulfate	sulfone	nitrate	pyridine		carboxylic acid	metals
Adenine	*sulfonamide	*ketone	ether	triazole		ammonium	oxime	*chlorine
Adipic acid	phosphate	sulfate	sulfone	nitrate	pyridine		carboxylic acid	metals
Alanine	phosphate	sulfate	sulfone	nitrate	pyridine		carboxylic acid	metals
Alanine	phosphate	sulfate	sulfone	nitrate	pyridine		carboxylic acid	metals
Allopurinaol	phosphate	sulfate	sulfone	nitrate	pyridine		Carboxylic Acid	metals
Allopurinaol	phosphate	sulfate	sulfone	nitrate	pyridine		carboxylic acid	metals
Arginine	phosphate	sulfate	sulfone	nitrate	pyridine		carboxylic acid	metals
Arginine	phosphate	sulfate	sulfone	nitrate	pyridine		carboxylic acid	metals
Ascorbic Acid	phosphate	sulfate	sulfone	nitrate	pyridine		Carboxylic Acid	metals
Ascorbic Acid	phosphate	sulfate	sulfone	nitrate	pyridine		Carboxylic Acid	metals
Ascorbic Acid	phosphate	sulfate	sulfone	nitrate	pyridine		carboxylic acid	metals

[illegible]

[illegible]

Co-crystal Former										
1,5-Naphthalene-disulfonic Acid										
1-Hydroxy-2-naphthoic acid	carbamate	imidazole	BF4							
1-Hydroxy-2-naphthoic acid	carbamate	imidazole	BF4							
4-Aminobenzoic Acid	fluorine	carbamate	imidazole	BF4						thiourea
4-Aminobenzoic Acid	fluorine	carbamate	imidazole	BF4						thiourea
4-aminopyridine	fluorine	carbamate	imidazole	BF4						thiourea
4-aminopyridine	N-oxide	ester	ether	fluorine	acetate	thione			dithiadiazocyclopentadienyl	
4-Chlorobenzene-Sulfonic Acid										
4-ethoxyphenyl Urea	fluorine	carbamate	imidazole	BF4					N-SO2	thiourea
4-ethoxyphenyl Urea	fluorine	carbamate	imidazole	BF4					N-SO2	thiourea
7-oxo-DHEA	carbamate	imidazole	BF4							
7-oxo-DHEA	fluorine	carbamate	imidazole	BF4					N-SO2	thiourea
Acesulfame										
Acesulfame	fluorine	carbamate	imidazole	BF4					N-SO2	thiourea
Acetohydroxamic Acid	fluorine	carbamate	imidazole	BF4					N-SO2	thiourea
Acetohydroxamic Acid	fluorine	carbamate	imidazole	BF4					N-SO2	thiourea
Acetohydroxamic Acid	fluorine	carbamate	imidazole	BF4					N-SO2	thiourea
Adenine	fluorine	carbamate	imidazole	BF4					N-SO2	thiourea
Adenine	N-oxide	ester	ether	fluorine	acetate	thione			dithiadiazocyclopentadienyl	
Adipic acid	fluorine	carbamate	imidazole	BF4					N-SO2	thiourea
Alanine	fluorine	carbamate	imidazole	BF4					N-SO2	thiourea
Alanine	fluorine	carbamate	imidazole	BF4					N-SO2	thiourea
Allopurinaol	fluorine	carbamate	imidazole	BF4					N-SO2	thiourea
Allopurinaol	fluorine	carbamate	imidazole	BF4					N-SO2	thiourea
Arginine	fluorine	carbamate	imidazole	BF4					N-SO2	thiourea
Arginine	fluorine	carbamate	imidazole	BF4					N-SO2	thiourea
Ascorbic Acid	fluorine	carbamate	imidazole	BF4					N-SO2	thiourea
Ascorbic Acid	fluorine	carbamate	imidazole	BF4					N-SO2	thiourea
Ascorbic Acid	fluorine	carbamate	imidazole	BF4					N-SO2	thiourea

TABLE II

Co-crystal Former			
1,5-Naphthalene-disulfonic Acid			
1-Hydroxy-2-naphthoic acid			
1-Hydroxy-2-naphthoic acid			
4-Aminobenzoic Acid	iodine		
4-Aminobenzoic Acid	iodine		
4-aminopyridine	iodine		
4-aminopyridine			
4-Chlorobenzene-Sulfonic Acid			
4-ethoxyphenyl Urea	iodine	epoxide	peroxide
4-ethoxyphenyl Urea	iodine		
7-oxo-DHEA			
7-oxo-DHEA	iodine		
Acesulfame			
Acesulfame	iodine	epoxide	peroxide
Acetohydroxamic Acid	iodine	epoxide	peroxide
Acetohydroxamic Acid	iodine		
Acetohydroxamic Acid	iodine	epoxide	
Adenine	iodine		
Adenine			
Adipic acid	iodine		
Alanine	iodine		
Alanine	iodine		
Allopurinaol	iodine	epoxide	
Allopurinaol	iodine		
Arginine	iodine		
Arginine	iodine		
Ascorbic Acid	iodine		
Ascorbic Acid	iodine	epoxide	
Ascorbic Acid	iodine		

TABLE II

Co-crystal Former	Co-crystal Former Functional Group	Interacting Group						
Asparagine	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol
Asparagine	Amide	alcohol	ketone	thiol	amide	amine	aniline	phenol
Asparagine	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
Aspartic Acid	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol
Aspartic Acid	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
Benzenesulfonic Acid	Sulfonic Acid	pyridine	ketone	aldehyde	ether	ester	amide	Carboxylic Acid
	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
	Ketone	alcohol		thiol	amide	amine	aniline	phenol
	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
Genistein	Ketone	alcohol		thiol	amide	amine	aniline	phenol
Genistein	Phenol	amine	amide	sulfoxide	n	pyridine	cyano	aldehyde
Genistein	Ether	aromatic-N	amide	amine	aromatic_s	Sp2 amine	sulfoxide	chlorate
Cinnamic acid	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
Citric Acid	Alcohol	alcohol	ketone	thiol	amide	amine	aniline	phenol
Citric Acid	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
Clemizole	Pyrrolidine	*alcohol	pyridinium	*	*amide	nitro	*amine	*carboxilic acid
Cyclamic Acid	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol
Cyclamic Acid	Sulfonic Acid	pyridine	ketone	aldehyde	ether	ester	amide	Carboxylic Acid
	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol
Cysteine	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
Cysteine	Thiol	carboxylic acid	sodium	aldehyde	ketone	-N	cadmium	
Dimethylglycine	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
Dimethylglycine	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol
D-ribose	Ether	aromatic-N	amide	amine	aromatic_s	Sp2 amine	sulfoxide	chlorate
D-ribose	Alcohol	alcohol	ketone	thiol	amide	amine	aniline	phenol
Fumaric Acid	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
Galactaric acid	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
Galactaric acid	alcohol	alcohol	ketone	thiol	amide	amine	aniline	phenol
Chrysin	Ketone	alcohol		thiol	amide	amine	aniline	phenol

Co-crystal Former		phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals
Asparagine	phosphate	sulfate	sulfone	nitrate	pyridine	Carboxylic Acid	metals	
Asparagine	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals	
Asparagine	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals	
Aspartic Acid	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals	
Aspartic Acid	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals	
Benzenesulfonic Acid	amine	metals	thioether		sulfate			
	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals	
	phosphate	sulfate	sulfone	nitrate	pyridine	Carboxylic Acid	metals	
	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals	
	phosphate	sulfate	sulfone	nitrate	pyridine	Carboxylic Acid	metals	
Genistein	phosphate	sulfate	sulfone	nitrate	pyridine	Carboxylic Acid	metals	
Genistein	alcohol			ester	ether	chlorine	fluorine	
Genistein	chlorine		cyano	ester	amine	nitrate	bromine	
Cinnamic acid	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals	
Citric Acid	phosphate	sulfate	sulfone	nitrate	pyridine	Carboxylic Acid	metals	
Citric Acid	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals	
Glemizole	*sulfonamide	*ketone	ether	triazole		oxime	*chlorine	
	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals	
Cyclamic Acid	amine	metals	thioether		sulfate			
Cysteine	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals	
Cysteine	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals	
Cysteine	arsenic	chlorine	alcohol	potassium	Ru	Rb	Sb	
	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals	
Dimethylglycine	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals	
Dimethylglycine	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals	
D-ribose	chlorine		cyano	ester	amine	nitrate	bromine	
D-ribose	phosphate	sulfate	sulfone	nitrate	pyridine	Carboxylic Acid	metals	
Fumaric Acid	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals	
Galactaric acid	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals	
Galactaric acid	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals	
Chrysin	phosphate	sulfate	sulfone	nitrate	pyridine	Carboxylic Acid	metals	

TABLE II

Co-crystal Former									
Asparagine	aldehyde	ester	ether	cyano		furan	bromine	chlorine	
Asparagine	aldehyde	ester	ether	cyano		furan	bromine	chlorine	
Asparagine	aldehyde	ester	ether	cyano		furan	bromine	chlorine	
Aspartic Acid	aldehyde	ester	ether	cyano		furan	bromine	chlorine	
Aspartic Acid	aldehyde	ester	ether	cyano		furan	bromine	chlorine	
Benzenesulfonic Acid									
Benzoic Acid	aldehyde	ester	ether	cyano		furan	bromine	chlorine	
Caffeine	aldehyde	ester	ether	cyano		furan	bromine	chlorine	
Camphoric acid	aldehyde	ester	ether	cyano		furan	bromine	chlorine	
Capric acid	aldehyde	ester	ether	cyano		furan	bromine	chlorine	
Genistein	aldehyde	ester	ether	cyano		furan	bromine	chlorine	
Genistein	bromine	iodine	ketone	sulfonic acid	sulfate	phosphate	phosphonic acid	carboxylic acid	
Genistein	aldehyde	ketone	peroxide	epoxide			heterocyclic-S	iodine	
Cinnamic acid	aldehyde	ester	ether	cyano		furan	bromine	chlorine	
Citric Acid	aldehyde	ester	ether	cyano		furan	bromine	chlorine	
Citric Acid	aldehyde	ester	ether	cyano		furan	bromine	chlorine	
Clemizole									
Cyclamic Acid	aldehyde	thiol	n-heterocyclic ring	thionedisulfide	pyrrolidindione	iodine	hydrazone	thiocyanate	
		ester	ether	cyano		furan	bromine	chlorine	
Cyclamic Acid									
Cysteine	aldehyde	ester	ether	cyano		furan	bromine	chlorine	
Cysteine	aldehyde	ester	ether	cyano		furan	bromine	chlorine	
Cysteine									
Dimethylglycine	aldehyde	ester	ether	cyano		furan	bromine	chlorine	
Dimethylglycine	aldehyde	ester	ether	cyano		furan	bromine	chlorine	
D-ribose	aldehyde	ketone	peroxide	epoxide			heterocyclic-S	iodine	
D-ribose	aldehyde	ester	ether	cyano		furan	bromine	chlorine	
Fumaric Acid	aldehyde	ester	ether	cyano		furan	bromine	chlorine	
Galactaric acid	aldehyde	ester	ether	cyano		furan	bromine	chlorine	
Galactaric acid	aldehyde	ester	ether	cyano		furan	bromine	chlorine	
Galactaric acid	ester	ether	cyano		furan	bromine	chlorine	s-heterocyclic	
Chrysin	aldehyde	ester	ether	cyano		furan	bromine	chlorine	

TABLE II

Co-crystal Former		s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester
Asparagine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Asparagine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Asparagine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Aspartic Acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Aspartic Acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Benzenesulfonic Acid							
Benzoic Acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Caffeine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Camphoric acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Capric acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Genistein	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Genistein	nitro	sulfone	aniline				
Genistein	ester	ether	carboxylic acid	sulfate	sulfone		alcohol
Cinnamic acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Citric Acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Citric Acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Clemizole	*bromine		hydroxamic acid	cyano	carboxamide	*sulfonic acid	*phosphoric acid
Cyclamic Acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Cyclamic Acid							
Cysteine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Cysteine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Cysteine							
Dimethylglycine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Dimethylglycine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
D-ribose	ester	ether	carboxylic acid	sulfate	sulfone	alcohol	
D-ribose	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Fumaric Acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Galactaric acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Galactaric acid	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	fluorine	
Chrysin	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	

TABLE II

[illegible]

TABLE II

Co-crystal Former			
Asparagine	iodine		
Asparagine	iodine	epoxide	peroxide
Asparagine	iodine		
Aspartic Acid	iodine		
Aspartic Acid	iodine		
Benzenesulfonic Acid			
Benzoic Acid	iodine		
Caffeine	iodine		
Camphoric acid	iodine		
Capric acid	iodine		
Genistein	iodine		
Genistein			
Genistein			
Cinnamic acid	iodine		
Citric Acid	iodine	epoxide	
Citric Acid	iodine		
Clemizole			
Cyclamic Acid	iodine		
Cyclamic Acid			
Cysteine	iodine		
Cysteine	iodine		
Cysteine			
Dimethylglycine	iodine		
Dimethylglycine	iodine		
D-ribose			
D-ribose	iodine	epoxide	
Fumaric Acid	iodine		
Galactaric acid	iodine		
Galactaric acid			
Chrysin	iodine		

TABLE II

Co-crystal Former	Co-crystal Former Functional Group	Interacting Group									
Chrysin	Phenol	amine	amide	sulfoxide	n	pyridine	cyano	aldehyde			
Chrysin	Ether	aromatic-N	amide	amine	aromatic_s	Sp2 amine	sulfoxide	chlorate			
Genistic acid	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol			
Genistic acid	Phenol	amine	amide	sulfoxide	n	pyridine	cyano	aldehyde			
Glucamine, N-methyl	alcohol	alcohol	ketone	thiol	amide	amine	aniline	phenol			
Glucamine, N-methyl	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol			
Gluconic Acid	Alcohol	alcohol	ketone	thiol	amide	amine	aniline	phenol			
Gluconic Acid	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol			
Glucosamine	alcohol	alcohol	ketone	thiol	amide	amine	aniline	phenol			
Glucuronic acid	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol			
Glucuronic acid	alcohol	alcohol	ketone	thiol	amide	amine	aniline	phenol			
Glucuronic acid	Aldehyde	alcohol	ketone	thiol	amide	amine	aniline	phenol			
Glutamic Acid	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol			
Glutamic Acid	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol			
Glutamine	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol			
Glutamine	Amide	alcohol	ketone	thiol	amide	amine	aniline	phenol			
Glutamine	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol			
Glutaric Acid	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol			
Glycine	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol			
Glycine	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol			
Glycolic Acid	Alcohol	alcohol	ketone	thiol	amide	amine	aniline	phenol			
Glycolic Acid	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol			
Hippuric Acid	Amide	alcohol	ketone	thiol	amide	amine	aniline	phenol			
Hippuric Acid	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol			
Hippuric Acid	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol			
Histidine	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol			
Histidine	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol			
Histidine	Imidazole	imidazole	chlorine	acetamide	carboxylate		thione	nitro			
Hydroquinone	Alcohol	alcohol	ketone	thiol	amide	amine	aniline	phenol			
Hydroquinone	Phenol	amine	amide	sulfoxide	n	pyridine	cyano	aldehyde			
Imidazole	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol			

TABLE II

Co-crystal Former								
Chrysin		alcohol		ester	ether	n-oxide	chlorine	fluorine
Chrysin	chlorine		cyno	ester	amine	nitro	nitrate	bromine
Gentic acid	phosphate	sulfate	sulfone	nitrate	pyridine		carboxylic acid	metals
Gentic acid		alcohol		ester	ether	n-oxide	chlorine	fluorine
Glucamine, N-methyl	phosphate	sulfate	sulfone	nitrate	pyridine	carboxilic acid	metals	aldehyde
Glucamine, N-methyl	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	metals
Glauconic Acid	phosphate	sulfate	sulfone	nitrate	pyridine		Carboxylic Acid	metals
Glauconic Acid	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	metals
Glucosamine	phosphate	sulfate	sulfone	nitrate	pyridine		Carboxylic Acid	metals
Glucuronic acid	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	metals
Glucuronic acid	phosphate	sulfate	sulfone	nitrate	pyridine	carboxilic acid	metals	aldehyde
Glucuronic acid	phosphate	sulfate	sulfone	nitrate	pyridine	aromatic	carboxilic acid	metals
Glutamic Acid	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	metals
Glutamic Acid	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	metals
Glutamine	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	metals
Glutamine	phosphate	sulfate	sulfone	nitrate	pyridine		Carboxylic Acid	metals
Glutamine	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	metals
Glutaric Acid	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	metals
Glycine	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	metals
Glycine	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	metals
Glycolic Acid	phosphate	sulfate	sulfone	nitrate	pyridine		Carboxylic Acid	metals
Glycolic Acid	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	metals
Hippuric Acid	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	metals
Hippuric Acid	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	metals
Hippuric Acid	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	metals
Histidine	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	metals
Histidine	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	metals
Histidine	cyanamide	ketone	cyno	Carboxylic Acid	alcohol		thiol	amine
Hydroquinone	phosphate	sulfate	sulfone	nitrate	pyridine		Carboxylic Acid	metals
Hydroquinone		alcohol		ester	ether	n-oxide	chlorine	fluorine
Imidazole	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	metals

TABLE II

Co-crystal Former	bromine	iodine	ketone	sulfonic acid	sulfate	phosphate	phosphonic acid	carboxylic acid
Chrysin	aldehyde	ketone	peroxide	epoxide			heterocyclic-S	iodine
Chrysin	aldehyde	ester	ether	cyano		uran	bromine	chlorine
Gentisic acid	bromine	iodine	ketone	sulfonic acid	sulfate	phosphate	phosphonic acid	carboxylic acid
Gentisic acid	ester	ether	cyano		uran	bromine	chlorine	s-heterocyclic
Glucamine, N-methyl	aldehyde	ester	ether	cyano		uran	bromine	chlorine
Glucamine, N-methyl	aldehyde	ester	ether	cyano		uran	bromine	chlorine
Gluconic Acid	aldehyde	ester	ether	cyano		uran	bromine	chlorine
Gluconic Acid	aldehyde	ester	ether	cyano		uran	bromine	chlorine
Glucosamine	aldehyde	ester	ether	cyano		uran	bromine	chlorine
Glucuronic acid	aldehyde	ester	ether	cyano		uran	bromine	chlorine
Glucuronic acid	ester	ether	cyano		uran	bromine	chlorine	s-heterocyclic
Glucuronic acid	aldehyde	ester	ether	cyano		uran	bromine	chlorine
Glutamic Acid	aldehyde	ester	ether	cyano		uran	bromine	chlorine
Glutamic Acid	aldehyde	ester	ether	cyano		uran	bromine	chlorine
Glutamine	aldehyde	ester	ether	cyano		uran	bromine	chlorine
Glutamine	aldehyde	ester	ether	cyano		uran	bromine	chlorine
Glutamine	aldehyde	ester	ether	cyano		uran	bromine	chlorine
Glutaric Acid	aldehyde	ester	ether	cyano		uran	bromine	chlorine
Glycine	aldehyde	ester	ether	cyano		uran	bromine	chlorine
Glycine	aldehyde	ester	ether	cyano		uran	bromine	chlorine
Glycolic Acid	aldehyde	ester	ether	cyano		uran	bromine	chlorine
Glycolic Acid	aldehyde	ester	ether	cyano		uran	bromine	chlorine
Hippuric Acid	aldehyde	ester	ether	cyano		uran	bromine	chlorine
Hippuric Acid	aldehyde	ester	ether	cyano		uran	bromine	chlorine
Hippuric Acid	aldehyde	ester	ether	cyano		uran	bromine	chlorine
Histidine	aldehyde	ester	ether	cyano		uran	bromine	chlorine
Histidine	aldehyde	ester	ether	cyano		uran	bromine	chlorine
	phosphinic acid							
	hemihydrate							
Histidine	aldehyde	chlorine	sulfonyl	sulfoxide	amide	fluorine	sulfonate ester	
Hydroquinone	aldehyde	ester	ether	cyano		uran	bromine	chlorine
Hydroquinone	bromine	iodine	ketone	sulfonic acid	sulfate	phosphate	phosphonic acid	carboxylic acid
Imidazole	aldehyde	ester	ether	cyano		uran	bromine	chlorine

Co-crystal Former	nitro	sulfone	aniline	sulfate	sulfone	phosphate ester	alcohol
Chrysin	ester	ether	carboxylic acid				
Chrysin	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Genistic acid	nitro	sulfone	aniline				
Genistic acid	pyridine	cyano	n-heterocyclic	ketone	phosphate ester		fluorine
Glucamine, N-methyl	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Glucamine, N-methyl	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Gluconic Acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Gluconic Acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Glucosamine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Glucuronic acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Glucuronic acid	pyridine	cyano	n-heterocyclic	ketone	phosphate ester		fluorine
Glucuronic acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Glutamic Acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Glutamic Acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Glutamine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Glutamine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Glutamine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Glutaric Acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Glycine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Glycine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Glycolic Acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Glycolic Acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Hippuric Acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Hippuric Acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Hippuric Acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Histidine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Histidine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Histidine							
Hydroquinone	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Hydroquinone	nitro	sulfone	aniline				
Imidazole	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	

TABLE II

[illegible]

TABLE II

Co-crystal Former			
Chrysin			
Chrysin			
Gentisic acid	iodine		
Gentisic acid			
Glucamine, N-methyl			
Glucamine, N-methyl	iodine		
Gluconic Acid	iodine	epoxide	
Gluconic Acid	iodine		
Glucosamine	iodine	epoxide	
Glucuronic acid	iodine		
Glucuronic acid			
Glucuronic acid	iodine	epoxide	
Glutamic Acid	iodine		
Glutamic Acid	iodine		
Glutamine	iodine		
Glutamine	iodine	epoxide	peroxide
Glutamine	iodine		
Glutaric Acid	iodine		
Glycine	iodine		
Glycine	iodine		
Glycolic Acid	iodine	epoxide	
Glycolic Acid	iodine		
Hippuric Acid	iodine	epoxide	peroxide
Hippuric Acid	iodine		
Hippuric Acid	iodine		
Histidine	iodine		
Histidine	iodine		
Histidine			
Hydroquinone	iodine	epoxide	
Hydroquinone			
Imidazole	iodine		

TABLE II

Co-crystal Former	Co-crystal Former		Interacting Group						
	Functional Group		aromatic-N	amide	amine	aromatic_s	Sp2 amine	sulfoxide	chlorate
Ipriflavone	Ether		aromatic-N	amide	thiol	amide	amine	analine	phenol
Ipriflavone	Ketone		alcohol		thiol	amide	amine	analine	phenol
Isoleucine	Amine		alcohol	ketone	thiol	amide	amine	analine	phenol
Isoleucine	Carboxylic Acid		alcohol	ketone	thiol	amide	amine	analine	phenol
Lactobionic acid	Carboxylic Acid		alcohol	ketone	thiol	amide	amine	analine	phenol
Lactobionic acid	alcohol		alcohol	ketone	thiol	amide	amine	analine	phenol
Lactobionic acid	Ether		aromatic-N	amide	amine	aromatic_s	Sp2 amine	sulfoxide	chlorate
Lauric acid	Carboxylic Acid		alcohol	ketone	thiol	amide	amine	analine	phenol
Leucine	Carboxylic Acid		alcohol	ketone	thiol	amide	amine	analine	phenol
Leucine	Amine		alcohol	ketone	thiol	amide	amine	analine	phenol
Lysine	Amine		alcohol	ketone	thiol	amide	amine	analine	phenol
Lysine	Carboxylic Acid		alcohol	ketone	thiol	amide	amine	analine	phenol
Maleic	Carboxylic Acid		alcohol	ketone	thiol	amide	amine	analine	phenol
Malic Acid	Alcohol		alcohol	ketone	thiol	amide	amine	analine	phenol
Malic Acid	Carboxylic Acid		alcohol	ketone	thiol	amide	amine	analine	phenol
Malonic	Carboxylic Acid		alcohol	ketone	thiol	amide	amine	analine	phenol
Mandelic Acid	Alcohol		alcohol	ketone	thiol	amide	amine	analine	phenol
Mandelic Acid	Carboxylic Acid		alcohol	ketone	thiol	amide	amine	analine	phenol
Methionine	Amine		alcohol	ketone	thiol	amide	amine	analine	phenol
Methionine	Carboxylic Acid		alcohol	ketone	thiol	amide	amine	analine	phenol
Methionine	Thioether		-N	amide	amine	_s	Sp2 amine	sulfoxide	chlorate
Nicotinamide	Pyridine		*alcohol		*	*amide	nitro	*amine	*Carboxylic Acid
Nicotinamide	Amide		alcohol	ketone	thiol	amide	amine	analine	phenol
Nicotinic Acid	Carboxylic Acid		alcohol	ketone	thiol	amide	amine	analine	phenol
Nicotinic Acid	Pyridine		*alcohol		*	*amide	nitro	*amine	*Carboxylic Acid
Orotic acid	Carboxylic Acid		alcohol	ketone	thiol	amide	amine	analine	phenol
Orotic acid	Lactam		alcohol	ketone	thiol	amide	amine	analine	phenol
Oxalic acid	Carboxylic Acid		alcohol	ketone	thiol	amide	amine	analine	phenol
Palmitic acid	Carboxylic Acid		alcohol	ketone	thiol	amide	amine	analine	phenol
Pantoic acid	Carboxylic Acid		alcohol	ketone	thiol	amide	amine	analine	phenol
Pantoic acid	alcohol		alcohol	ketone	thiol	amide	amine	analine	phenol
Pantoic acid	Phenol		amine	amide	sulfoxide	n	pyridine	cyano	aldehyde

TABLE II

Co-crystal Former	chlorine	sulfate	ciano	ester	amine	nitro	nitrate	bromine
Ipriflavone	phosphate	sulfate	sulfone	nitrate	pyridine		Carboxylic Acid	metals
Ipriflavone	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	metals
Isoleucine	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	metals
Isoleucine	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	metals
lactobionic acid	phosphate	sulfate	sulfone	nitrate	pyridine		metals	aldehyde
Lactobionic acid	phosphate	sulfate	sulfone	nitrate	pyridine	carboxilic acid	metals	bromine
Lactobionic acid	chlorine		ciano	ester	amine	nitro	nitrate	
Lauric acid	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	
Leucine	phosphate	sulfate	sulfone	nitrate	pyridine		Carboxylic Acid	metals
Leucine	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	metals
Lysine	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	metals
Lysine	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	metals
Maleic	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	metals
Malic Acid	phosphate	sulfate	sulfone	nitrate	pyridine		Carboxylic Acid	metals
Malic Acid	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	metals
Malonic	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	metals
Mandelic Acid	phosphate	sulfate	sulfone	nitrate	pyridine		Carboxylic Acid	metals
Mandelic Acid	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	metals
Methionine	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	metals
Methionine	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	metals
Methionine	chlorine		ciano	ester	amine	nitro	nitrate	bromine
Nicotinamide	*sulfonamide	*ketone	ether	triazole		ammonium	oxime	*chlorine
Nicotinamide	phosphate	sulfate	sulfone	nitrate	pyridine		Carboxylic Acid	metals
Nicotinic Acid	phosphate	sulfate	sulfone	nitrate	pyridine		Carboxylic Acid	metals
Nicotinic Acid	*sulfonamide	*ketone	ether	triazole		ammonium	oxime	*chlorine
Orotic acid	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	
Orotic acid	phosphate	sulfate	sulfone	nitrate	pyridine		Carboxylic Acid	metals
Oxalic acid	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	
Palmitic acid	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	
Pantoic acid	phosphate	sulfate	sulfone	nitrate	pyridine		carboxilic acid	
Pantoic acid	phosphate	sulfate	sulfone	nitrate	pyridine	carboxilic acid	metals	aldehyde
Pantoic acid		alcohol		ester	ether	n-oxide	chlorine	fluorine

TABLE II

Co-crystal Former											
Ipriflavone	aldehyde	ketone	peroxide	epoxide				heterocyclic-S	iodine		
Ipriflavone	aldehyde	ester	ether	cyano			furan	bromine	chlorine		
Isoleucine	aldehyde	ester	ether	cyano			furan	bromine	chlorine		
Isoleucine	aldehyde	ester	ether	cyano			furan	bromine	chlorine		
lactobionnic acid	aldehyde	ester	ether	cyano			furan	bromine	chlorine		
Lactobionnic acid	ester	ether	cyano			furan	bromine	chlorine	s-heterocyclic		
Lactobionnic acid	aldehyde	ketone	peroxide	epoxide				heterocyclic-S	iodine		
Lauric acid	aldehyde	ester	ether	cyano			furan	bromine	chlorine		
Leucine	aldehyde	ester	ether	cyano			furan	bromine	chlorine		
Leucine	aldehyde	ester	ether	cyano			furan	bromine	chlorine		
Lysine	aldehyde	ester	ether	cyano			furan	bromine	chlorine		
Lysine	aldehyde	ester	ether	cyano			furan	bromine	chlorine		
Maleic	aldehyde	ester	ether	cyano			furan	bromine	chlorine		
Malic Acid	aldehyde	ester	ether	cyano			furan	bromine	chlorine		
Malic Acid	aldehyde	ester	ether	cyano			furan	bromine	chlorine		
Malonic	aldehyde	ester	ether	cyano			furan	bromine	chlorine		
Mandelic Acid	aldehyde	ester	ether	cyano			furan	bromine	chlorine		
Mandelic Acid	aldehyde	ester	ether	cyano			furan	bromine	chlorine		
Methionine	aldehyde	ester	ether	cyano			furan	bromine	chlorine		
Methionine	aldehyde	ester	ether	cyano			furan	bromine	chlorine		
Methionine	aldehyde	ketone	peroxide	epoxide		Ag	Se	heterocyclic-S	iodine		
Nicotinamide		thiol	n-heterocyclic ring	thionedisulfide				hydrazone	thiocyanate		
Nicotinamide	aldehyde	ester	ether	cyano			furan	bromine	chlorine		
Nicotinic Acid	aldehyde	ester	ether	cyano			furan	bromine	chlorine		
Nicotinic Acid		thiol	n-heterocyclic ring	thionedisulfide				hydrazone	thiocyanate		
Orotic acid	aldehyde	ester	ether	cyano			furan	bromine	chlorine		
Orotic acid	aldehyde	ester	ether	cyano			furan	bromine	chlorine		
Oxalic acid	aldehyde	ester	ether	cyano			furan	bromine	chlorine		
Palmitic acid	aldehyde	ester	ether	cyano			furan	bromine	chlorine		
Pamoic acid	aldehyde	ester	ether	cyano			furan	bromine	chlorine		
Pamoic acid	ester	ether	cyano	cyano			furan	bromine	chlorine		
Pamoic acid	bromine	iodine	ketone	sulfonic acid		furan	bromine	chlorine	s-heterocyclic		
Pamoic acid								phosphonic acid	carboxylic acid		

TABLE II

Co-crystal Former	ester	ether	carboxylic acid	sulfate	sulfone	phosphate ester	alcohol
Ipriflavone	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	alcohol
Ipriflavone	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Isoleucine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Isoleucine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Lactobionic acid	pyridine	cyano	n-heterocyclic	ketone	phosphate ester		fluorine
Lactobionic acid	ester	ether	carboxylic acid	sulfate	sulfone		alcohol
Lauric acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Leucine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Leucine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Lysine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Lysine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Maleic	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Malic Acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Malic Acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Malonic	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Mandelic Acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Mandelic Acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Methionine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Methionine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Methionine	ester	ether	carboxylic acid	sulfate	sulfone		alcohol
Nicotinamide	*bromine		hydroxamic acid	cyano	carboxamide	*sulfonic acid	*phosphoric acid
Nicotinamide	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Nicotinic Acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Nicotinic Acid	*bromine		hydroxamic acid	cyano	carboxamide	*sulfonic acid	*phosphoric acid
Orotic acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Orotic acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Oxalic acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Palmitic acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Pantoic acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Pantoic acid	pyridine	cyano	n-heterocyclic	ketone	phosphate ester		fluorine
Pantoic acid	nitro	sulfone	aniline				

TABLE II

Co-crystal Former		phosphphate	cyanamide						
Ipriiflavone	fluorine	carbamate	imidazole	BF4				N-SO2	thiourea
Ipriiflavone	fluorine	carbamate	imidazole	BF4				N-SO2	thiourea
Isoleucine	fluorine	carbamate	imidazole	BF4				N-SO2	thiourea
Isoleucine	fluorine	carbamate	imidazole	BF4				N-SO2	thiourea
Lactobionic acid	carbamate	imidazole	BF4						
Lactobionic acid									
Lactobionic acid		phosphphate	cyanamide						
Lauric acid	fluorine	carbamate	imidazole	BF4				N-SO2	thiourea
Leucine	fluorine	carbamate	imidazole	BF4				N-SO2	thiourea
Leucine	fluorine	carbamate	imidazole	BF4				N-SO2	thiourea
Lysine	fluorine	carbamate	imidazole	BF4				N-SO2	thiourea
Lysine	fluorine	carbamate	imidazole	BF4				N-SO2	thiourea
Maleic	fluorine	carbamate	imidazole	BF4				N-SO2	thiourea
Malic Acid	fluorine	carbamate	imidazole	BF4				N-SO2	thiourea
Malic Acid	fluorine	carbamate	imidazole	BF4				N-SO2	thiourea
Malonic	fluorine	carbamate	imidazole	BF4				N-SO2	thiourea
Mandelic Acid	fluorine	carbamate	imidazole	BF4				N-SO2	thiourea
Mandelic Acid	fluorine	carbamate	imidazole	BF4				N-SO2	thiourea
Methionine	fluorine	carbamate	imidazole	BF4				N-SO2	thiourea
Methionine	fluorine	carbamate	imidazole	BF4				N-SO2	thiourea
Methionine		phosphphate							
Nicotinamide	N-oxide	ester	ether	fluorine	acetate	thione		dithiadiazocyclopentadienyl	
Nicotinamide	fluorine	carbamate	imidazole	BF4				N-SO2	thiourea
Nicotinic Acid	fluorine	carbamate	imidazole	BF4				N-SO2	thiourea
Nicotinic Acid	N-oxide	ester	ether	fluorine	acetate	thione		dithiadiazocyclopentadienyl	
Orotic acid	fluorine	carbamate	imidazole	BF4				N-SO2	thiourea
Orotic acid	fluorine	carbamate	imidazole	BF4				N-SO2	thiourea
Oxalic acid	fluorine	carbamate	imidazole	BF4				N-SO2	thiourea
Palmitic acid	fluorine	carbamate	imidazole	BF4				N-SO2	thiourea
Pamoic acid	fluorine	carbamate	imidazole	BF4				N-SO2	thiourea
Pamoic acid	carbamate	imidazole	BF4						
Pamoic acid									

TABLE II

Co-crystal Former		
Ipriflavone		
Ipriflavone	iodine	
Isoleucine	iodine	
Isoleucine	iodine	
lactobionic acid	iodine	
Lactobionic acid		
Lactobionic acid		
Lauric acid	iodine	
Leucine	iodine	
Leucine	iodine	
Lysine	iodine	
Lysine	iodine	
Maleic	iodine	
Malic Acid	iodine	epoxide
Malic Acid	iodine	
Malonic	iodine	
Mandelic Acid	iodine	epoxide
Mandelic Acid	iodine	
Methionine	iodine	
Methionine	iodine	
Methionine		
Nicotinamide		
Nicotinamide	iodine	epoxide peroxide
Nicotinic Acid	iodine	
Nicotinic Acid		
Orotic acid	iodine	
Orotic acid	iodine	epoxide peroxide
Oxalic acid	iodine	
Palmitic acid	iodine	
Pamoic acid	iodine	
Pamoic acid		
Pamoic acid		

TABLE II

Co-crystal Former	Co-crystal Former Functional Group	Interacting Group						
Phenylalanine	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol
Phenylalanine	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
Piperazine	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol
Procaine	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol
Procaine	Ketone	alcohol	ketone	thiol	amide	amine	aniline	phenol
Proline	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
Proline	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol
p-Toluenesulfonic acid	Sulfonic Acid	pyridine	ketone	aldehyde	ether	ester	amide	Carboxylic Acid
Pyridoxamine	Alcohol	alcohol	ketone	thiol	amide	amine	aniline	phenol
Pyridoxamine	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol
Pyridoxamine	Pyridine	*alcohol		*	*amide	nitro	*amine	*Carboxylic Acid
Pyridoxine (4-Pyridoxic Acid)	Pyridine	*alcohol	pyridinium	*	*amide	nitro	*amine	*Carboxylic Acid
Pyridoxine (4-Pyridoxic Acid)	Alcohol	alcohol	ketone	thiol	amide	amine	aniline	phenol
Pyroglutamic acid	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
Pyroglutamic acid	Lactam	alcohol	ketone	thiol	amide	amine	aniline	phenol
Quercetin	Ketone	alcohol		thiol	amide	amine	aniline	phenol
Quercetin	Phenol	amine	amide	sulfoxide	n	pyridine	cyano	aldehyde
Quercetin	Ether	aromatic-N	amide	amine	aromatic_s	Sp2 amine	sulfoxide	chlorate
Resveratrol	Ketone	alcohol		thiol	amide	amine	aniline	phenol
Resveratrol	Phenol	amine	amide	sulfoxide	n	pyridine	cyano	aldehyde
Saccharin	Amide	alcohol	ketone	thiol	amide	amine	aniline	phenol
Saccharin	Ketone	alcohol		thiol	amide	amine	aniline	phenol
Saccharin	Sulfoxide	pyridine	ketone	aldehyde	ether	ester	amide	Carboxylic Acid
Saccharin	Amine	alcohol	ketone	thiol	amide		aniline	phenol
Salicylic Acid	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
Salicylic Acid	Alcohol	alcohol	ketone	thiol	amide	amine	aniline	phenol
Salicylic Acid, 4-amino	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
Salicylic Acid, 4-amino	alcohol	alcohol	ketone	thiol	amide	amine	aniline	phenol
Salicylic Acid, 4-amino	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol

TABLE II

Co-crystal Former	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals
Phenylalanine	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals
Phenylalanine	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals
Piperazine	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals
Procaine	phosphate	sulfate	sulfone	nitrate	pyridine	Carboxylic Acid	metals
Procaine	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals
Proline	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals
Proline	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals
p-Toluenesulfonic acid	amine	metals	thioether		sulfate	alcohol	
Pyridoxamine	phosphate	sulfate	sulfone	nitrate	pyridine	Carboxylic Acid	metals
Pyridoxamine	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals
Pyridoxamine	*sulfonamide	*ketone	ether	triazole		oxime	*chlorine
Pyridoxine	*sulfonamide	*ketone	ether	triazole		oxime	*chlorine
Pyridoxine	phosphate	sulfate	sulfone	nitrate	pyridine	Carboxylic Acid	metals
Pyrogutamic acid	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals
Pyrogutamic acid	phosphate	sulfate	sulfone	nitrate	pyridine	Carboxylic Acid	metals
Quercetin	phosphate	sulfate	sulfone	nitrate	pyridine	Carboxylic Acid	metals
Quercetin		alcohol		ester	ether	chlorine	fluorine
Quercetin	chlorine		cyano	ester	amine	nitrate	bromine
Resveratrol	phosphate	sulfate	sulfone	nitrate	pyridine	Carboxylic Acid	metals
Resveratrol		alcohol		ester	ether	chlorine	fluorine
Saccharin	phosphate	sulfate	sulfone	nitrate	pyridine	Carboxylic Acid	metals
Saccharin	phosphate	sulfate	sulfone	nitrate	pyridine	Carboxylic Acid	metals
Saccharin	amine	metals	thioether		sulfate		
Saccharin	phosphate	sulfate	sulfone	nitrate	pyridine	Carboxylic Acid	metals
Salicylic Acid	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals
Salicylic Acid	phosphate	sulfate	sulfone	nitrate	pyridine	Carboxylic Acid	metals
Salicylic Acid, 4-amino	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals
Salicylic Acid, 4-amino	phosphate	sulfate	sulfone	nitrate	pyridine	metals	aldehyde
Salicylic Acid, 4-amino	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals

Co-crystal Former										
Phenylalanine	aldehyde	ester	ether	cyano		furan	bromine	chlorine		
Phenylalanine	aldehyde	ester	ether	cyano		furan	bromine	chlorine		
Piperazine	aldehyde	ester	ether	cyano		furan	bromine	chlorine		
Procaine	aldehyde	ester	ether	cyano		furan	bromine	chlorine		
Procaine	aldehyde	ester	ether	cyano		furan	bromine	chlorine		
Proline	aldehyde	ester	ether	cyano		furan	bromine	chlorine		
Proline	aldehyde	ester	ether	cyano		furan	bromine	chlorine		
p-Toluenesulfonic acid										
Pyridoxamine	aldehyde	ester	ether	cyano		furan	bromine	chlorine		
Pyridoxamine	aldehyde	ester	ether	cyano		furan	bromine	chlorine		
Pyridoxamine		thiol	n-heterocyclic ring	thionedisulfide		iodine	hydrazone	thiocyanate		
Pyridoxine (4-Pyridoxic Acid)		thiol	n-heterocyclic ring	thionedisulfide	pyrrolidindione	iodine	hydrazone	thiocyanate		
Pyridoxine (4-Pyridoxic Acid)	aldehyde	ester	ether	cyano		furan	bromine	chlorine		
Pyroglutamic acid	aldehyde	ester	ether	cyano		furan	bromine	chlorine		
Pyroglutamic acid	aldehyde	ester	ether	cyano		furan	bromine	chlorine		
Quercetin	bromine	iodine	ketone	sulfonic acid	sulfate	phosphate	phosphonic acid	carboxylic acid		
Quercetin	aldehyde	ketone	peroxide	epoxide			heterocyclic-S	iodine		
Resveratrol	aldehyde	ester	ether	cyano		furan	bromine	chlorine		
Resveratrol	bromine	iodine	ketone	sulfonic acid	sulfate	phosphate	phosphonic acid	carboxylic acid		
Saccharin	aldehyde	ester	ether	cyano		furan	bromine	chlorine		
Saccharin	aldehyde	ester	ether	cyano		furan	bromine	chlorine		
Saccharin										
Saccharin	aldehyde	ester	ether	cyano		furan	bromine	chlorine		
Salicylic Acid	aldehyde	ester	ether	cyano		furan	bromine	chlorine		
Salicylic Acid	aldehyde	ester	ether	cyano		furan	bromine	chlorine		
Salicylic Acid, 4-amino	aldehyde	ester	ether	cyano		furan	bromine	chlorine		
Salicylic Acid, 4-amino	ester	ether	cyano		furan	bromine	chlorine	s-heterocyclic		
Salicylic Acid, 4-amino	aldehyde	ester	ether	cyano		furan	bromine	chlorine		

TABLE II

[illegible]

TABLE II

[illegible]

TABLE II

Co-crystal Former		
Phenylalanine	iodine	
Phenylalanine	iodine	
Piperazine	iodine	
Procaine	iodine	
Procaine	iodine	
Proline	iodine	
Proline	iodine	
p-Toluenesulfonic acid		
Pyridoxamine	iodine	epoxide
Pyridoxamine	iodine	
Pyridoxamine		
Pyridoxine		
(4-Pyridoxic Acid)		
Pyridoxine	iodine	epoxide
(4-Pyridoxic Acid)	iodine	
Pyroglutamic acid	iodine	epoxide
Pyroglutamic acid	iodine	peroxide
Quercetin	iodine	
Quercetin		
Quercetin		
Resveratrol	iodine	
Resveratrol		
Saccharin	iodine	epoxide
Saccharin	iodine	
Saccharin		
Saccharin	iodine	
Salicylic Acid	iodine	
Salicylic Acid	iodine	epoxide
Salicylic Acid, 4-amino	iodine	
Salicylic Acid, 4-amino		
Salicylic Acid, 4-amino	iodine	

TABLE II

Co-crystal Former	Co-crystal Former Functional Group	Interacting Group						
Sebacic acid	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
Serine	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
Serine	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol
Serine	Alcohol	alcohol	ketone	thiol	amide	amine	aniline	phenol
Stearic acid	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
Succinic Acid	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
Tartaric Acid	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
Threonine	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol
Threonine	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
Threonine	alcohol	alcohol	ketone	thiol	amide	amine	aniline	phenol
Tris	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol
Tris	Alcohol	alcohol	ketone	thiol	amide	amine	aniline	phenol
Tryptophan	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol
Tryptophan	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
Tryptophan	Indole	*alcohol	pyridinium	*	*amide	nitro	*amine	*carboxylic acid
Tyrosine	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol
Tyrosine	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
Tyrosine	Alcohol	alcohol	ketone	thiol	amide	amine	aniline	phenol
Urea	Ketone	alcohol	ketone	thiol	amide	amine	aniline	phenol
Urea	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol
Urea	Amide	alcohol	ketone	thiol	amide	amine	aniline	phenol
Valine	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol
Valine	Carboxylic Acid	alcohol	ketone	thiol	amide	amine	aniline	phenol
Vitamin K5	Amine	alcohol	ketone	thiol	amide	amine	aniline	phenol
Vitamin K5	Alcohol	alcohol	ketone	thiol	amide	amine	aniline	phenol
Xylitol	Alcohol	alcohol	ketone	thiol	amide	amine	aniline	phenol

TABLE II

Co-crystal Former	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals
Sebacic acid	phosphate	sulfate	sulfone	nitrate	pyridine	Carboxylic Acid	metals
Serine	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals
Serine	phosphate	sulfate	sulfone	nitrate	pyridine	Carboxylic Acid	metals
Stearic acid	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals
Succinic Acid	phosphate	sulfate	sulfone	nitrate	pyridine	Carboxylic Acid	metals
Tartaric Acid	phosphate	sulfate	sulfone	nitrate	pyridine	Carboxylic Acid	metals
Threonine	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals
Threonine	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals
Threonine	phosphate	sulfate	sulfone	nitrate	pyridine	Carboxylic Acid	metals
Tris	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals
Tris	phosphate	sulfate	sulfone	nitrate	pyridine	Carboxylic Acid	metals
Tryptophan	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals
Tryptophan	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals
Tryptophan	*sulfonamide	*ketone	ether	triazole	ammonium	oxime	*chlorine
Tyrosine	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals
Tyrosine	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals
Tyrosine	phosphate	sulfate	sulfone	nitrate	pyridine	Carboxylic Acid	metals
Urea	phosphate	sulfate	sulfone	nitrate	pyridine	Carboxylic Acid	metals
Urea	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals
Urea	phosphate	sulfate	sulfone	nitrate	pyridine	Carboxylic Acid	metals
Valine	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals
Valine	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals
Vitamin K5	phosphate	sulfate	sulfone	nitrate	pyridine	carboxylic acid	metals
Vitamin K5	phosphate	sulfate	sulfone	nitrate	pyridine	Carboxylic Acid	metals
Xylitol	phosphate	sulfate	sulfone	nitrate	pyridine	Carboxylic Acid	metals

Co-crystal Former										
Sebacic acid	aldehyde	ester	ether	cyano	furan	bromine	chlorine			
Serine	aldehyde	ester	ether	cyano	furan	bromine	chlorine			
Serine	aldehyde	ester	ether	cyano	furan	bromine	chlorine			
Serine	aldehyde	ester	ether	cyano	furan	bromine	chlorine			
Stearic acid	aldehyde	ester	ether	cyano	furan	bromine	chlorine			
Succinic Acid	aldehyde	ester	ether	cyano	furan	bromine	chlorine			
Tartaric Acid	aldehyde	ester	ether	cyano	furan	bromine	chlorine			
Threonine	aldehyde	ester	ether	cyano	furan	bromine	chlorine			
Threonine	aldehyde	ester	ether	cyano	furan	bromine	chlorine			
Threonine	aldehyde	ester	ether	cyano	furan	bromine	chlorine			
Tris	aldehyde	ester	ether	cyano	furan	bromine	chlorine			
Tris	aldehyde	ester	ether	cyano	furan	bromine	chlorine			
Tryptophan	aldehyde	ester	ether	cyano	furan	bromine	chlorine			
Tryptophan	aldehyde	ester	ether	cyano	furan	bromine	chlorine			
Tryptophan		thiol	n-heterocyclic ring	thionedisulfide	pyrrolidindione	hydrazone	thiocyanate			
Tyrosine	aldehyde	ester	ether	cyano	furan	bromine	chlorine			
Tyrosine	aldehyde	ester	ether	cyano	furan	bromine	chlorine			
Tyrosine	aldehyde	ester	ether	cyano	furan	bromine	chlorine			
Urea	aldehyde	ester	ether	cyano	furan	bromine	chlorine			
Urea	aldehyde	ester	ether	cyano	furan	bromine	chlorine			
Urea	aldehyde	ester	ether	cyano	furan	bromine	chlorine			
Valine	aldehyde	ester	ether	cyano	furan	bromine	chlorine			
Valine	aldehyde	ester	ether	cyano	furan	bromine	chlorine			
Vitamin K5	aldehyde	ester	ether	cyano	furan	bromine	chlorine			
Vitamin K5	aldehyde	ester	ether	cyano	furan	bromine	chlorine			
Xylitol	aldehyde	ester	ether	cyano	furan	bromine	chlorine			

TABLE II

Co-crystal Former							
Sebacic acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Serine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Serine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Serine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Stearic acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Succinic Acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Tartaric Acid	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Threonine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Threonine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Threonine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Tris	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Tris	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Tryptophan	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Tryptophan	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Tryptophan	*bromine		hydroxamic acid	cyano	carboxamide	*sulfonic acid	*phosphoric acid
Tyrosine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Tyrosine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Tyrosine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Urea	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Urea	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Urea	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Valine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Valine	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Vitamin K5	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Vitamin K5	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	
Xylitol	s-heterocyclic	pyridine	cyano	n-heterocyclic	ketone	phosphate ester	

Co-crystal Former								
Sebacic acid	fluorine	carbamate	imidazole	BF4			N-SO2	thiourea
Serine	fluorine	carbamate	imidazole	BF4			N-SO2	thiourea
Serine	fluorine	carbamate	imidazole	BF4			N-SO2	thiourea
Serine	fluorine	carbamate	imidazole	BF4			N-SO2	thiourea
Stearic acid	fluorine	carbamate	imidazole	BF4			N-SO2	thiourea
Succinic Acid	fluorine	carbamate	imidazole	BF4			N-SO2	thiourea
Tartaric Acid	fluorine	carbamate	imidazole	BF4			N-SO2	thiourea
Threonine	fluorine	carbamate	imidazole	BF4			N-SO2	thiourea
Threonine	fluorine	carbamate	imidazole	BF4			N-SO2	thiourea
Threonine	fluorine	carbamate	imidazole	BF4			N-SO2	thiourea
Tris	fluorine	carbamate	imidazole	BF4			N-SO2	thiourea
Tris	fluorine	carbamate	imidazole	BF4			N-SO2	thiourea
Tryptophan	fluorine	carbamate	imidazole	BF4			N-SO2	thiourea
Tryptophan	fluorine	carbamate	imidazole	BF4			N-SO2	thiourea
Tryptophan	N-oxide	ester	ether	fluorine	acetate	thione	dithiadiazocyclopentadienyl	
Tyrosine	fluorine	carbamate	imidazole	BF4			N-SO2	thiourea
Tyrosine	fluorine	carbamate	imidazole	BF4			N-SO2	thiourea
Tyrosine	fluorine	carbamate	imidazole	BF4			N-SO2	thiourea
Urea	fluorine	carbamate	imidazole	BF4			N-SO2	thiourea
Urea	fluorine	carbamate	imidazole	BF4			N-SO2	thiourea
Urea	fluorine	carbamate	imidazole	BF4			N-SO2	thiourea
Valine	fluorine	carbamate	imidazole	BF4			N-SO2	thiourea
Valine	fluorine	carbamate	imidazole	BF4			N-SO2	thiourea
Vitamin K5	fluorine	carbamate	imidazole	BF4			N-SO2	thiourea
Vitamin K5	fluorine	carbamate	imidazole	BF4			N-SO2	thiourea
Xylitol	fluorine	carbamate	imidazole	BF4			N-SO2	thiourea

TABLE II

Co-crystal Former		
Sebacic acid	iodine	
Serine	iodine	
Serine	iodine	
Serine	iodine	epoxide
Stearic acid	iodine	
Succinic Acid	iodine	
Tartaric Acid	iodine	
Threonine	iodine	
Threonine	iodine	
Threonine	iodine	epoxide
Tris	iodine	
Tris	iodine	epoxide
Tryptophan	iodine	
Tryptophan	iodine	
Tryptophan		
Tryptophan		
Tyrosine	iodine	
Tyrosine	iodine	
Tyrosine	iodine	epoxide
Urea	iodine	
Urea	iodine	
Urea	iodine	epoxide
Valine	iodine	
Valine	iodine	
Vitamin K5	iodine	
Vitamin K5	iodine	epoxide
Xylitol	iodine	epoxide

TABLE III







Functional Group	Functional Group Structure	Interacting Group						
pyridine		*alcohol	pyridinium	*amide	nitro	*amine	*carboxilic acid	
imidazol		imidazole	chlorine	acetamide	carboxylate	thione	nitro	
Hydroxamic acid		hydroxamic acid	alcohol	phosphinic ester	alkane	pyridine	amide	
peroxide	$R-O-OH$	ester	peroxide	amide	ether	alkane	N-heterocycle	
epoxide		alkane	bromine	alcohol	ester	epoxide	amide	
thioester		aromatic	thioester	alkane	sulfamide	hydroxy	bromine	
thioketone		alkane	thioketone	ketone	SULFAMIDE	AMINE	thiol	

TABLE III

Functional Group												
pyridine	*sulfonamide	*ketone	ether		triazole	alkane	ammonium	oxime	*chlorine	alkyne		
imidazole	cyanamide	ketone	cyano	carboxylic acid		alcohol	alkane	thiol	amine	phosphinic acid hemihydrate		
Hydroxamic acid	sulfonamide	carboxylate	phosphine	amine		aromatic						
peroxide	aromatic	alcohol	pyrimidinedione	aniline	thiazole	peroxy acid	ketone	carboxylic acid	azide			
epoxide	alkene	hydrazone	aromatic	thioether	ketone	aldehyde	chlorine	carboxylic acid	alkyne			
thioester	iodine	amine	cyano	thioketone	amide		chlorine	nitro				
thioketone	sulfoxide	oxo	chlorine	bromine	AROMATIC alkene	sulfone	iodine	AZOXY				

TABLE III

Functional Group	thiol	n-heterocyclic ring	thionedisulfide	pyrrolidindione	iodine	hydrazone	thiocyanate	*bromine	aromatic
pyridin									
imidazole	chlorine	sulfonyl	sulfoxide	amide	fluorine	sulfonate ester			
Hydroxamic acid									
peroxide	phosphine oxide	sulfonamide	aniline						
epoxide		ammonium	fluorine	nitro	amine	ciano			
thio ster									
thioketone	potassium	epoxide	n-oxide	ciano	iron	cobalt	amine	sulfate	

TABLE III

Functional Group	hydroxamic acid	cyano	carboxamide	*sulfonic acid	*phosphoric acid	N-oxide	ester	ether	fluorine	acetate	thione
pyridine											
imidazole											
Hydroxamic acid											
peroxide											
epoxide											
thioester											
thioketone											

TABLE III

Functional Group							
pyridine	dithiadiazocyclopentadienyl						
imidazole							
Hydroxamic acid							
peroxide							
epoxide							
thioester							
thioketone							

TABLE III

Functional Group	Functional Group Structure	Interacting Group						
nitrate ester	---O---NO_2	aromatic	amide	alkane	chlorine	nitrate ester	bromine	
Thiophosphate ester-O	$\begin{array}{c} \text{S} \\ \\ \text{---O---P---O}^- \\ \\ \text{OH} \end{array}$	amine	imidazole	cyclic amide				
Phosphate ester	$\begin{array}{c} \text{O} \\ \\ \text{---O---P---O}^- \\ \\ \text{OH} \end{array}$	aromatic	alcohol	phosphate ester	aromatic N-ring	pyridine	aniline	
Ketone	$\begin{array}{c} \text{O} \\ \\ \text{R} \text{---} \text{C} \text{---} \text{R} \end{array}$	alcohol	ketone	thiol	amide	amine	aniline	
Aldehyde	$\begin{array}{c} \text{O} \\ \\ \text{R} \text{---} \text{C} \text{---} \text{H} \end{array}$	alcohol	ketone	thiol	amide	amine	aniline	
Thiol	R---SH	carboxylic acid	sodium	aldehyde	ketone	aromatic-N	cadmium	
Alcohol	R---OH	alcohol	ketone	thiol	amide	amine	aniline	

TABLE III

[illegible]

TABLE III

Functional Group										
nitrate ester										
Thiophosphate ester-O										
Phosphate ester										
Ketone	aldehyde	ester	ether		cyano		furan	bromine	chlorine	s-heterocyclic
Aldehyde	aldehyde	ester	ether		cyano		furan	bromine	chlorine	s-heterocyclic
Thiol										
Alcohol	aldehyde	ester	ether		cyano		furan	bromine	chlorine	s-heterocyclic

TABLE III

[illegible]

TABLE III

Functional Group								
nitrat ester								
Thiophosphate st r-O								
Phosphate ester								
Ketone		aromatic	N-SO ₂	thiourea	iodine			
Aldehyde		aromatic	N-SO ₂	thiourea	iodine	epoxide		
Thiol								
Alcohol		aromatic	N-SO ₂	thiourea	iodine	epoxide		

TABLE III








Functional Group	Functional Group Structure	Interacting Group							
Thioether		aromatic-N	amide	amine	aromatic_s	Sp2 amine	sulfoxide		
Ether		aromatic-N	amide	amine	aromatic_s	Sp2 amine	sulfoxide		
Cyanamide		cyano	amine	potassium	aromatic-N	bromine	sodium		
Thiocyanate		aromatic-S	ester	ether					
sp2 amine		thioether	ether	metals	MoOCl4	BF4	bromine		
Amine primary		alcohol	ketone	thiol	amide	amine	aniline		
Amine secondary		alcohol	ketone	thiol	amide	amine	aniline		

TABLE III

Functional Group										
Thioether	chlorate	chlorine	alkyne	cyano	ester	amine	nitro	nitrate	bromine	
Ether	chlorate	chlorine	alkyne	cyano	ester	amine	nitro	nitrate	bromine	
Cyanamide	imidazole	ether	n-heterocyclic	alcohol	cesium	Ag				
Thiocyanate										
sP2 amine	chlorine		Sp2 amine	sulfate	Osmium					
Amin primary	phenol	phosphate	sulfate	sulfone	nitrate	pyridine	aromatic	carboxylic acid	metals	
Amine secondary	phenol	phosphate	sulfate	sulfone	nitrate	pyridine	aromatic	carboxylic acid	metals	

TABLE III

Functional Group										
Thioether	aldehyde	ketone	peroxide	epoxide	Ag	Se	heterocyclic-S	iodine	ester	
Ether	aldehyde	ketone	peroxide	epoxide	Ag	Se	heterocyclic-S	iodine	ester	
Cyanamide										
Thiocyanate										
sp2 amine										
Amine primary	aldehyde	ester	ether	cyano		furan	bromine	chlorine	s-heterocyclic	
Amine secondary	aldehyde	ester	ether	cyano		furan	bromine	chlorine	s-heterocyclic	

TABLE III

[illegible]

TABLE III

[illegible]

TABLE III






Functional Group	Functional Group Structure	Interacting Group						
Amin tertiary	R_3-N	alcohol	ketone	thiol	amide	amine	aniline	
Amide		alcohol	ketone	thiol	amide	amine	aniline	
Sulfonic acid								
Phosphinic acid		pyridine	ketone	aldehyde	ether	ester	amide	
Phosphonic acid		alkane	potassium	lithium	n-heterocyclic	oxime	amide	
Carboxylic acid		alkane	potassium	lithium	n-heterocyclic	oxime	amide	
		alcohol	ketone	thiol	amide	amine	aniline	

TABLE III

Functional Group											
Amine tertiary	phenol	phosphate	sulfate	sulfone	nitrate	pyridine	aromatic	carboxylic acid	metals		
Amide	phenol	phosphate	sulfate	sulfone	nitrate	pyridine	aromatic	carboxylic acid	metals		
Sulfonic acid	carboxylic acid	amine	metals	thioether		sulfate	alcohol				
Phosphonic acid	phenol	aromatic	amine	alcohol		metals					
Phosphonic acid	phenol	aromatic	amine	alcohol		metals	carboxylic acid	Sp ² amine	aniline		
Carboxylic acid	phenol	phosphate	sulfate	sulfone	nitrate	pyridine	aromatic	carboxylic acid	metals		

TABLE III

Functional Group												
Amine tertiary	aldehyde	ester		ether		cyano			furan	bromine	chlorine	s-heterocyclic
Amide	aldehyde	ester		ether		cyano			furan	bromine	chlorine	s-heterocyclic
Sulfonic acid												
Phosphinic acid												
Phosphonic acid	ether	phosphonic acid		aromatic-N		ketone		aldehyde	imidazole			
Carboxylic acid	aldehyde	ester		ether		cyano			furan	bromine	chlorine	s-heterocyclic

TABLE III

Functional Group											
Amine tertiary	pyridine	cyano	n-heterocyclic	ketone	phosphate ester		fluorine	carbamate	imidazole	BF4	alkane
Amide	pyridine	cyano	n-heterocyclic	ketone	phosphate ester		fluorine	carbamate	imidazole	BF4	alkane
Sulfonic acid											
Phosphinic acid											
Phosphonic acid											
Carboxylic acid	pyridine	cyano	n-heterocyclic	ketone	phosphate ester		fluorine	carbamate	imidazole	BF4	alkane

TABLE III

Functional Group						
Amine tertiary	aromatic	N-SO ₂	thiourea	iodine		
Amide	aromatic	N-SO ₂	thiourea	iodine	epoxide	peroxide
Sulfonic acid						
Phosphinic acid						
Phosphonic acid						
Carboxylic acid	aromatic	N-SO ₂	thiourea	iodine		

TABLE III




Functional Group	Functional Group Structure	Interacting Group							
Sulfate ester									
Oxime	$C \equiv N - OH$	pyridine	ketone	aldehyde	ether	ester	amide		
Nitrile	$-C \equiv N$	alcohol	alkane	amine	amide	ether	ester		
		metal	ketone	phenol	alcohol		cyano		
Diazo	$RH_2C - N \equiv N - CH_2R$	Oxime							
Nitro	NO_2	pyridine	ketone	aldehyde	ether	ester	amide		
S-heterocyclic ring		alcohol	thio ketone	thio ether	s-heterocyclic	ketone	aromatic		
Thiophene		chlorine	fluorine	amide	ketone	NO	SO		

TABLE III

[illegible]

TABLE III

[illegible]

TABLE III

[illegible]

TABLE III

Functional Group									
Sulfate ester									
Oxime									
Nitrile									
Diazo									
Nitro									
S-heterocyclic ring									
Thiophene									

TABLE III





Functional Group	Functional Group Structure	Interacting Group						
N-heterocyclic ring		alcohol	thioketone	thioether	s-heterocyclic	ketone	aromatic	
O-heterocyclic ring		alcohol	thioketone	thioether	s-heterocyclic	ketone	aromatic	
Pyrrole		chlorine	fluorine	amide	ketone	NO	SO	
Furan		s-heterocyclic						

TABLE III

[illegible]

TABLE III

[illegible]

TABLE III

Functional Group									
N-heterocyclic ring									
O-heterocyclic ring									
Pyrrol									
Furan									

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
(-)-amlodipine	3,5-Pyridinedicarboxylic acid, 2-((2-aminoethoxy)methyl)-4-(2-chlorophenyl)-1,4-dihydro-5-methyl-, 3-ethyl-5-methyl ester, (S)- [CAS]	103129-82-4	WO 9310779	Antihypertensive, other	Hypertension, general
(-)-halofenate	(-)-Benzenecacetic acid, 4-chloro-Alpha-(3-(trifluoromethyl)-phenoxyl-, 2-(acetylamino)ethyl ester		US 6262118	Antidiabetic	Diabetes, Type II
(R)-salbutamol	1,3-Benzenedimethanol, Alpha1-(((1,1-dimethyl)ethyl)amino)methyl)-4-hydroxy- [CAS]			Formulation, modified-release, <=24hr	Asthma
(R)-salbutamol	1,3-Benzenedimethanol, Alpha1-(((1,1-dimethyl)ethyl)amino)methyl)-4-hydroxy- [CAS]	34391-04-3	US 5547994	Antiasthma	Asthma
(R,R)-formoterol	Formamide, N-(2-hydroxy-5-(1-hydroxy-2-((2-(4-methoxyphenyl))-1-methyl)ethyl)amino)ethyl)phenyl)- (R- (R', R'))- [CAS]	67346-49-0	US 5795564	Antiasthma	Asthma
(S)-doxazosin	(S)-1-(4-amino-6,7-dimethoxy-2-quinazolinyl)-4-(1,4-benzodioxan-2-yl)carbonyl)piperazine	70918-18-2	WO 9409785	Prostate disorders	Benign prostatic hyperplasia
(S)-flouxetine	Benzenepropanamide, N-methyl-Gamma-(4-(trifluoromethyl)phenoxyl)- (S)			Antimigraine	Migraine
(S)-oxybutynin	Benzenecacetic acid, Alpha-cyclohexyl-Alpha-hydroxy-, 4-(diethylamino)-2-butynyl ester, (S)- [CAS]	119618-22-3		Urological	Incontinence
1,2-Naphthoquinone		524-42-5			
17 α -		68-96-2			
Hydroxyprogesterone					
17-Methyltestosterone		58-18-4			
195mPt-cisplatin	Platinum-195m, diamminedichloro, (SP-4-2)-		US 6074626	Anticancer, alkylating	Cancer, liver
1 α -Hydroxycholecalciferol		41294-56-8			

Table IV

API Gen ric Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
1-Naphthyl Salicylate		550-97-0			
1-Naphthylamine-4-sulfonic Acid		84-86-6			
1-Theobromineacetic Acid		5614-56-2			
2,4,6-Tribromo-m-cresol		4619-74-3			
2,6-Diamino-2'-butyloxy-3,5'-azopyridine		617-19-6			
21-Acetoxypregnenolone		566-78-9			
2-Amino-4-picoline		695-34-1			
2-Aminothiazole		96-50-4			
2-ethoxybenzoic acid	2-Ethoxybenzoic acid		DE 5134001	Analgesic, NSAID	Pain, general
2-Naphthol		135-19-3			
2-Naphthyl Benzoate		93-44-7			
2-Naphthyl Lactate		93-43-6			
2-Naphthyl Salicylate		613-78-5			
2-p-Sulfanilylanilinoethanol		80-02-4			
2-Thiouracil		141-90-2			
3',3'',5',5''-T trabromophenolphthalin		76-62-0			
3-Amino-4-hydroxybutyric Acid		589-44-6			
3-Bromo-d-camphor		76-29-9			
3-Hydroxycamphor		10373-81-6			
3-O-Lauroylpyridoxol Diacetate		1562-13-6			
3-Pentadecylcatechol		492-89-7			

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
3-Quinuclidinol		1619-34-7			
4,4'-Oxydi-2-butanol		821-33-0			
4,4'-Sulfinyldianiline		119-59-5			
4-Amino-3-hydroxybutyric Acid		352-21-6			
4-Amino-3-phenylbutyric Acid		1078-21-3			
4-aminosalicylic acid	Benzoic acid, 4-amino-2-hydroxy- [CAS]	65-49-6		GI inflammatory/bowel disorders	Inflammatory bowel disease
4-Chloro-m-cresol		59-50-7			
4-Hexyiresorcinol		136-77-6			
4-Salicyloylmorpholine		3202-84-4			
5'-Nitro-2'-propoxyacetanilide		553-20-8			
5-aminolevulinic acid,	Pentanoic acid, 5-amino-4-oxo- [CAS]	106-60-5		Dermatological	Keratosis
5-azacitidine	1,3,5-Triazin-2(1H)-one, 4-amino-1-β-D-ribofuranosyl- [CAS]	320-67-2		Anticancer, antimetabolite	Myelodysplastic syndrome
5-Bromosalicylhydroxamic Acid		5798-94-7			
5F-DF-203	2-(4-Amino-3-methylphenyl)-6-hydroxybenzothiazole			Anticancer, other	Cancer, breast
5-FU	2,4(1H,3H)-Pyrimidinedione, 5-fluoro [CAS]	51-21-8		Formulation, parenteral, targeted	Cancer, general
5-HT3 antagonists			US 6037360	Male sexual dysfunction	Premature ejaculation
6-Azauridine		54-25-1			
6-Mercaptopurine		50-44-2			
8-Hydroxyquinoline		148-24-3			
9-Aminocamptothecin		91421-43-1			
A-151892	N-[2-(2,2,2-Trifluoro-1-hydroxy-1-trifluoromethyl-ethyl)-naphthalen-1-yl] amide				
α ₁ -Antitrypsin		9041-92-3		Urological	Overactive bladder

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
A-5021	6H-Purin-6-one, 2-amino-9-((1S,2R)-1,2-bis(hydroxymethyl)cyclopropyl)methyl)-1,9-dihydro- [CAS]	145512-85-2		Antiviral, other	Infection, varicella zoster virus
abacavir	2-Cyclopentene-1-methanol, 4-(2-amino-6-(cyclopropylamino)-9H-purin-9-yl)-, (1S-cis)- [CAS]	136470-78-5 188062-50-2	EP 434450	Antiviral, anti-HIV	Infection, HIV/AIDS
abaperidone	7-[3-(4-(6-Fluoro-1,2-benzisoxazol-3-yl)piperidin-1-yl)propoxy]-3-(hydroxymethyl)chromen-4-one	183849-43-6	WO 9632389	Neuroleptic	Schizophrenia
abarelix	D-Alaninamide, N-acetyl-3-(2-naphthalenyl)-D-alanyl-4-chloro-D-phenylalanyl-3-(3-pyridinyl)-D-alanyl-L-seryl-N-methyl-L-tyrosyl-D-asparaginy-L-leucyl-N6-(1-methylethyl)-L-lysyl-L-prolyl- [CAS]	183552-38-7	US 5843902	Anticancer, hormonal	Cancer, prostate
Abciximab		143653-53-6			
Abecarnil		111841-85-1			
abetimus		169147-32-4	US 5552391	Immunosuppressant	Lupus erythematosus, systemic
abiraterone	Androsta-5,16-dien-3-ol, 17-(3-pyridinyl)-, acetate (ester), (3S)- [CAS]	154229-18-2	GB 2265624	Anticancer, hormonal	Cancer, prostate
α-Bisabolol		515-69-5			
ABLC	Amphotericin B [CAS]	1397-89-3 30652-87-0		Formulation, conjugate, carbohydrate	Infection, Candida, general
ABT-751	Benzenesulfonamide, N-[2-[(4-hydroxyphenyl)amino]-3-pyridinyl]-4-methoxy- [CAS]	141430-65-1	EP 472053	Anticancer, other	Cancer, general
AC-5216	N-benzyl-N-ethyl-2-(7,8-dihydro-7-methyl-8-oxo-2-phenyl-9H-purin-9-yl)acetamide				Anxiety, general
Acadesine		2627-69-2		Anxiolytic	
acamprosate	1-Propanesulfonic acid, 3-(acetylamino)- [CAS]	77337-76-9	GB 2051789	Dependence treatment	Addiction, alcohol
Acamprosate		77337-73-6			
Acarbose		56180-94-0			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
acebrophylline	7H-Purine-7-acetic acid, 1,2,3,6-tetrahydro 1,3-dimethyl-2,6-dioxo-compd. with trans-4-[[[2-amino-3,5-dibromophenyl)methyl]amino]cyclohexanol (1:1) [CAS]	96989-76-3	DE 3425007	Antiasthma	Asthma
acebutolol	Butanamide, N-[3-acetyl-4-[2-hydroxy-3-[(1-methylethyl)amino]propoxy]phenyl]-, (+/-) [CAS]	34381-68-5 37517-30-9	US 3728919	Antihypertensive, adrenergic	
Acetaminide		32795-44-1			
Ac carbromal		77-66-7			
aceclofenac	Benzeneacetic acid, 2-[(2,6-dichlorophenyl)amino]-, carboxymethyl ester [CAS]	89796-99-6	EP 119932	Anti-inflammatory	Pain, musculoskeletal
Acedapsone		77-46-3			
Acediasulfone		80-03-5			
Acefylline		652-37-9			
Aceglutamide		2490-97-3			
aceglutamide	Aluminum, pentakis(N2-acetyl-L-glutaminato)tetrahydroxytri- [CAS]	12607-92-0	DE 2127176	Antitumor	Ulcer, GI, general
acemetacin	1H-Indole-3-acetic acid, 1-(4-chlorobenzoyl)-5-methoxy-2-methyl-, carboxymethyl ester [CAS]	53164-05-9	US 3910952	Anti-inflammatory	
Acenocoumarol		152-72-7			
Acetal		105-57-7			
Acetamidoeugenol		305-13-5			
Acetaminophen		103-90-2			
Acetaminosalol		118-57-0			
Acetanilide		103-84-4			
Acetarsone		97-44-9			
Acetazolamide		59-66-5			
Acetiamine		299-89-8			
Acetohexamide		968-81-0			
Acetohydroxamic Acid		546-88-3			
Ac tophenazine		2751-68-0			
Acetoph none		98-86-2			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Acetosulfone		128-12-1			
acetoxolone	Olean-12-en-30-oic acid, 3β-hydroxy-11-oxo-acetate, aluminium salt [CAS]	29728-34-5 6277-14-1	US 3764618	Antilucer	
Acetrizoat		129-63-5			
Acetyl					
Sulfamethoxypyrazine		3590-05-4			
Acetylcarnitine		14992-62-2			
Acetylcholine		66-23-9			
Acetylcholine		60-31-1			
Acetylcysteine		616-91-1			
Acetylleucine		149-90-6			
Monoethanolamine					
Acetylphenetidine		13402-08-9			
acetylsalicylic acid	Benzoic acid, 2-(acetyloxy)- [CAS]	50-78-2 75-6	530	Formulation, optimized, microencapsulate	Pain, general
α-Chloralose		15879-93-3			
acioclovir	6H-Purin-6-one, 2-amino-1,9-dihydro-9-[(2-hydroxyethoxy)methyl]- [CAS]	59277-89-3		Formulation, dermal, topical	Infection, herpes simplex virus
Acifran		72420-38-3			
acipimox	Pyrazinecarboxylic acid, 5-methyl-, 4-oxide [CAS]	51037-30-0	GB 1361967	Hypolipaeic/Antiatherosclerosis	Hyperlipidaemia, general
acitazanolest	Acetic acid, oxo[[3-(1H-tetrazol-5-yl)phenyl]amino]- [CAS]	114607-46-4	EP 256507	Ophthalmological	Conjunctivitis
acitrein	2,4,6,8-Nonatetraenoic acid, 9-(4-methoxy-2,3,6-trimethylphenyl)-3,7-dimethyl-, (all-E) [CAS]	55079-83-9 57576-44-0 75443-99-1	GB 1468401 US 3988315	Antipsoriasis Anticancer, antibiotic	Psoriasis
acliarubicin		55077-30-0			
Aclatonium Napadisilate					
Aconitine		302-27-2			
Acranil®		1684-42-0			
Acriflavine		8048-52-0			
Acrisorcin		7527-91-5			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
acrivastine	2-Propenoic acid, 3-[6-[1-(4-methylphenyl)-3-(1-pyrrolidinyl)-1-propenyl]-2-pyridinyl]-, (E,E)- [CAS]	87848-99-5	EP 85959	Antipruritic/inflamm, allergic	Rhinitis, allergic, general
acrivastine + pseudoephedrine	Benzenemethanol, Alpha-[1-(methylamino)ethyl]-, hydrochloride, [S-(R*,R*)]-, mixwith 2-Propenoic acid, 3-[6-[1-(4-methylphenyl)-3-(1-pyrrolidinyl)-1-propenyl]-2-pyridinyl]-, (E,E)-			Antiallergic, non-asthma	Rhinitis, allergic, seasonal
actagardine derivative	3,3-dimethyl-1-propylamide HCl monocarboxamide actagardine			Peptide antibiotic	Infection, general
Actarit		18699-02-0			
ACTH		9002-60-2			
Acyclovir		59277-89-3			
adapalene	2-Naphthalenecarboxylic acid, 6-(4-methoxy-3-tricyclo[3.3.1.1 ^{3,7} dec-1-ylphenyl)- [CAS]	106685-40-9	EP 199636	Antiacne	Acne
ADCON-L	GL 402 [CAS]	137802-74-5		Formulation, other	Fibrosis, epidural
Ad fovir		106941-25-7			
adefovir dipivoxil	Propanoic acid, 2,2-dimethyl-, (((2-(6-amino-9H-purin-9-yl)ethoxy)methyl)phosphinylidene)bis(oxy)methylene)ester- [CAS]	142340-99-6	EP 205826	Antiviral, other	Infection, hepatitis-B virus
Adenoscan	6-Amino-9-β-D-ribofuranosyl-9H-purine [CAS]	58-61-7		Imaging agent	Diagnosis, coronary
Adenosine Triphosphate		56-65-5			
ADEPT		156079-88-8		Immunoconjugate, other	Cancer, colorectal
Adinazolam		37115-32-5			
Adiphenine		64-95-9			
ADL-10-0101			WO 9732857	Analgesic, other	Pain, general
Adrafinil		63547-13-7			
Adrenalone		99-45-6			
Adrenochrome		54-06-8			
adrogilide	Benzo(1)thieno(2,3-c)quinoline-9,10-diol, 4,5,6a,7,11b-hexahydro-2-propyl-, diacetate (ester), hydrochloride (5aR-trans)- [CAS]	166591-11-3 171752-56-0	US 5597832	Dependence treatment	Addiction, cocaine

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
AEOL-10150			US 6103714	Neuroprotective	Unspecified
AET		56-10-0			
α-Ethylbenzyl Alcohol		93-54-9			
AF-2259	Benzeneacetic acid, Alpha-methyl-4-(2-methylpropyl)-, 2-methoxyphenyl ester [CAS]				
Afloqualone		66332-77-2	DE 2726435	Anti-inflammatory	Inflammation, general
		56287-74-2			
AG-041R	1H-Indole-3-acetamide, 1-(2,2-diethoxyethyl)-2,3-dihydro-N-(4-methylphenyl)-3-(((4-methylphenyl)amino)carbonyl)amino)-2-oxo-, (3R)- [CAS]	199800-49-2	WO 9419322	Alimentary/Metabolic, other	Unspecified
AG-2037	N-(5-[2-(2-amino-4(3H)-oxo-5,6,7,8-tetrahydropyrido[2,3-d]pyrimidin-6-yl)ethyl]-4-methylthieno-2-yl)glutamic acid			Anticancer, antimetabolite	Cancer, general
α-Glucose-1-phosphate		59-56-3			
AGN-194310	Benzoic acid, 4-((4-(4-ethylphenyl)-2,2-dimethyl-2H-1-benzothienopyran-6-yl)ethynyl)- [CAS]	229961-45-9	WO 9709297	Dermatological	Psoriasis
agomelatine	Acetamide, N-(2-(7-methoxy-1-naphthalenyl)ethyl)- [CAS]	138112-76-2	EP 447285	Antidepressant	Sleep disorder, general
Ahistan		518-61-6			
AHL-157			US 5411972	Hypolipaeic/Antiatherosclerosis	Atherosclerosis
AIT-034	9H-Purine-9-propanamide, 1,6-dihydro-6-oxo-N-(3-(2-oxo-1-pyrrolidinyl)propyl)- [CAS]	138117-48-3	US 5447939	Cognition enhancer	Dementia, senile, general
AIT-202	N-[2-(5-Hydroxy-1H-indol-3-yl)ethyl]-3-(6-oxo-6,9-dihydro-1H-purin-9-yl)propanamide		WO 9957120	Antidepressant	Unspecified

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
AJ-9677	Acetic acid, ((3-((2R)-2-((2R)-2-(3-chlorophenyl)-2-hydroxyethyl)amino)propyl)-1H-indol-7-yl)oxy)- [CAS]	244081-42-3		Antidiabetic	Diabetes, Type II
AJG-049			WO 9733885	Gastroprokinetic	Motility dysfunction, GI, general
Ajmaline		12/07/4360			
Alacepril		74258-86-9			
albaconazole	4(3H)-Quinazolinone, 7-chloro-3-[(1R,2R)-2-(2,4-difluorophenyl)-2-hydroxy-1-methyl-3-(1H-1,2,4-triazol-1-yl)propyl]- [CAS]	187949-02-6	WO 9705131	Antifungal	Infection, Candida, general
albendazole	Carbamic acid, [5-(propylthio)-1H-benzimidazol-2-yl]-, methyl ester [CAS]	54029-12-8 54965-21-8	GB 1464326	Anthelmintic	Infection, helminth, general
Albuterol		18559-94-9			
Albutoin		830-89-7			
alclufenac	Benzeneacetic acid, 3-chloro-4-(2-propenyl)oxy)- [CAS]	22131-79-9	GB 1174535	Anti-inflammatory	
alclometasone	Pregna-1,4-diene-3,20-dione, 7-chloro-11-hydroxy-16-methyl-17,21-bis(1-oxopropoxy)-, (7 α ,11 β ,16 α)- [CAS]	66734-13-2 67452-97-5	US 4124707	Antipruritic/inflamm, allergic	Inflammation, dermal
Alcuronium		23214-96-2			
Aldioxa		5579-81-7			
Aldol		107-89-1			
Aldosterone		52-39-1			
alendronate	Phosphonic acid, (4-amino-1-hydroxybutylidene)bis-[CAS]	121268-17-5 129318-43-0	GB 2118042	Osteoporosis treatment	Osteoporosis
Al ndronic Acid		66376-36-1			
Alexidine		22573-93-9			
alfacalcidol	9,10-Secocholesta-5,7,10(19)-triene-1,3-diol, (1 α ,3 β ,5Z,7E)- [CAS]	41294-56-8		Osteoporosis treatment	Osteodystrophy
Alfadolone		23930-37-2			
Alfaxalone		23930-19-0			
Alfentanil		71195-58-9			
alfimeprase		259074-76-5		Fibrinolytic	Peripheral vascular disease

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
alifuzosin	2-Furancarboxamide, N-[3-[(4-amino-6,7-dimethoxy-2-quinazolinyl)methylamino]propyl]tetrahydr-o- [CAS]	81403-68-1 81403-80-7	GB 2013679	Prostate disorders	Benign prostatic hyperplasia
alifuzosin	2-Furancarboxamide, N-[3-[(4-amino-6,7-dimethoxy-2-quinazolinyl)methylamino]propyl]tetrahydr-o- [CAS]	81403-68-1 81403-80-7		Formulation, modified-release, other	Benign prostatic hyperplasia
Algestone		595-77-7			
Algestone Acetophenide		24356-94-3			
Algin		9005-38-3			
Alglucerase		143003-46-7			
Alibendol		26750-81-2			
aliskiren	(2S,4S,5S,7S)-5-Amino-N-(2-carbamoyl-2-methylpropyl)-4-hydroxy-2-isopropyl-7-[4-methoxy-3-(3-methoxypropoxy)benzyl]-8-methylnonanamide	173334-57-1		Antihypertensive, renin system	Hypertension, general
alitretinoin	9-cis retinoic acid	03/08/5300		Antipruritic/inflam, allergic	Eczema, general
alzapride	1H-Benzotriazole-5-carboxamide, 6-methoxy-N-[[1-(2-propenyl)-2-pyrrolidinyl]methyl]- [CAS]	59338-93-1	GB 1475234	Antiemetic	Nausea and vomiting, general
Alkannin		517-88-4			
Alkofanone		7527-94-8			
Allantoin		97-59-6			
Allobarbitol		52-43-7			
Allopurinol		315-30-0			
Allyl Isothiocyanate		57-06-7			
Allylestrenol		432-60-0			
almagate	Magnesium, [carbonato(2-)]heptahydroxy(aluminum)tri-, dihydrate [CAS]	66827-12-1 72526-11-5	US 4447417	Antacid/Antiflatulent	
alminoprofen	Benzeneacetic acid, Alpha-methyl-4-[(2-methyl-2-propenyl)amino]- [CAS]	39718-89-3	US 3957850	Analgesic, NSAID	

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
almitrine	1,3,5-Triazine-2,4-diamine, 6-[4-[bis(4-fluorophenyl)methyl]-1-piperazinyl]-N'-di-2-propenyl-, dimethanesulfonate [CAS]	27469-53-0 29608-49-9	GB 1256513	Respiratory	Bronchitis, chronic
almotriptan	Pyridine, 1-(((3-(2-(dimethylamino)ethyl)-1H-indol-5-yl)methyl)sulfonyl)-, [CAS]	154323-57-6 481-72-1	WO 9402460	Antimigraine	Migraine
Aloe-Emodin					
Aloin		5133-19-7			
alosetron	2,3,4,5-Tetrahydro-5-methyl-2-[(5-methyl-1H-imidazol-4-yl)methyl]-1H-pyrido[4,3-b]indol-1-one [CAS]	122852-42-0 122852-69-1 132414-02-9	EP 306323	GI inflammatory/bowel disorders	Irritable bowel syndrome
alovudine	Thymidine, 3'-deoxy-3'-fluoro- [CAS]	25526-93-6	EP 470355	Antiviral, anti-HIV	Infection, HIV/AIDS
Aloxiprin		9014-67-9			
Alpha-1 protease inhibitor			US 5780014	Formulation, inhalable, topical	Emphysema, alpha-1 antitrypsin deficiency
Alpha-dihydroergocryptine	Ergocryptine, 9,10-dihydro-methanesulfonate (salt)- [CAS]	29261-93-6		Formulation, other	Parkinson's disease
Alphaprodine		77-20-3			
Alpidem		82626-01-5			
Alpiopride		81982-32-3			
alprazolam	4H-[1,2,4]Triazolol[4,3-a][1,4]benzodiazepine, 8-chloro-1-methyl-6-phenyl-[CAS]	28981-97-7	US 3987052	Anxiolytic	Anxiety, general
Alprenolol		13655-52-2			
alsacide	Alpha-1-17-Corticotropin, 1- β -alanine-17-[N-(4-aminobutyl)-L-lysineamide]- [CAS]	34765-96-3	US 3749704	ACTH	Arthritis, rheumatoid
ALT-711	Thiazolium, 4,5-dimethyl-3-(2-oxo-2-phenylethyl)-, bromide [CAS]	181069-80-7	WO 9622095	Symptomatic antidiabetic	Hypertension, general
Althiazid		5588-16-9			
altinicline	Pyridine, 3-ethynyl-5-((2S)-1-methyl-2-pyrrolidinyl)- [CAS]	179120-92-4	US 5594011	Antiparkinsonian	Parkinson's disease
altretamine	1,3,5-Triazine-2,4,6-triamine, N,N,N',N'',N'''-hexamethyl- [CAS]	645-05-6 7446-70-0	US 3424752	Anticancer, alkylating	Cancer, ovarian
aluminium chloride hexahydrate	Aluminium chloride, hexahydrate	7784-13-6		Dermatological	Hyperhidrosis

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Aluminon		569-58-4			
Aluminum Acetate Solution		8006-13-1			
Aluminum Chlorate		15477-33-5			
Aluminum Hydroxide		1327-41-9			
Aluminum Potassium Sulfate		10043-67-1			
Aluminum Sodium Sulfate		10102-71-3			
alusulf	Aluminum hydroxide sulfate (Al7(OH)17(SO4)2, dodecahydrate [CAS]	61115-28-4	DE 2510663	Urological	Hyperphosphataemia
Alverine		150-59-4			
alvimopan	Glycine, N-[(2S)-2-[[[(3R,4R)-4-(3-hydroxyphenyl)-3,4-dimethyl-1-piperidinyl]methyl]-1-oxo-3-phenylpropyl]- [CAS]	158053-89-3	EP 657428	GI inflammatory/bowel disorders	Ileus
alvocidib	4H-1-Benzopyran-4-one, 2-(2-chlorophenyl)-5,7-dihydroxy-8-(3-hydroxy-1-methyl-4-piperidinyl)-, cis-(+)- [CAS]	131740-09-5 146426-40-6			
ALX-0646			WO 9506638	Anticancer, other Antimigraine	Cancer, renal Migraine
AM-24	2,4,6-Triiodophenol	609-23-4		GI inflammatory/bowel disorders	Crohn's disease
AM-36	1-Piperazineethanol, 4-[[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl]-Alpha-(4-chlorophenyl)- [CAS]	199467-52-2		Neuroprotective	Unspecified
AM-477	2-Methoxyoestradiol			Antiasthma	Asthma
Amantadine		768-94-5			
amanitanium	1-Decanaminium, N,N-dimethyl-N-[2-[[[tricyclo[3.3.1.1 ^{3,7}]dec-1-ylcarbonyloxy]ethyl]-, bromide [CAS]				
Ambazon		58158-77-3	US 4288609	Antifungal	Infection, general
Ambenonium		539-21-9			
		115-79-7			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
ambrisentan	(+)-(2S)-2-[(4,6-dimethylpyrimidin-2-yl)oxy]-3-methoxy-3,3-diphenylpropanoic acid	177036-94-1		Vasodilator, peripheral	Heart failure
ambroxol	Cyclohexanol, 4-[[[2-amino-3,5-dibromophenyl)methyl]amino]-, trans- [CAS]	18683-91-5 23828-92-4	GB 1178034	COPD treatment	Bronchitis, chronic
Ambucaine		119-29-9			
Ambuphylline		5634-34-4			
Ambusid		3754-19-6			
Ambutonium Bromide		115-51-5			
amcinonide	Pregna-1,4-diene-3,20-dione, 21-(acetyloxy)-16,17-[cyclopentylidenebis(oxy)]-9-fluoro-11-hydroxy-, (11S,16Alpha)- [CAS]	51022-69-6	DE 2437847	Antipsoriasis	
AMD-3100	1,4,8,11-Tetraazacyclotetradecane, 1,11-(1,4-phenylenebis(methylene))bis-octahydrochloride [CAS]				Chemotherapy-induced injury, bone marrow, leucopenia
Amdinocillin		155148-31-5	US 5612478	Haematological	
Amdinocillin Pivoxil		32887-01-7 32886-97-8			
amdoxovir	1,3-Dioxolane-2-methanol, 4-(2,6-diamino-9H-purin-9-yl)- (2R-cis)- [CAS]	145514-04-1	EP 656778	Antiviral, anti-HIV	Infection, HIV/AIDS
amelubant	Carbamic acid, ((4-(3-(4-(1-(4-hydroxyphenyl)-1-methylethyl)phenoxy)methyl)phenyl)methoxy)phenyl)iminomethyl)- ethyl ester [CAS]				Chronic obstructive pulmonary disease
Americaine	Benzenemethanaminium, N,N-dimethyl-N-[2-[2-[4-(1,1,3,3-tetramethylbutyl)phenoxy]ethoxy]ethyl]-, chloride, mixt. with ethyl 4-aminobenzoate [CAS]	346735-24-8	DE 10000907	COPD treatment	
Amezinium		129126-13-8 30578-37-1		Formulation, inhalable, other	Pain, general
Amfenac		51579-82-9			
Amid phrine		3354-67-4			
Amidinomycin		3572-60-9			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
amifostine	Ethanethiol, 2-[(3-aminopropyl)amino]-, dihydrogen phosphate (ester)- [CAS]	20537-88-6 63717-27-1	EP 131500	Radio/chemoprotective	Chemotherapy-induced injury, renal
amiglumide	Pentanoic acid, 5-(dipentylamino)-4-[(2-naphthalenyl(carbonyl)amino)-5-oxo- (R)- [CAS]	119363-62-1 37517-28-5 39831-55-5	WO 8805774	GI inflammatory/bowel disorders Formulation, optimized, microencapsulate	Pancreatitis Infection, general
amikacin		2609-46-3			
Amiloride		90-45-9			
Aminacrine					
	Heptanoic acid, 7-[(10,11-dihydro-5H-dibenzo[a,d]cyclohepten-5-yl)amino]- [CAS]	30272-08-3 57574-09-1	US 3758528	Antidepressant	
amineptine		140-40-9			
Aminitrozole					
<i>Amino Acid Preparations</i>					
<i>Aminocaproic Acid</i>					
aminoglutethimide	2,6-Piperidinedione, 3-(4-aminophenyl)-3-ethyl- [CAS]	125-84-8 79-17-4	US 3944671	Anticancer, hormonal	Cancer, breast
Aminoguanidine					
Aminohippurate					
Aminometradine		642-44-4			
Aminopentamide		60-46-8			
	1H-Purine-2,6-dione, 3,7-dihydro-1,3-dimethyl-, compd. with 1,2-ethanediamine (2:1) [CAS]	317-34-0		Formulation, modified-release, other	Asthma
aminophylline		58-37-7			
Aminopromazine		58-15-1			
Aminopyrine		3811-56-1			
Aminoquinuride		2207-50-3			
Aminorex		1951-25-3 19774-82-4	US 3248401	Antiarrhythmic	Arrhythmia, general
amiodarone	Methanone, (2-butyl-3-benzofuranyl)[4-[2-(diethylamino)ethoxy]-3,5-diiodophenyl]- [CAS]	490-55-1			
Amiphenazole		56824-20-5			
Amiprilose					

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
amisulipride	Benzamide, 4-amino-N-[(1-ethyl-2-pyrrolidinyl)methyl]-5-(ethylsulfonyl)-2-methoxy- [CAS]	71675-85-9	US 4401822	Neuroleptic	Schizophrenia
Amitriptyline		50-48-6			
amitriptyline+ketamine	1-Propanamine, 3-(10, 11-dihydro-5H-dibenzo[a,d]cyclohepten-5-ylidene)-N,N-dimethyl + cyclohexanone, 2-(2-chlorophenyl)-2-(methylamino)				
Amitriptylinoxide		4317-14-0		Formulation, fixed-dose combinations	Pain, neuropathic
amlexanox	5H-[1]Benzopyran[2,3-b]pyridine-3-carboxylic acid, 2-amino-7-(1-methylethyl)-5-oxo- [CAS]	68302-57-8	US 4299963	Antiasthma	Asthma
amlodipine	3,5-Pyridinedicarboxylic acid, 2-[(2-aminoethoxy)methyl]-4-(2-chlorophenyl)-1,4-dihydro-6-methyl-, 3-ethyl 5-methyl ester [CAS]	111470-99-6 88150-42-9 88150-47-4	EP 89167	Antianginal	Hypertension, general
Ammoniacum		03/07/9000			
Ammonium Benzoate		1863-63-4			
Ammonium Mandelate		530-31-4			
Ammonium Salicylate		528-94-9			
Ammonium Valerate		42739-38-8			
Amobarbital		57-43-2			
Amocarzine		36590-19-9			
Amodiaquin		86-42-0			
amorolfine	Morpholine, 4-[3-[4-(1,1-dimethylpropyl)phenyl]-2-methylpropyl]-2,6-dimethyl-, cis- [CAS]	78613-35-1 78613-38-4	EP 24334	Antifungal	Infection, fungal, general
Amoscanat		26328-53-0			
amosulalol	Benzenesulfonamide, 5-[1-hydroxy-2-[(2-methoxyphenoxy)ethyl]amino]ethyl]-2-methyl-, (+/-)- [CAS]	70958-86-0 85320-68-9	EP 136103	Antihypertensive, adrenergic	Hypertension, general
Amotriphene		5585-64-8			
amoxapine	Dibenz[b,f][1,4]oxazepine, 2-chloro-1-[1-piperazinyl]- [CAS]	14028-44-5	GB 1192812	Antidepressant	Depression, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
amoxicillin	4-Thia-1-azobicyclo[3.2.0]heptane-2-carboxylic acid, 6-[[amino(4-hydroxyphenyl)acetyl]amino]-3,3-dimethyl-7-oxo-, [2S-[2Alpha,5Alpha,6R(S*)]] [CAS]	26787-78-0 61336-70-7		Formulation, modified-release, other	Infection, general
amoxicillin+potassium clavulan					Infection, respiratory tract, general
AMPalex	Piperidine, 1-(6-quinoxaliny(carbonyl)-[CAS]	74469-00-4	GB 1508977	Formulation, fixed-dose combinations	Attention deficit disorder
Amphetamine		154235-83-3	US 5650409	Psychostimulant	
Amphetaminil		300-62-9			
		17590-01-1			
amphotericin B	Amphotericin B compd. with (3S)-cholest-5-en-3-yl hydrogen sulfate (1:1) [CAS]	120895-52-5 1397-89-3	US 4822777	Formulation, optimized, liposomes	Infection, general
ampicillin	4-Thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid, 6-[[aminophenylacetyl]amino]-3,3-dimethyl-7-oxo-, [2S-[2Alpha,5Alpha,6R(S*)]] [CAS]	69-53-4 7177-48-2		Formulation, fixed-dose combinations	Infection, general
Ampiroxicam		99464-64-9			
Ampligen		38640-92-5			
	Carbamic acid, (3-(((4-aminophenyl)sulfonyl)(2-methylpropyl)amino)-2-hydroxy-1-(phenylmethyl)propyl)-, tetrahydro-3-furanyl ester, (3S-(3R*(1R*,2S*)))- [CAS]	161814-49-9 60719-84-8	US 5783701	Antiviral, anti-HIV	Infection, HIV/AIDS
amrinone	[3,4'-Bipyridin]-6(1H)-one, 5-amino- [CAS]	75898-90-7	US 4004012	Cardiostimulant	
	5,12-Naphthacenedione, 9-acetyl-9-amino-7-[(2-deoxy-β-D-erythro-pentopyranosyl)oxy]-7,8,9,10-tetrahydro-6,11-dihydroxy-, hydrochloride, (7S-cis)- [CAS]				
amrubicin		92395-36-3	EP 107486	Anticancer, antibiotic	Cancer, lung, non-small cell
amsacrine	Methanesulfonamide, N-[4-(9-acridinylamino)-3-methoxyphenyl]- [CAS]	51264-14-3		Anticancer, other	Cancer, leukaemia, acute lymphocytic

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
amifolmetin guacil	Glycine, N-[[1-methyl-5-(4-methylbenzoyl)-1H-pyrrol-2-yl]acetyl]-, 2-methoxyphenyl ester [CAS]	87344-06-7	GB 2115417	Analgescic, NSAID	Arthritis, rheumatoid
Amylocaine		532-59-2			
AN-152			WO 9719954	Anticancer, antibiotic	Cancer, prostate
anabolic steroids			WO 9848812	Cardiovascular	Heart failure
Anagestone		2740-52-5			
anagrelide	Imidazo[2,1-b]quinazolin-2(3H)-one, 6,7-dichloro-1,5-dihydro-, monohydrochloride [CAS]	58579-51-4 68475-42-3	GB 1418822	Haematological	Thrombocytosis
anastrozole	1,3-Benzenediacetone, 1,3-bis(4-oxo-4,5,6,7-tetrahydro-2H-pyran-2-yl)-5-ylmethyl- [CAS]	120511-73-1	EP 296749	Anticancer, hormonal	Cancer, breast
Anazole		3861-73-2			
Ancitabine		31698-14-3			
Ancrod		9046-56-4			
andolast	N-4'-[5-Tetrazolyl]-phenyl-4-(5-tetrazolyl)-benzamide	132640-22-3	EP 460083	Antiasthma	Asthma
Androisoxazole		360-66-7			
Androstenediol		521-17-5			
anecortave	21-(Acetyloxy)-17-hydroxypregna-4,9(11)-diene-3,20-dione	7753-60-8		Ophthalmological	Macular degeneration
Anethole		4180-23-8; 104-46-1 (unspecified)			
Anethole Trithione		532-11-6			
Angiogenix		1407-47-2	US 6417205	Cardiovascular	Cardiomyopathy, ischaemic
Angiot nsin					
anhydrovinblastine	Vincalculoblastine, 3',4'-didehydro-4'-deoxy- [CAS]	38390-45-3	US 6011041	Anticancer, other	Cancer, general
anidulafungin	Echinocandin B, 1-((4R,5R)-4,5-dihydroxy-N2-(4"-((pentyloxy)(1,1'-4",1"-terphenyl)-4-yl)carbonyl)-L-ornithine)- [CAS]	166663-25-8	US 6384013	Antifungal	Infection, Candida, general

Table IV

API Gen ric Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Anileridine		144-14-9			
Aniracetam		72432-10-1			
Anisindione		117-37-3			
Anisomycin		22862-76-6			
Anisotropine		80-50-2			
Methylbromide					
anistreplase	Anistreplase [CAS]	81669-57-0	EP 28489	Fibrinolytic	Infarction, myocardial
Antazoline		91-75-8			
Anthiolimine		305-97-5			
Anthralin		1143-38-0			
Anthramycin		4803-27-4			
Anthrarobin		577-33-3			
anthrax inhibitor			US 6436933	Anti-infective, other	Infection, anthrax
antiangiogenic dendrimers			US 6426067	Anticancer, other	Cancer, general
Anticort	L-Ascorbic acid, mixt with 2-(diethylamino)ethyl 4-aminobenzoate monohydrochloride, disodium hydrogen phosphate, potassium benzoate and zinc sulfate (1:1) [CAS]	186646-39-9	WO 9640038	Anabolic	Cachexia
antidepressants			US 5898036	Antidepressant	Depression, general
anti-invasins			US 6303302	Antifungal	Infection, fungal, general
Antimony Potassium Tartrate		28300-74-5			
Antimony Sodium Thioglycollate		539-54-8			
Antimony Thioglycollamide		6533-78-4			
Antiprogesterin	19-Norpregna-4,9-dien-3-one.(acetylphenyl)-20,20,21,21,21-pentafluoro-17-hydroxy-(11 β , 17 α) [CAS]	211254-73-8	DE 19706061	Anticancer, hormonal	Cancer, breast
Antipyrene		60-80-0			
Antipyrene Salicylate		520-07-0			
antithrombin III	Antithrombin, III [CAS]	9000-94-6			
		90170-80-2		Blood fraction	Antithrombin III deficiency

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
anxiolytics			US 5756538	Anxiolytic	Anxiety, general
AP-521	N-Piperonyl-2-amino-1,2,3,4-tetrahydrobenzo(b)thieno(2,3-c)pyridine-3-carbamide	151227-08-6	WO 9321189	Anxiolytic	Anxiety, general
AP-5280			US 5965118	Anticancer, alkylating	Cancer, general
Apalcillin		63469-19-2			
apaziquone	1H-Indole-4,7-dione, 5-(1-aziridinyl)-3-(hydroxymethyl)-2-(3-hydroxy-1-propenyl)-1-methyl-, (E)- [CAS]	114560-48-4	WO 8706227	Anticancer, alkylating	Cancer, breast
Apazone		13539-59-8			
α-Phenylbutyramide		90-26-6			
Apocodeine		641-36-1			
apomine	Phosphonic acid, (2-(3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl)ethylidene)bis- tetrakis(1-methylethyl) ester [CAS]	126411-13-0		Anticancer, other	Cancer, prostate
apomorphine	4H-Dibenzo[de,g]quinoline-10,11-diol, 5,6,6a,7-tetrahydro-6-methyl-, hydrochloride	314-19-2 58-00-4			Impotence
apraclonidine	1,4-Benzenediamine, 2,6-dichloro-N1-(4,5-dihydro-1H-imidazol-2-yl)- [CAS]	73218-79-8	US 4517199	Antiglaucoma	Glaucoma
aprepitant	3H-1,2,4-Triazol-3-one, 5-[[[(2R,3S)-2-[(1R)-1-[3,5-bis(trifluoromethyl)phenyl]ethoxy]-3-(4-fluorophenyl)-4-morpholinyl]methyl]-1,2-dihydro- [CAS]	170729-80-3	US 5719147	Antiemetic	Chemotherapy-induced nausea and vomiting
aprilidine	1,3-Propanediamine, N-(2,3-dihydro-1H-inden-2-yl)-N',N'-diethyl-N-phenyl-[CAS]	33237-74-0 37640-71-4	GB 1321424	Antiarrhythmic	
Aprobarbital		77-02-1			
Apronalide		528-92-7			
Aprotinin		9087-70-1			
Aptiganel		137159-92-3			
AQ4N	9,10-Anthracenedione, 1,4-bis((2-(dimethyloxidoamino)ethyl)amino)-5,8-dihydroxy-[CAS]	136470-65-0	US 5132327	Anticancer, other	Cancer, general
Aquavan			US 6204257	Anaesthetic, injectable	Anaesthesia

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
AR-116081	(R)-N-[5-methyl-8-(4-methylpiperazin-1-yl)-1,2,3,4-tetrahydro-2-naphthyl]-4-morpholinobenzamide		US 6107324	Neuroleptic	Unspecified
AR-A2				Anxiolytic	Anxiety, general
Arachidonic Acid		506-32-1			
aranidipine	3,5-Pyridinedicarboxylic acid, 1,4-dihydro-2,6-dimethyl-4-(2-nitrophenyl)-, methyl 2-oxopropyl ester- [CAS]	86780-90-7	GB 2111978	Antihypertensive, other	Hypertension, general
arbekacin	D-Streptamine, O-3-amino-3-deoxy-Alpha-D-glucopyranosyl-(1-6)-O-[2,6-diamino-2,3,4,6-tetra-deoxy-Alpha-D-erythro-hexopyranosyl-(1-4)]-N1-(4-amino-2-hydroxy-1-oxobutyl)-2-deoxy-, (S)- [CAS]	51025-85-5 75282-65-4	US 4001208	Aminoglycoside antibiotic	Infection, general
Arbidol	1H-indole-3-carboxylic acid, 6-bromo-4-((dimethylamino)methyl)-5-hydroxy-1-methyl-2-((phenylthio)methyl)-, ethylester, monohydrochloride [CAS]	131707-23-8	WO 9008135	Immunostimulant, other	Infection, influenza virus
arbutamine	1,2-Benzenediol, 4-[1-hydroxy-2-[[4-(4-hydroxyphenyl)butyl]amino]ethyl]-, (R)-[CAS]	128470-16-6	WO 9220324	Diagnostic	Diagnosis, coronary
Arcitumomab		154361-48-5			
ardeparin	Heparin [CAS]	9005-49-6		Anticoagulant	Thrombosis, venous
arecoline	1,2,5,6-Tetrahydro-1-methyl-3-pyridine carboxylic acid methyl ester			Formulation, transdermal, patch	Alzheimer's disease
argatroban	2-Piperidinecarboxylic acid, 1-[5-[(aminoiminomethyl)amino]-1-oxo-2-[[[(1,2,3,4-tetrahydro-3-methyl-8-quinolyl)sulfonyl]amino]pentyl]-4-methyl]-[CAS]	74863-84-6	EP 8746	Anticoagulant	Thrombosis, arterial
Arginine		74-79-3			
Ariflo®		153259-65-5			
aripiprazole	2'-(1H)-Quinolone, 7-[4-[4-(2,3-dichlorophenyl)-1-piperazinyl]butoxy]-3,4-dihydro- [CAS]	129722-12-9	EP 367141	Neuroleptic	Schizophrenia

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
arofylline	1H-Purine-2,6-dione, 3-(4-chlorophenyl)-3,7-dihydro-1-propyl- [CAS]	136145-07-8	EP 435811	COPD treatment	Chronic obstructive pulmonary disease
arotinolol	2-Thiophenecarboxamide, 5-[2-[[3-[(1,1-dimethylethyl)amino]-2-hydroxypropyl]thio]-4-thiazolyl]-, (±)- [CAS]	104766-23-6 66377-92-4	US 3932400	Antihypertensive, adrenergic	Hypertension, general
Arsacetin		618-22-4			
arsenic trioxide	Arsenic oxide (As ₂ O ₃) [CAS]	1327-53-3		Anticancer, other	Cancer, leukaemia, acute myelogenous
Arsph namine		139-93-5			
Arsthinol		119-96-0			
Arteether		75887-54-6			
Arteflene		123407-36-3 (Z form)			
Artemether		71963-77-4			
Artemisinin		63968-64-9			
artemotil	3,12-Epoxy-12H-pyrano[4,3-j]-1,2-benzodioxepin, 10-ethoxydecahydro-3,6,9-trimethyl-, [3R-(3A α ,5a α ,6 α ,8a α ,9a α ,10A α ,12 β ,12aR')]- [CAS]	75887-54-6		Antimalarial	Infection, malaria
artesanate	Butanedioic acid mono-[[3R,5aS,6R,8aS,9R,10R,12R,12aR)-decahydro-3,6,9-trimethyl-3,12-epoxy-12H-pyrano[4,3-j]-1,2-benzodioxepin-10-yl]ester	88495-63-0		Formulation, transmucosal, systemic	Infection, malaria
arzoifene	Benzo(b)thiophene-6-ol, 2-(4-methoxyphenyl)-3-(4-(2-(1-piperidinyl)ethoxy)phenoxy)- [CAS]	182133-27-3	WO 9609041	Anticancer, hormonal	Cancer, breast
AS-3201	Spiro(pyrrolidine-3,4'(1'H)-pyrrolo(1,2-a)pyrazine)-1',2,3',5(2'H)-tetraone, 2'-((4-bromo-2-fluorophenyl)methyl)-, (3'R)- [CAS]	147254-64-6	EP 520320	Symptomatic antidiabetic	Diabetic complication, general
ASA	Benzoic acid, 2-(acetyloxy)- [CAS]	50-78-2 56449-07-1		Formulation, modified-release, other	Pain, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
α-Santonin		481-06-1			
Ascaridole		512-85-6			
Ascorbic Acid		50-81-7			
asenapine	1H-Dibenz[2,3:6,7]oxepino[4,5-c]pyrrole, 5-chloro-2,3,3a,12b-tetrahydro-2-methyl-, trans-, (Z)-2-butenedioate (1:1) [CAS]				
asimadoline	Benzeneacetamide, N-[2-(3-hydroxy-1-pyrrolidinyl)-1-phenylethyl]-N-methyl- α -phenyl-, [S-(R*, R*)]- [CAS]	85650-56-2	WO 9523600	Neuroleptic	Psychosis, general
asoprisnil	11 β -[4-(Hydroxyiminomethyl)phenyl]-17 β -methoxy-17 α -(methoxymethyl)estra-4,9-dien-3-one	153205-46-0	DE 4215213	GI inflammatory/bowel disorders	Irritable bowel syndrome
Asoxime		199396-76-4	EP 0648778	Menstruation disorders	Endometriosis
Aspartic Acid		34433-31-3			
Aspidin		56-84-8			
Aspidinol		584-28-1			
Aspirin		519-40-4			
<i>Aspirin</i> , <i>Dipyridamole</i>		50-78-2			
asproxillin	Glycinamide, N-methyl-D-asparaginy-N-(2-carboxy-3,3-dimethyl-7-oxo-4-thia-1-azabicyclo[3.2.0]hept-6-yl)-D-2-(4-hydroxyphenyl)-, [2S-(2 α ,5 α ,6 β)]- [CAS]	63358-49-6	GB 1533413	Penicillin, injectable	Infection, respiratory tract, general
AST-120	AST 120 [CAS]	90597-58-3		Urological	Renal failure
Astemizole		68844-77-9			
asulacrine	4-Acridinecarboxamide, 9-[2-methoxy-4-[(methylsulfonyl)amino]phenylamino]-N,5-dimethyl-, [CAS]	80841-47-0 80841-48-1	EP 39224	Anticancer, other	Cancer, general
AT-1015	(N-[2-[4-(5H-Dibenzo[a,d]cyclohepten-5-ylidene)-piperidino]ethyl]-1-formyl-4-piperidinecarboxamide monohydrochloride monohydrate				
atamestane	Androsta-1,4-diene-3,17-dione, 1-methyl- [CAS]	96301-34-7	DE 3338212	Antithrombotic Anticancer, hormonal	Thrombosis, general Cancer, breast

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
atazanavir	2,5,6,10,13-Pentaaazatetradecanedioic acid, 3,12-bis(1,1-dimethylethyl)-8-hydroxy-4,11-dioxo-9-(phenylmethyl)-6-((4-(2-pyridinyl)phenyl)methyl)-dimethyl ester, (3S,8S,9S,12S)-, sulfate (1:1) (salt) [CAS]	229975-97-7		Antiviral, anti-HIV	Infection, HIV/AIDS
atenolol	Benzeneacetamide, 4-[2-hydroxy-3-((1-methylethyl)amino)propoxy]- [CAS]	29122-68-7 73677-19-7	GB 1285038	Antihypertensive, adrenergic	Hypertension, general
atenolol + chlorthalidone	Benzeneacetamide, 4-[2-hydroxy-3-((1-methylethyl)amino)propoxy]-, mixt. with 2-chloro-5-(2,3-dihydro-1-hydroxy-3-oxo-1H-isoindol-1-yl)benzenesulfonamide [CAS]	73677-19-7	US 3836671	Formulation, fixed-dose combinations	Hypertension, general
atenolol + nifedipine	Benzeneacetamide, 4-[2-hydroxy-3-((1-methylethyl)amino)propoxy]- + 4-(2-nitrophenyl)-2,6-dimethyl-3,5-dicarbomethoxy-1,4-dihydropyridine			Formulation, fixed-dose combinations	Hypertension, general
α -Terpineol		98-55-5			
Ateviridine		136816-75-6			
alipamezole	1H-Imidazole, 4-(2-ethyl-2,3-dihydro-1H-inden-2-yl)- [CAS]	104054-27-5	EP 183492	Reproductive/gonadal, general	Sexual dysfunction, female
alprimod dimaleate	2-Azaspiro[4.5]decane-2-propanamine, N,N-diethyl-8,8-dipropyl, dimaleate				
ATL-146e		130065-61-1	US 5744495	Antiarthritic, immunological	Arthritis, rheumatoid
α -Tocopherol		59-02-9	US 6232297	Imaging agent	Unspecified
atomoxetine	Benzenepropanamine, N-methyl-Gamma-(2-methylphenoxy)-, (R)- [CAS]	82248-59-7 83015-26-3	EP 52492	Neurological	Attention deficit disorder
atorvastatin	1H-Pyrole-1-heptanoic acid, 2-(4-fluorophenyl)-3, delta-dihydroxy-5-(1-methylethyl)-3-phenyl-4-[(phenylamino)carbonyl]- [CAS]	134523-03-8 134523-00-5	EP 409281	Hypolipaeamic/Antiatherosclerosis	Hypercholesterolaemia
atosiban	Oxytocin, 1-(3-mercaptopropanoic acid)-2-(O-ethyl-D-tyrosine)-4-L-threonine-8-L-ornithine- [CAS]				
		90779-69-4	EP 112809	Labour inhibitor	Labour, preterm

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
alovaquone	1,4-Naphthalenedione, 2-[4-(4-chlorophenyl)cyclohexyl]-3-hydroxy-, trans-[CAS]	95233-18-4	EP 123238	Antifungal	Infection, Pneumocystis jiroveci
alovaquone + proguanil	1,4-Naphthalenedione, 2-[4-(4-chlorophenyl)cyclohexyl]-3-hydroxy-, trans + N-(4-chloro-phenyl)-N-(1-methylethyl)imidodicarbonimidic diamide			Antimalarial	Infection, malaria
atracurium	Isoquinolinium, 2,2'-[1,5-pentanediy]bis[oxo(3-oxo-3,1-propanediyl)]bis[1-[(3,4-dimethoxyphenyl)methyl]-1,2,3,4-tetrahydro-6,7-dimethoxy-2-methyl- [CAS]	64228-81-5	US 4179557	Muscle relaxant	Surgery adjunct
atrasentan	3-Pyrrolidinecarboxylic acid, 4-(1,3-benzodioxol-5-yl)-1-[2-(dibutylamino)-2-oxoethyl]-2-(4-methoxyphenyl)-, (2R,3R,4S)- [CAS]	173937-91-2	WO 9730045	Anticancer, other	Cancer, prostate
Atrial Natriuretic Peptide		85637-73-6			
Atrolactamide		2019-68-3			
Atropine		51-55-8			
Augmentin		74469-00-4		Formulation, modified-release, other	Infection, respiratory tract, general
auranofin	Gold, (1-thio-β-D-glucopyranose 2,3,4,6-tetraacetato-S)(triethylphosphine)-[CAS]	34031-32-8	US 3708579	Antiarthritic, other	Arthritis, rheumatoid
Aurothioglucose		12192-57-3			
avasimibe	Sulfamic acid, [[2,4,6-tris(1-methylethyl)phenyl]acetyl]-, 2,6-bis(1-methylethyl)phenyl ester [CAS]	166518-60-1	US 5491172	Hypolipaeamic/Antiatherosclerosis	Atherosclerosis
Avobenzone		70356-09-1			
AWD-12-281	AWD 12-281 [CAS]	257892-33-4		Antiallergic, non-asthma	Rhinitis, allergic, general
Azacitidine		320-67-2			
Azacyclonol		115-46-8			
azaniadazole	2-Pyrimidinamine, 4-[2-(1-methyl-5-nitro-1H-imidazol-2-yl)ethyl]-, (E)- [CAS]	62973-76-6	US 3882105	Antibacterial, other	Infection, trichomoniasis

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
azapropazone	1H-Pyrazolo[1,2-a][1,2,4]benzotriazine-1,3(2H)-dione, 5-(dimethylamino)-9-methyl-2-propyl- [CAS]	13539-59-8	FR 1440629	Anti-inflammatory	
Azaserine		115-02-6			
	2H-1,4-Benzoxazine-8-carboxamide, N-1-azabicyclo[2.2.2]oct-3-yl-6-chloro-3,4-dihydro-4-methyl-3-oxo-, monohydrochloride- [CAS]	123040-16-4 123040-94-8 123040-96-0 123040-69-7			
Azatadine		3964-81-6	EP 313393	Antiemetic	Nausea and vomiting, general
azathioprine	6-[(1-Methyl-4-nitro-1H-imidazol-5-yl)thio]-1H-purine	446-86-6		Formulation, oral, other	Transplant rejection, bone marrow
AZD-4282	glycine			Analgesic, other	Pain, neuropathic
AZD-6140	3,4 Difluorophenylcyclopropylamine			Antithrombotic	Thrombosis, arterial
azelaic acid	Nonanedioic acid [CAS]	123-99-9		Antiacne	Acne
azelacline	1(2H)-Phthalazinone, 4-[(4-chlorophenyl)methyl]-2-(hexahydro-1-methyl-1H-azepin-4-yl)-, monohydrochloride [CAS]	58581-89-8 79307-93-0	GB 1377231	Antiasthma	Asthma
azelnidipine	3,5-Pyridinedicarboxylic acid, 2-amino-1,4-dihydro-6-methyl-4-(3-nitrophenyl)-, 3-[1-(diphenylmethyl)-3-azetidyl] 5-(1-methylethylester, (+/-)- [CAS]	123524-52-7	EP 266922	Antihypertensive, other	Hypertension, general
Azidamfenicol		13838-08-9			
Azidocillin		17243-38-8			
Azimilide		149908-53-2			
Azintamide		1830-32-6			
azithromycin	9-deoxy-9a-aza-9a-methyl-9a-homoerythromycin-A	76801-85-9 83905-01-5 92395-24-9	US 4328334	Macrolide antibiotic	Infection, respiratory tract, lower
azlocillin	4-Thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid, 3,3-dimethyl-7-oxo-6-[[[(2-oxo-1-imidazolidinyl)carbonyl]amino]phenylacetyl]amino]-, [2S-[2.alpha.,5Alpha.6(S*)]]-[CAS]	37091-65-9 37091-66-0	GB 1392849	Penicillin, injectable	Infection, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Azosemide		27589-33-9			
	Propanoic acid, 2-[[[1-(2-amino-4-thiazolyl)-2-[(2-methyl-4-oxo-1-sulfo-3-azetidinyl)amino]-2-oxoethylidene]amino]oxy]-2-methyl-, [2S-[2A]pha,3S(Z)]-[CAS]	104184-69-2 78110-38-0	GB 2071650	Beta-lactam antibiotic	Infection, general
aztreonam	Sodium 5-isopropyl-3,8-dimethyl-1-azulene sulfonate	6223-35-4	EP 88958	Formulation, modified-release, other	Inflammation, general
azulene					
	4-Thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid, 6-[(aminophenylacetyl)amino]-3,3-dimethyl-7-oxo-, 1-[(ethoxycarbonyloxy)ethyl ester, [2S-[2A]pha,5A]pha,6S(S*)]-[CAS]	37661-08-8 50972-17-3 1405-87-4	GB 1363506	Penicillin, oral	Infection, general
bacampicillin					
Bacitracin					
baclofen	β-(Aminomethyl)-4-chlorobenzenepropanoic acid [CAS]	1134-47-0		Formulation, implant	Spastic paralysis
Baicalein		491-67-8			
balofloxacin	3-Quinolonecarboxylic acid, 1-cyclopropyl-6-fluoro-1,4-dihydro-8-methoxy-7-[3-(methylamino)-1-piperidinyl]-4-oxo- [CAS]	127294-70-6	EP 342675	Quinolone antibacterial	Infection, urinary tract
balsalazide	Benzoic acid, 5-[[4-[(2-carboxyethyl)amino]carbonyl]phenyl]azo]-2-hydroxy-, (E)- [CAS]	80573-04-2	US 4412992	GI inflammatory/bowel disorders	Colitis, ulcerative
bambuterol	Carbamic acid, dimethyl-, 5-[2-[(1,1-dimethylethyl)amino]-1-hydroxyethyl]-1,3-phenylene ester, monohydrochloride [CAS]	81732-46-9 81732-65-2	EP 43807		Asthma
Bamethan		3703-79-5			
Bamifylline		2016-63-9			
Bamipine		4945-47-5			
Barbital		57-44-3			
	3,5-Pyridinedicarboxylic acid, 1,4-dihydro-2,6-dimethyl-4-(3-nitrophenyl)-, methyl-1-(phenylmethyl)-3-pyrrolidinyl ester, [S-(R*, R*)]-	104713-75-9 104757-53-1 71863-56-4	US 4220649	Antihypertensive, other	Hypertension, general
barnidipine					

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
BAS-118	N-Methyl-3-[2-(2-naphthyl)acetyl]amino]benzamide			Antibacterial, other	Infection, <i>Helicobacter pylori</i>
Basic Aluminum Carbonate Gel		1339-92-0			
Basiliximab		179045-86-4			
Batimastat		130370-60-4			
Batroxobin		9039-61-6			
Bay-41-2272	5-cyclopropyl-2-[1(2-fluoro-benzyl)-1H-pyrazolo[3,4-b]pyridine-3-yl]pyrimidin-4-ylamine			Male sexual dysfunction	Sexual dysfunction, male, general
Bay-41-8543	2-[1-(2-Fluorobenzyl)-1H-pyrazolo[3,4-b]pyridin-3-yl]-5-(4-morpholinyl)pyrimidine-4,6-diamine				
Bay-41-8543	N-(4-chloro-3-(trifluoromethyl)phenyl)-N-(4-(2-(N-methylcarbamoyl)-4-pyridyloxy)phenyl)urea			Cardiovascular	Unspecified
BAY-43-9006				Anticancer, other	Cancer, liver
BAY-57-1293	N-[5(aminosulfonyl)-4-methyl-1,3-thiazol-2-yl]-N-methyl-2-[4-(2-pyridinyl)phenyl]acetamide				
bazedoxifen	TSE 424 [CAS]	198481-33-3	EP 802183	Antiviral, other	Infection, herpes simplex virus
β-Benzalbutyramide		7236-47-7		Osteoporosis treatment	Osteoporosis
BBR-3464	Platinum(4+), hexaaminedichlorobis(μ -(1,6-hexanediamine-N,N'))tri- stereoisomer, tetranitrate [CAS]	172903-00-3	US 5744497	Anticancer, alkylating	Cancer, lung, non-small cell
BBR-3576			US 5519029	Anticancer, antibiotic	Cancer, prostate
BBR-3610			US 6060616	Anticancer, alkylating	Cancer, general
β-Carotene		7235-40-7			
BCH-1868	(-)-2-R-dihydroxyphosphinol-5-(S)-(guanin-9-yl-methyl)tetrahydrofuran			Anticancer, antimetabolite	Cancer, general
Bebeerine		477-60-1			
Beclamide		501-68-8			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
bedometasone	Pregna-1,4-diene-3,20-dione, 9-chloro-11 β ,17,21-trihydroxy-16 β -methyl, [CAS]	5534-09-8 4419-39-0	WO 0006132	Formulation, inhalable, solution	Asthma
Befloxatone	Ethanone, 1-[7-[2-hydroxy-3-[(1-methylethyl)amino]propoxy]-2-benzofuranyl]-[CAS]	134564-82-2			
befunolol		39543-79-8 39552-01-7		Antiglaucoma	
Bemegride		64-65-3			
Benactyzine		302-40-9			
benazepril	1H-1-Benzazepine-1-acetic acid, 3-[[1-(ethoxycarbonyl)-3-phenylpropyl]amino]-2,3,4,5-tetrahydro-2-oxo-, [S-(R* R*)]-[CAS]	86541-74-4 86541-75-5 86541-78-6	EP 72352	Antihypertensive, renin system	Hypertension, general
bencyclane	1-Propanamine, N,N-dimethyl-3-[[1-(phenylmethyl)cycloheptyloxy]-, (E)-2-butenedioate (1:1) [CAS]	14286-84-1 2179-37-5	WO 9829409	Vasodilator, peripheral	
benzazac	L-Lysine, mono[[1-(phenylmethyl)-1H-indazol-3-yl]oxy]acetate [CAS]	81919-14-4 20187-55-7	GB 2081708	Ophthalmological	
Bendroflumethiazide		73-48-3			
Benexate		78718-25-9			
benfluorex	Ethanol, 2-[[1-methyl-2-[3-(trifluoromethyl)phenyl]ethyl]amino]-, benzoate (ester) [CAS]	23602-78-0 23642-66-2	GB 1175516	Hypolipaeic/Antiatherosclerosis	
Benfotiamine		22457-89-2			
Benfurodil		3447-95-8			
beniclipine	3,5-Pyridinedicarboxylic acid, 1,4-dihydro-2,6-dimethyl-4-(3-nitrophenyl)-, methyl 1-(phenylmethyl)-3-piperidinyl ester, monohydrochloride (R*,R*)-(+/-) [CAS]	105979-17-7 91599-74-5	EP 63365	Antihypertensive, other	Hypertension, general
Benorylate		5003-48-5			
Benoxaprofen		67434-14-4			
Benoxinate		99-43-4			
Benperidol		2062-84-2			
Benproperine		2156-27-6			
Benserazide		322-35-0			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
benzazepam	2H-1[1]Benzothieno[2,3-e]-1,4-diazepin-2-one, 1,3,6,7,8,9-hexahydro-5-phenyl[CAS]	29462-18-8	DE 2005276	Anxiolytic	
B ntiomide		37106-97-1			
Bentoquatam		1340-69-8			
Benzalkonium		8001-54-5			
Benzarone		1477-19-6			
benzbromarone	Methanone, (3,5-dibromo-4-hydroxyphenyl)(2-ethyl-3-benzofuranyl)-[CAS]	3562-84-3	US 3012042	Antigout	
Benzethonium		121-54-0			
Benzetimide		14051-33-3			
Benzilonium		1050-48-2			
Benziodarone		68-90-6			
benznidazole	N-benzyl-2-nitroimidazole-1-acetamide	22994-85-0	GB 1138529	Protozoacide	
benzocaine	Benzoic acid, 4-amino-, ethyl ester	94-09-7		Formulation, fixed-dose combinations	Pain, musculoskeletal
Benzocetamine		17243-39-9			
Benzonate		104-31-4			
Benzoxonium Chloride		19379-90-9			
benzoyl peroxide	Peroxide, dibenzoyl [CAS]	94-36-0		Formulation, other	Acne
Benzoyl pas		13898-58-3			
Benzphetamine		156-08-1			
Benzpiperylon		53-89-4			
Benzquinamide		63-12-7			
Benzthiazide		91-33-8			
Benztropine		132-17-2			
benzylamine	1-Propanamine, N,N-dimethyl-3-[[1-(phenylmethyl)-1H-indazol-3-yl]oxy]- [CAS]	132-69-4 642-72-8		Stomatological, reproductive/gonadal, anti-inflammatory	
Benzyl Benzoate		120-51-4			
Benzylhydrochlorothiazide		1824-50-6			
Benzylmorphine		14297-87-1			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Bephenium Hydroxynaphthoate		3818-50-6			
bepotastine	1-Piperidinebutanoic acid, 4-((4-chlorophenyl)-2-pyridinylmethoxy)-, (S)-, monobenzenesulfonate [CAS]	190786-44-8 190786-43-7	WO 9829409	Antiallergic, non-asthma	Allergy, general
bepidil	1-Pyrrolidineethanamine, β-[(2-methylpropoxy)methyl]-N-phenyl-N-(phenylmethyl)-, [CAS]	64706-54-3 74764-40-2 74764-75-3	EP 146155	Antianginal	Angina, general
beraprost	1H-Cyclopenta[b]benzofuran-5-butanoic acid, 2,3,3a,8b-tetrahydro-2-hydroxy-1-(3-hydroxy-4-methyl-1-octen-6-ynyl)- [CAS]	88475-69-8 88430-50-6	US 4474802	Prostaglandin	Peripheral vascular disease
Berberine		2086-83-1			
Bergapten		484-20-8			
Bernopropfen		78499-27-1			
Besipirdine		119257-34-0			
betahistine	2-Pyridineethanamine, N-methyl-, dihydrochloride	5579-84-0 5638-76-6		Formulation, modified-release, ≤24hr	Meniere's disease
betaine	Betaine- [CAS]	107-43-7		Metabolic and enzyme disorders	Homocystinuria
betamethasone	Pregna-1,4-diene-3,20-dione, 9-fluoro-11,17,21-trihydroxy-16-methyl-, (11β, 16β)- [CAS]	378-44-9 3440-28-6 3734-24-5		Formulation, dermal, topical	Psoriasis
Betamipron					
Betasine					
betaxolol	2-Propanol, 1-[4-[2-(cyclopropylmethoxy)ethyl]phenoxy]-3-[(1-methylethyl)amino]- [CAS]	63659-18-7 63659-19-8	US 4252984	Antihypertensive, adrenergic	Hypertension, general, glaucoma
Betazole		105-20-4			
Bethanechol		590-63-6			
Bethanidine		55-73-2			
Betoxycaine		3818-62-0			
β-Eucaine		500-34-5			
bevantolol	2-Propanol, 1-[[2-(3,4-dimethoxyphenyl)ethyl]amino]-3-(3-methylphenoxy)- [CAS]	42864-78-8 59170-23-9	US 3857891	Antihypertensive, adrenergic	Hypertension, general
Bevonium		5205-82-3			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
bexarotene	Benzoic acid, 4-(1-(5,6,7,8-tetrahydro-3,5,8,8-pentamethyl-2-naphthalenyl)ethenyl)- [CAS]	153559-49-0	WO 9321146	Anticancer, other	Cancer, lymphoma, T-cell
bezafibrate	Propanoic acid, 2-[4-[2-[(4-chlorobenzoyl)amino]ethyl]phenoxy]-2-methyl- [CAS]	41859-67-0	GB 1359264	Hypolipaeamic/Antiatherosclerosis	
Bezitramide		15301-48-1			
BG-9928		166374-48-7		Cardio stimulant	Heart failure
B/A-2-024	10,11-dihydro-10-hydroxyimino-5H-dibenz[b,f]azepine-5-carboxamide	199997-15-4	WO 9745416	Antiepileptic	Epilepsy, general
B/A-2-093	(S)-(-)-10-acetoxy-10,11-dihydro-5H-dibenz[b,f]azepine-5-carboxamide- [CAS]	236395-14-5		Antiepileptic	Epilepsy, general
B/A-3-202	1-(3,4-dihydroxy-5-nitrophenyl)-2-phenylethanone	274925-86-9	EP 1010688	Antiparkinsonian	Parkinson's disease
Bialamicol		493-75-4			
biapenem	5H-Pyrazolo[1,2-a][1,2,4]triazol-4-ium, 6-[[[2-carboxy-6-(1-hydroxyethyl)-4-methyl-7-oxo-1-azabicyclo[3.2.0]hept-2-en-3-yl]thio]-6,7-dihydro-, hydroxide, inner salt, [4R-[4 α], 5 β , 6 β (R*)]]- [CAS]	120410-24-4	EP 289801	Beta-lactam antibiotic	Infection, beta-lactamase resistant
Bibenzonium		15585-70-3			
Bibrocathol		6915-57-7			
bicalutamide	Propanamide, N-[4-cyano-3-(trifluoromethyl)phenyl]-3-[(4-fluorophenyl)sulfonyl]-2-hydroxy-2-methyl-, (+/-)- [CAS]	90357-06-5	EP 100172	Anticancer, hormonal	Cancer, prostate
bicifadine	3-Azabicyclo[3.1.0]hexane, 1-(4-methylphenyl)-, (+/-)- [CAS]	66504-75-4 71195-57-8	DE 2740562 US 6294585	Analgesic, other Dermatological	Pain, general Unspecified
bicyclic monoterpene diols					
Bidisomide		116078-65-0			
Bietamiverine		479-81-2			
Bietanautine		6888-11-5			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Bietaserpine		53-18-9			
bifenelane	1-Butanamine, N-methyl-4-[2-(phenylmethyl)phenoxy]-, hydrochloride [CAS]	62232-46-6 90293-01-9	GB 1512880	Cognition enhancer	Attention deficit disorder
Bifluranol		34633-34-6			
bifonazole	1H-Imidazole, 1-[(1,1'-biphenyl)-4-ylphenylmethyl]-, [CAS]	60628-96-8 60629-08-5 60629-09-6	US 4118487	Antifungal	Infection, fungal, general
bimatoprost	5-Heptenamide, 7-(3,5-dihydroxy-2-(3-hydroxy-5-phenyl-1-pentenylo)cyclopentyl)-N-ethyl (1R-(1Alpha(Z)2beta(1E,3S,3Alpha,5Alpha)) [CAS]	155206-00-1	US 5688819	Prostaglandin	Glaucoma
bimocimolol	N-[2-hydroxy-3-(1-piperidinyl)propoxy]-3-pyridinecarboximidoyl chloride, (Z)-2-butanedioate (1:1)	130493-04-8	US 5147874	Symptomatic antidiabetic	Neuropathy, diabetic
bimosianose	(1,1'-Biphenyl)-3-acetic acid, 3' 3''-(1,6-hexanediyl)bis(6'-Alpha-D-mannopyranosyloxy)-, [CAS]	187269-40-5	US 5444050	Antiasthma	Asthma
Binifibrate		69047-39-8			
binodenoson	Adenosine, 2-((cyclohexylmethylene)hydrazino)- [CAS]	144348-08-3		Vasodilator, coronary	Diagnosis, coronary
Biomed-101			US 6423744	Anticancer, other	Cancer, renal
Biotin		58-85-5			
Biperiden		514-65-8			
biricodar	2-Piperidinecarboxylic acid, 1-(oxo(3,4,5-trimethoxyphenyl)acetyl)-, 4-(3-pyridinyl)-1-(3-(3-pyridinyl)propyl)butyl ester, (S)-, 2-hydroxy-1,2,3-propanetricarboxylate (1:2) [CAS]	174254-13-8 159997-94-1		Radio/chemosensitizer	Cancer, breast
biriperone	1-Butanone, 1-(4-fluorophenyl)-4-(3,4,6,7,12,12a-hexahydropyrazino[1',2':1,6]pyrido[3,4-b]indol-2(1H)-yl)- [CAS]	42021-34-1 603-50-9 78186-34-2	DE 2333922	Neuroleptic	
Bisacodyl					
Bisantrene					

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Bisbentiamine		2667-89-2			
Bisdequalinium		52951-36-7			
Bismuth Aluminate		12284-76-3			
Bismuth		53897-25-9			
Butylthiolaurate					
Bismuth Ethyl Camphorate		52951-37-8			
Bismuth Iodosubgallate		138-58-9			
Bismuth Sodium Iodide		53778-50-0			
Bismuth Sodium Triglycollamate		5798-43-6			
Bismuth Subcarbonate		5892-10-4			
Bismuth Subgallate		22650-86-8			
Bismuth Subnitrate		1304-85-4			
Bismuth Subsalcylate		14882-18-9			
Bismuth		5175-83-7			
Tribromophenate					
bisoprolol	2-Propanol, 1-[4-[[2-(1-methylethoxy)ethoxy]methyl]phenoxy]-3-[[1-methylethyl]amino]- [CAS]	104344-23-2 66722-44-9	GB 1532380	Antihypertensive, adrenergic	Heart failure
bisoprolol + HCTZ	2-Propanol, 1-[4-[[2-(1-methylethoxy)ethoxy]methyl]phenoxy]-3-[[1-methylethyl]amino] mixt. with 6-chloro-3,4-dihydro-2H-1,2,4-benzothiadiazine-7-sulfonamide 1,1-dioxide			Formulation, fixed-dose combinations	Hypertension, general
bisoprolol+trichloromethiazide	2-Propanol, 1-[4-[[2-(1-methylethoxy)ethoxy]methyl]phenoxy]-3-[[1-methylethyl]amino] mixt. with 6-chloro-3-(dichloromethyl)-3,4-dihydro-2H-1,2,4-benzothiadiazine-7-sulfonamide 1,1-dioxide			Formulation, fixed-dose combinations	Hypertension, general
Bisoxatin		14008-48-1			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Bithionol		97-18-7			
Bitolterol		30392-40-6			
Bitoscanat		4044-65-9			
BL-3875			WO 0218378	Anti-inflammatory	Unspecified
bleomycin	Bleomycin [CAS]	11056-06-7 9041-93-4		Formulation, transdermal, enhanced	Cancer, head and neck
blonanserlin	Cycloocta[b]pyridine, 2-(4-ethyl-1-piperazinyl)-4-(4-fluorophenyl)-5,6,7,8,9,10-hexahydro- [CAS]	132810-10-7	EP 385237	Neuroleptic	Schizophrenia
BMS-184476			EP 639577	Anticancer, other	Cancer, breast
BMS-387032	cis-(+)-2-(Ethylthio)-5,7-dihydroxy-8-(3-hydroxy-1-methyl-4-piperidinyl)-4H-1-benzopyran-4-one		WO 9742949	Anticancer, other	Cancer, general
BN-82451	4-[2-(aminomethyl)-1,3-thiazol-4-yl]-2,6-di-tert-butylphenol, dihydrochloride			Neuroprotective	Unspecified
BNP-7787	Ethanesulfonic acid, 2,2'-dithiobis-, disodium salt [CAS]	16208-51-8		Radio/chemoprotective	Chemotherapy-induced nausea and vomiting
BO-653	5-Benzofuranol, 4,6-bis(1,1-dimethylethyl)-2,3-dihydro-2,2-dipentyl- [CAS]	157360-23-1	WO 9408930	Hypolipaeamic/Antiatherosclerosis	Atherosclerosis
Bolandiol		19793-20-5			
Bolasterone		1605-89-6			
Bold none		846-48-0			
bopindolol	2-Propanol, 1-[(1,1-dimethylethyl)amino]-3-[[2-methyl-1H-indol-4-yl]oxy]-, benzoate (ester), (+/-) [CAS]	62658-63-3 82857-38-3	US 4340541	Antihypertensive, adrenergic	Hypertension, general
Bornyl Chloride		464-41-5			
Bornyl Salicylate		560-88-3			
bortezomib	Boronic acid, [(1R)-3-methyl-1-[(2S)-1-oxo-3-phenyl-2-[[pyrazinylcarbonyl]amino]propyl]amino]butyl]- [CAS]		US 6271199	Anticancer, other	Cancer, myeloma

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
bosentan	Benzenesulfonamide, 4-(1,1-dimethylethyl)-N-[6-(2-hydroxyethoxy)-5-(2-methoxyphenoxy)]-2'-bipyrimidin-4-yl]-[CAS]	147536-97-8	EP 633259	Vasodilator, peripheral	Hypertension, pulmonary
BP2.94	Phenol, 2-[[[(1R)-2-(1H-imidazol-4-yl)-1-methylethyl]imino]phenylmethyl]-[CAS]	139191-80-3	WO 9117146	Respiratory	Rhinitis, general
BP4.897	N-[4-[4-(2-methoxyphenyl)-1-piperazinyl]butyl]naphthalene-2-carboxamide				
β -Propiolactone		57-57-8	EP 779284	Dependence treatment	Addiction, cocaine
Bradycor		140861-97-8			
Brain Natriuretic Peptide		114471-18-0			
Brallobarbitol		561-86-4			
brascensine	8-Azabicyclo(3.2.1)octane-2-carboxaldehyde, 3-(3,4-dichlorophenyl)-8-methyl-, O-methylloxime, (1R,1Apha,2(E),3Alpha,5Alpha)-[CAS]	171655-91-7	WO 9528401	Antiparkinsonian	Parkinson's disease
Brequinar		96187-53-0			
Bretylium		61-75-6			
Brilliant Green		633-03-4			
brimonidine	6-Quinoxalinamine, 5-bromo-N-(4,5-dihydro-1H-imidazol-2-yl)-[CAS]	59803-98-4	DE 2538620	Antiglaucoma	Glaucoma
brinzolamide	2H-Thieno(3,2-e)-1,2-thiazine-6-sulfonamide, 4-(ethylamino)-3,4-dihydro-2-(3-methoxypropyl)-, 1,1-dioxide, (R)-[CAS]	138890-62-7	US 5378703	Antiglaucoma	Glaucoma
brivudin	Uridine, 5-(2-bromoethyl)-2'-deoxy, (E)-[CAS]	69304-47-8		Antiviral, other	Infection, varicella zoster virus
Brodinoprim		56518-41-3			
Bromazepam		1812-30-2			
bromfenac	Benzeneacetic acid, 2-amino-3-(4-bromobenzoyl)-[CAS]	91714-93-1 91714-94-2		Formulation, mucosal, topical	Inflammation, ocular
Bromhexine		3572-43-8			
Bromindione		1146-98-1			
Bromisovalum		496-67-3			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Bromocriptine		25614-03-3			
Bromodiphenhydramine		118-23-0			
Bromoform		75-25-2			
Bromopride		4093-35-0			
Bromosalicylchloranilide		3679-64-9			
bromperidol	1-Butanone, 4-[4-(4-bromophenyl)-4-hydroxy-1-piperidinyl]-1-(4-fluorophenyl)- [CAS]	10457-90-6	US 3438991	Neuroleptic	Psychosis, general
Brompheniramine		86-22-6			
Proparacetamol		479-68-5			
Propiridine		56741-95-8			
brotallicin	4-(2-Bromoacetyl)-N ^m -(2-guanidinoethyl)-1,1',1''-tetramethyl-N,4'-N',4''-N'',4'''-quater-pyrrole-2-carboxamide [CAS]			Anticancer, other	Cancer, general
brolizolam	6H-Thieno[3,2-f][1,2,4]triazolo[4,3-a][1,4]diazepine, 2-bromo-4-(2-chlorophenyl)-9-methyl- [CAS]	57801-81-7	US 4094984	Hypnotic/Sedative	
Brovincamine		57475-17-9			
Broxuridine		59-14-3			
Broxyquinoline		521-74-4			
Brucine		357-57-3			
β-Sitosterol		83-46-5			
Bucetin		1083-57-4			
Bucillamine		65002-17-7			
Bucindolol		71119-11-4			
buciladine	Adenosine, N-(1-oxobutyl)-, cyclic 3',5'-(hydrogen phosphate) 2'-butanoate [CAS]	362-74-3	JP 51113896	Cardio stimulant	Wound healing
Bucizine		82-95-1			
Buclosamide		575-74-6			
Bucolome		841-73-6			
bucricaine	9-Acridinamine, N-butyl-1,2,3,4-tetrahydro-, monohydrochloride [CAS]	82636-28-0		Anaesthetic, local	

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Bucumolol	Pregna-1,4-diene-3,20-dione, 16,17-[butylidenebis(oxy)]-11,21-dihydroxy-, (11 β ,16 α)- [CAS]	58409-59-9			
budesonide		51333-22-3	GB 1429922	Antiasthma	Asthma
budesonide + formoterol	Pregna-1,4-diene-3,20-dione, 16,17-[butylidenebis(oxy)]-11,21-dihydroxy-, (11 β ,16 α)- + formamide, N-[2-hydroxy-5-[1-hydroxy-2-[[2-(4-methoxyphenoxy)]-1-methylethyl]amino]ethyl]phenyl]- (R* R*)-(±)				
budipine	Piperidine, 1-(1,1-dimethylethyl)-4,4-diphenyl- [CAS]	57982-78-2 63661-61-0	DE 2825322	Formulation, fixed-dose combinations Antiparkinsonian	Asthma Parkinson's disease
Budralazine		36798-79-5			
Bufeniade		22103-14-6			
Bufetolol		53684-49-4			
bufexamac	p-butoxyacetohydroxamic acid	2438-72-4	US 3479396	Anti-inflammatory	
bufloxedil	1-Butanone, 4-(1-pyrrolidinyl)-1-(2,4,6-trimethoxyphenyl)- [CAS]	35543-24-9 55837-25-7	GB 1325192	Vasodilator, peripheral	
Buformin		692-13-7			
Bufuralol		54340-62-4			
Bumadizon		3583-64-0			
bumetanide	Benzoic acid, 3-(aminosulfonyl)-5-(butylamino)-4-phenoxy- [CAS]	28395-03-1	US 3806534	Antihypertensive, diuretic	Hypertension, general
bunafine	1-Naphthalenecarboxamide, N-butyl-N-(2-diethylamino)ethyl)- [CAS]	32421-46-8 1923-76-8	DE 2009894	Antiarrhythmic	
Bunamiodyl Sodium					
bunazosin	1H-1,4-Diazepine, 1-(4-amino-6,7-dimethoxy-2-quinazolinyl)hexahydro-4-(1-oxobutyl)- [CAS]	52712-76-2 80755-51-7	GB 1398455	Antihypertensive, adrenergic	Hypertension, general
bunitrolol	Benzonitrile, 2-[3-[(1,1-dimethylethyl)amino]-2-hydroxypropoxy]- [CAS]	34915-68-9	US 3940489	Antihypertensive, adrenergic	
bupivacaine	2-Piperidinecarboxamide, 1-butyl-N-(2,6-dimethylphenyl)- [CAS]	38396-39-3 2180-92-9		Formulation, modified-release, >24hr	Anaesthesia
Bupranolol		14556-46-8			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
buprenorphine	6,14-Ethenomorphinan-7-methanol, 17-(cyclopropylmethyl)-Alpha-(1,1-dimethylethyl)-4,5-epoxy-18,19-dihydro-3-hydroxy-6-methoxy-Alpha-methyl-, [5Alpha,7Alpha(S)]-, [CAS]	52485-79-7 53152-21-9	US 3433791	Analgesic, other	
bupropion	1-Propanone, 1-(3-chlorophenyl)-2-[(1,1-dimethylethyl)amino]-, (+/-)- [CAS]	31677-93-7 34911-55-2 4663-83-6	US 4425363	Antidepressant	Depression, general
Buramate					
	Luteinizing hormone-releasing factor (pig), 6-[O-(1,1-dimethylethyl)-D-serine]-9-(N-ethyl-L-prolinamide)-10-deglycinamide-[CAS]	57982-77-1 68630-75-1	GB 1523623	Releasing hormones	Cancer, prostate
buserelin					
buspirone	8-Azaspiro[4.5]decane-7,9-dione, 8-[4-(2-pyrimidinyl)-1-piperazinyl]butyl-[CAS]		EP 276536	Anxiolytic	Anxiety, general
busulfan	1,4-Butanediol, dimethanesulfonate [CAS]	55-98-1		Formulation, optimized, microparticles	Cancer, general
busulfan	1,4-Butanediol, dimethanesulfonate- [CAS]	55-98-1		Formulation, parenteral, other	Cancer, leukaemia, acute myelogenous
Butabarbital		143-81-7			
Butacaine		149-16-6			
Butac tin		2109-73-1			
Butalamine		22131-35-7			
Butalbital		77-26-9			
Butallylonal		1142-70-7			
butamben	4-Aminobenzoic acid butyl ester [CAS]	94-25-7		Formulation, modified-release, other	Pain, cancer
butamirate	Benzeneacetic acid, Alpha-ethyl-, 2-[2-(diethylamino)ethoxy]ethylester, 2-hydroxy-1,2,3-propanetricarboxylate (1:1) [CAS]	18109-80-3 18109-81-4		Antitussive	Cough
Butanillicaine		3785-21-5			
Butaperazine		653-03-2			
Butaverine		55837-14-4			
Butazolamide		16790-49-1			
Butedronic Acid		51395-42-7			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
butenafine	1-Naphthalenemethanamine, N-[(4-{1,1-dimethylethyl}phenyl)methyl]-N-methyl- [CAS]	101827-46-7 101828-21-1	EP 164697	Antifungal	Infection, dermatological
Butethal		77-28-1			
Butethamate		14007-64-8			
Butethamine		2090-89-3			
Buthalital		510-90-7			
Butthiazide		2043-38-1			
Butibufen		55837-18-8			
Butidrine		1506-12-3			
butobendine	benzoic acid, 3,4,5-trimethoxy-, 1,2-ethanediybis[(methylimino)(2-ethyl-2,1-ethanediy)] ester, [S-(R*,R*)]- [CAS]	55769-64-7 55769-65-8	US 4021473	Antiarrhythmic	Arrhythmia, general
butoconazole	1H-Imidazole, 1-[4-(4-chlorophenyl)-2-[(2,6-dichlorophenyl)thio]butyl]-, (+/-)- [CAS]	64872-76-0 64872-77-1	GB 1567431	Antifungal	Infection, Candida, general
Butoctamide		32838-26-9			
Butofilolol		64552-17-6			
butorphanol	Morphinan-3,14-diol, 17-(cyclobutylmethyl)-, [S-(R*,R*)]-2,3-dihydroxybutanedicarboxylate (1:1) (salt) [CAS]	42408-82-2 58786-99-5	GB 1412129	Analgesic, other	
Butoxycaine		3772-43-8			
Butriptyline		35941-65-2			
Butropium		29025-14-7			
Buzepide		3691-21-2			
BVT-5182			WO 0208178	Anorectic/Antiobesity	Obesity
BXT-51072	2H-1,2-Benzoselenazine, 3,4-dihydro-4,4-dimethyl- [CAS]	173026-17-0		GI inflammatory/bowel disorders	Colitis, ulcerative
C-1311	6H-Imidazo[4,5,1-de]acridin-6-one, 5-[[2-(diethylamino)ethyl]amino]-8-hydroxy-, 2HCl, 2H ₂ O			Anticancer, other	Cancer, general
cabergoline	Ergoline-8-carboxamide, N-[3-(dimethylamino)propyl]-N-[(ethylamino)carbonyl]-6-(2-propenyl)-, (8S)- [CAS]	81409-90-7 85329-89-1	GB 2103603	Antiprolactin	Galactorrhoea

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Cabergoline		81409-90-7			
Cacodylic Acid		75-60-5			
Cactinomycin		8052-16-2			
cadexomer iodine	Cadexomer iodine [CAS]	94820-09-4		Anti-infective, other	Ulcer, venostasis
Cadmium Salicylate		19010-79-8			
Cadralazine		64241-34-5			
Cafaminol		30924-31-3			
caffeine	1,2,3,-Propanetricarboxylic acid, 2-hydroxy mixt. with 3,7-dihydro-1,3,7-trimethyl-1H-purine-2,6-dione [CAS]	69-22-7 58-08-2		Respiratory	Apnoea
Calcifediol		19356-17-3			
Calcipotriene		112965-21-6			
calcipotriol	9,10-Secochola-5,7,10(19),22-tetraene-1,3,24-triol, 24-cyclopropyl-, (1 α), (3 β ,5Z,7E,22E)-, [CAS]	112965-21-6	WO 8700834	Antipsoriasis	Psoriasis
calcipotriol+betametasone	9,10-Secochola-5,7,10(19),22-tetraene-1,3,24-triol, 24-cyclopropyl-, (1 α), (3 β ,5Z,7E,22E) + Pregna-1,4-diene-3,20-dione, 9-chloro-11 β ,17,21-trihydroxy-16 β -methyl, 17,21-dipropionate			Formulation, fixed-dose combinations	Psoriasis
calcitriol	9,10-Secochola-5,7,10(19),22-tetraene-1,3,25-triol, (1 α), (3 β ,5Z,7E)-, [CAS]	32222-06-3		Antipsoriasis	Psoriasis
Calcium 3-Aurothio-2-propanol-1-sulfonate		5743-29-3			
Calcium Acetylsalicylate		69-46-5			
Calcium					
Bromolactobionate		33659-28-8			
Calcium Carbonate		471-34-1			
Calcium Gluconate		299-28-5			
Calcium		27214-00-2			
Glycerophosphate					

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
calcium hopantothenate	Calcium D-(+)-4-(2,4-dihydroxy-3,3-dimethylbutanamido)butyrate (hemihydrate) [CAS]	17097-76-6	EP 117260	Neurological	Attention deficit disorder
Calcium Iodobehenate		1319-91-1			
Calcium Iodostearate		1301-16-2			
Calcium Lactate		814-80-2			
Calcium Levulinate		591-64-0			
Calcium Mesoxalate		21085-60-9			
Calcium N-Carbamoylaspartate		16649-79-9			
calcium polycarbophil	Polycarbophil, calcium salt: [CAS]	126040-58-2 9003-97-8		GI inflammatory/bowel disorders	Irritable bowel syndrome
Calcium Propionate		4075-81-4			
Calcium Succinate		140-99-8			
caldaret	5-methyl-2-(1-piperaziny)-benzenesulfonic acid monohydrate	133804-44-1		Cardio stimulant	Heart failure
Calusterone		17021-26-0			
Camazepam		36104-80-0			
camostat	Benzeneacetic acid, 4-[[4-[(aminominoethyl)amino]benzoyloxy]-2-(dimethylamino)-2-oxoethyl ester, monomethanesulfonate [CAS]	59721-28-7 59721-29-8 71079-09-9	US 4021472	GI inflammatory/bowel disorders	Pancreatitis
Camphor		76-22-2			
Camphotamide		4876-45-3			
camptothecin	4-Ethyl-4-hydroxy-1H-pyrano-[3,4':6,7]indolizino[1,2-b:]quinoline-3,14(4H,12H)-dione			Formulation, optimized, microemulsion	Cancer, general
Candesartan		139481-59-7			
candesartan cilexetil	1H-Benzimidazole-7-carboxylic acid, 2-ethoxy-1-[[2'-(1H-tetrazol-5-yl)]1,1'-biphenyl]-4-yl[methyl]-, 1-[[[cyclohexyloxy]carbonyloxy]ethyl ester, (+)- [CAS]	145040-37-5	EP 520423	Antihypertensive, renin system	Hypertension, general
Candoxatril		123122-55-4			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
canertinib	N-[4-(3-(Chloro-4-fluoro-phenylamino)-7-(3-morpholin-4-yl-propoxy)-quinazolin-6-yl)-acrylamide	289499-45-2		Anticancer, other	Cancer, lung, non-small cell
Canrenone		976-71-6			
Cantharidin		56-25-7			
canluzumab mertansine	Maytansine, N2-deacetyl-N2-(3-mercapto-1-oxopropyl)-, conjugated humanized C242 monoclonal antibody	139504-50-0		Immunotoxin	Cancer, colorectal
capecitabine	Cytidine, 5-deoxy-5-fluoro-N-[(pentyl-oxo)carbonyl]- [CAS]	154361-50-9	EP 602454	Anticancer, antimetabolite	Cancer, breast
Capobenic Acid		21434-91-3			
capravirine	1H-imidazole-2-methanol, 5-(3,5-dichlorophenyl)thio-4-(1-methylethyl)-1-(4-pyridinyl)methyl carbamate (ester) [CAS]	178979-85-6		Antiviral, anti-HIV	Infection, HIV/AIDS
Capromab		151763-64-3			
capsaicin cream	N-[(4-hydroxy-3-methoxyphenyl)methyl]-8-methyl-, (E)- [CAS]	404-86-4		Formulation, dermal, topical	Pain, post-herpetic
Captodiamine		486-17-9			
captopril	L-Proline, 1-(3-mercapto-2-methyl-1-oxopropyl)-, (S)- [CAS]	62571-86-2	US 4105776	Antihypertensive, renin system	Hypertension, general
captopril + HCTZ	L-Proline, 1-(3-mercapto-2-methyl-1-oxopropyl)-, (S)-, mixt. with 6-chloro-3,4-dihydro-2H-1,2,4-benzothiazine-7-sulfonamide 1,1-dioxide [CAS]	110075-07-5	US 4217347	Antihypertensive, renin system	
Capuride		5579-13-5			
carabersat	Benzamide, N-(6-acetyl-3,4-dihydro-3-hydroxy-2,2-dimethyl-2H-1-benzopyran-4-yl)-4-fluoro, (3R-trans)- [CAS]	184653-84-7	WO 9811890	Antiepileptic	Epilepsy, general
Caramiphen		77-22-5			
carazolol	2-Propanol, 1-(9H-carbazol-4-yloxy)-3-[(1-methylethyl)amino]- [CAS]	57775-29-8	DE 2240599	Antihypertensive, adrenergic	
Carbachol		51-83-2			
carbamazepine	5H-Dibenz[b,f]azepine-5-carboxamide [CAS]	298-46-4		Formulation, modified-release, other	Epilepsy, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Carbamide Peroxide		124-43-6			
Carbarsone		121-59-5			
Carbaryl		63-25-2			
Carbazochrome		13051-01-9 51460-26-5			
carbendazim	Methyl-2-benzimidazolecarbamate			Anticancer, other	Cancer, general
Carbenicillin		4697-36-3			
Carbenoxolone		5697-56-3			
Carbetapentane		77-23-6			
Carbicarb	Carbonic acid disodium salt, mixt. with monosodium salt- [CAS]	72227-05-5		Alimentary/Metabolic, other	Acidosis
Carbidopa		28860-95-9			
carbidopa+levodopa-1	S-Alpha Hydrazino-3,4-dihydroxy-Alpha methyl benzene propanoic acid monohydrate +3-hydroxy-L-tyrosine			Formulation, fixed-dose combinations	Parkinson's disease
Carbimazole		22232-54-8			
Carbinoxamine		486-16-8			
Carbocloral		541-79-7			
carbocysteine		151756-26-2 638-23-3	EP 546272	Cystic fibrosis treatment	Cystic fibrosis
Carbon Tetrachloride		56-23-5			
carboplatin	Platinum, diammine[1,1-cyclobutanedicarboxylato(2-)]-, (SP-4-2)- [CAS]	41575-94-4		Anticancer, alkylating	Cancer, ovarian
Carboprost		35700-23-3			
carboprost trometamol	Prosta-5,13-dien-1-oic acid, 9,11,15-trihydroxy-15-methyl-, (5Z,9.alpha.,11Alpha,13E,15S)-, compd. with 2-amino-2-(hydroxymethyl)-1,3-propanediol(1:1) [CAS]	58551-69-2 74849-93-7	US 3728382	Prostaglandin	Abortion
Carboquone	2,5-Cyclohexadiene-1,4-dione, 2-[2-[(aminocarbonyloxy)-1-methoxyethyl]-3-bis(1-aziridinyl)-5-methyl- [CAS]	24279-91-2	DE 1905224	Anticancer, antibiotic	
Carbromal		77-65-6			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Carbubarb		960-05-4			
Carbutamide		339-43-5			
Carbuterol		34866-47-2			
Carfimate		3567-38-2			
carglumic acid	N-Carbamoyl-L-glutamic acid	1188-38-1		Metabolic and enzyme disorders	Hyperammonaemia
Cargutocin		33605-67-3			
Carindacillin		35531-88-5			
cariporide	Benzamide, N-(aminoininomethyl)-4-(1-methylethyl)-3-(methylsulfonyl)- [CAS]	159138-80-4 159138-81-5	EP	Antianginal	Angina, general
Cariporide		159138-80-4			
Carisoprodol		78-44-4			
carimolur	1(2H)-Pyrimidinecarboxamide, 5-fluoro-N-hexyl-3,4-dihydro-2,4-dioxo- [CAS]	61422-45-5	US	Anticancer, antimetabolite	
Carmoxirole		98323-83-2			
carmustine	Urea, N,N'-bis(2-chloroethyl)-N-nitroso- [CAS]	154-93-8		Formulation, implant	Cancer, brain
Carnitine		461-06-3			
Caroverine		23465-76-1			
Caroxazone		18464-39-6			
Carphenazine		2622-30-2			
Carpipramine		5942-95-0			
carprofen	9H-Carbazole-2-acetic acid, 6-chloro-Alpha-methyl-, (+/-)- [CAS]	53716-49-7	US	Anti-inflammatory	
Carsalam		2037-95-8			
carteolol	2(1H)-Quinolinone, 5-[3-((1,1-dimethylethyl)amino)-2-hydroxypropoxy]-3,4-dihydro-, monohydrochloride [CAS]	51781-06-7 51781-21-6	US	Antihypertensive, adrenergic	Glaucoma
Carticaine		23964-58-1			
Carubicin		50935-04-1			
Carumonam		87638-04-8			
Carvacrol		499-75-2			
carvedilol	2-Propanol, 1-(9H-carbazol-4-yloxy)-3-[(2-methoxyphenoxy)ethyl]amino]-[CAS]	72956-09-3	EP	Antihypertensive, adrenergic	Hypertension, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Carvone		99-49-0			
Cascarinin		10118-56-6			
	Pneumocandin B0, 1-((4R,5S)-5-((2-aminoethyl)amino)-N2-(10,12-dimethyl-1-oxotetradecyl)-4-hydroxy-L-ornithine)-5-(threo-3-hydroxy-L-ornithine)-, diacetate (salt) [CAS]	162808-62-0 179463-17-3	WO 9421677	Antifungal	Infection, Aspergillus
Catechin		154-23-4			
	N-(1-benzothien-2-ylcarbonyl)-N-[2-(2-fluorophenyl)-4-oxo-1,2,3,4-tetrahydropyrimidin-5-yl]-L-leucinamide		WO 9613523	Osteoporosis treatment	Osteoporosis
cathepsin K inhibitors					
	N-(1-benzothien-2-ylcarbonyl)-N-[2-(2-fluorophenyl)-4-oxo-1,2,3,4-tetrahydropyrimidin-5-yl]-L-leucinamide			Antiasthma	Asthma
cathepsin S inhibitors					
CC-401			US 6342595	Immunosuppressant	Arthritis, rheumatoid
	Rapamycin 42-(3-hydroxy-2-(hydroxymethyl)-2-methylpropanoate) [CAS]	162635-04-3		Anticancer, antibiotic	Cancer, renal
CCR5 antagonists			WO 9732019	Antiviral, anti-HIV	Infection, HIV/AIDS
CDC-394			US 634061	Anticancer, other	Cancer, myeloma
CDC-801			US 5605914	GI inflammatory/bowel disorders	Crohn's disease
	1H-3-Benzazepin-7-ol, 5-(2,3-dihydro-7-benzofuranyl)- 2,3,4,5-tetrahydro-3-methyl-8-nitro, (5S)- [CAS]				
CEE-03-310		128022-68-4	EP 347672	Dependence treatment	Addiction, alcohol
	5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[[aminophenylacetyl]amino]-3-chloro-8-oxo-, [6R-[6A]pha,7B(R*)]- [CAS]	53994-73-3 70356-03-5		Cephalosporin, oral	Infection, Haemophilus influenzae prophylaxis
cefactor					
	5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[[amino(4-hydroxyphenyl)acetyl]amino]-3-methyl-8-oxo-, [6R-[6A]pha,7B(R*)]- [CAS]	50370-12-2 66592-87-8	GB 1461323 GB 1240687	Cephalosporin, oral	Infection, general
cefadroxil					
	5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[[aminophenylacetyl]amino]-3-methyl-8-oxo-, [CAS]	105879-42-3 15686-71-2	US 4775751	Cephalosporin, oral	Infection, respiratory tract, upper
cefalexin					

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
cefalexin pivoxil	5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[aminophenylacetyl]amino]-3-methyl-8-oxo-, (2,2-dimethyl-1-oxopropoxy)methyl ester, monohydrochloride, [6R-[6Alpha,7beta(R*)]]- [CAS]	27726-31-4		Cephalexosporin, oral	Infection, general
cefamandole	7-D-mandelamido-3[[[(1-methyl-1H-tetrazol-5-yl)thio]methyl]-3-cephem-4-carboxylic acid	34444-01-4	US 3641021	Cephalexosporin, injectable	Infection, general
cefatrizine	5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[[amino(4-hydroxyphenyl)acetyl]amino]-8-oxo-3-[(1H-1,2,3-triazol-4-ylthio)methyl]-, [6R-[6Alpha,7beta(R*)]]- [CAS]	51627-14-6	GB 1460914	Cephalexosporin, oral	Infection, general
Cefazedone		56187-47-4			
Cefazolin		25953-19-9			
Cefbuperazone		76610-84-9			
cefcapene pivoxil	7beta-[(Z)-2-(2-amino-4-thiazolyl)-2-pentenylamino]-3-carbamoyloxymethyl-3-cephem-4-carboxylic acid, pivaloyloxymethyl ester HCl- [CAS]	105889-45-0 105889-46-1	GB 2173194	Cephalexosporin, oral	Infection, respiratory tract, general
Cefclidini		105239-91-6			
cefclidini	5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[[[(2-amino-4-thiazolyl)(hydroxymino)acetyl]amino]-3-ethenyl-8-oxo-, [6R-[6Alpha,7beta(Z)]]- [CAS]	91832-40-5	EP 105459	Cephalexosporin, oral	Infection, dermatological
cefditoren pivoxil	5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[[[(2-amino-4-thiazolyl)(methoxymino)acetyl]amino]-3-[2-(4-methyl-5-thiazolyl)phenyl]-8-oxo-, (2,2-dimethyl-1-oxopropoxy)methyl ester, [6R-[3(Z),6Alpha,7beta(Z)]]- [CAS]	104145-95-1 104146-53-4 117467-28-4	JP 61178991	Cephalexosporin, oral	Infection, general

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
cefepime	Pyrrolidinium, 1-[[7-[[[(2-amino-4-thiazolyl)(methoxyimino)acetyl]amino]-2-carboxy-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-en-3-yl]methyl]-1-methyl-, hydroxide, inner salt, [6R-[6Alpha,7beta(Z)]]- [CAS]	107648-80-6 123171-59-5 88040-23-7	EP 531981	Cephalosporin, injectable	Infection, respiratory tract, lower
Cefetamet		65052-63-3			
cefetamet pivoxil	5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[[[(2-amino-4-thiazolyl)(methoxyimino)acetyl]amino]-3-methyl-8-oxo-, (2,2-dimethyl-1-oxopropoxy)methyl ester, monohydrochloride, [6R-[6Alpha,7beta(Z)]]- [CAS]	111696-23-2	GB 1581854	Cephalosporin, oral	Infection, general
ceftixime	5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[[[(2-amino-4-thiazolyl)(carboxymethoxyimino)acetyl]amino]-3-ethenyl-8-oxo-, [6R-[6Alpha,7beta(Z)]]- [CAS]	79350-37-1	EP 30630	Cephalosporin, oral	Infection, general
cefmenoxime	5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[[[(2-amino-4-thiazolyl)(methoxyimino)acetyl]amino]-3-[[[(1-methyl-1H-tetrazol-5-yl)thio]methyl]-8-oxo-, [6R-[6Alpha,7beta(Z)]]- [CAS]	65085-01-0 75738-58-8	GB 1536281	Cephalosporin, injectable	Infection, ocular
cefmetazole	5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[[[(cyanomethyl)thio]acetyl]amino]-7-methoxy-3-[[[(1-methyl-1H-tetrazol-5-yl)thio]methyl]-8-oxo-, (6R-cis)- [CAS]	56796-20-4 56796-39-5	GB 1449420	Cephalosporin, injectable	Infection, general
cefminox	5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[[[(2-amino-2-carboxyethyl)thio]acetyl]amino]-7-methoxy-3-[[[(1-methyl-1H-tetrazol-5-yl)thio]methyl]-8-oxo-, [6R-[6Alpha,7beta(Z)]]- [CAS]	84305-41-9	EP 24879	Cephalosporin, injectable	Infection, urinary tract

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
cefodizime	5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[[[(2-amino-4-thiazolyl)(methoxymino)acetyl]amino]-3-[[[5-(carboxymethyl)-4-methyl-2-thiazolyl]thio]methyl]-8-oxo-, [6R-[6Alpha,7(S,Z)]]- [CAS]	69739-16-8 86329-79-5	US 4590267	Cephalosporin, injectable	Infection, respiratory tract, lower
	5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[[[(hydroxyphenyl)acetyl]amino]-8-oxo-3-[[[1-(sulfoamethyl)-1H-tetrazol-5-yl]thio]methyl]-, disodium salt, [6R-[6Alpha,7(S,R*)]]- [CAS]	61270-78-8 61270-58-4	GB 1547473	Cephalosporin, injectable	Infection, general
cefoperazone	5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[[[(4-ethyl-2,3-dioxo-1-piperazinyl)carbonyl]amino](4-hydroxyphenyl)acetyl]amino]-3-[[[(1-methyl-1H-tetrazol-5-yl)thio]methyl]-8-oxo-, [6R-[6Alpha,7(S,R*)]]- [CAS]	62893-19-0 92739-15-6 60925-61-3	GB 1508071 US 4234579	Cephalosporin, injectable Antibiotic, other	Infection, general Infection, general
Ceforanide	5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[[[(2-amino-4-thiazolyl)(methoxyimino)acetyl]amino]-3-[[[2,3-dihydro-2-(2-hydroxyethyl)-3-imino-1H-pyrazol-1-yl]methyl]-8-oxo-, [6R-[6Alpha,7(S,Z)]]	122841-12-7 122841-10-5	EP 307804	Cephalosporin, injectable	Infection, general
cefotaxime	(6R,7R)-7-[[[(2-amino-4-thiazolyl)(methoxyimino)acetyl]amino]cephalosporanic acid sodium salt	64485-93-4 63527-52-6	GB 1580621	Cephalosporin, injectable	Infection, general
Cefotetan		69712-56-7			
cefotiam	5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[[[(2-amino-4-thiazolyl)acetyl]amino]-3-[[[1-[2-(dimethylamino)ethyl]-1H-tetrazol-5-yl]thio]methyl]-8-oxo-, (6R-trans)- [CAS]	61622-34-2 66309-69-1	US 4080498	Cephalosporin, injectable	Infection, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
cefotiam hexetil	1-(cyclohexyloxy)carbonyloxyethyl 7β-(2-(2-aminothiazol-4-yl)acetamido)-3-[[[1-(2-dimethylaminoethyl)-1H-tetrazol-5-yl]thio]methyl]ceph-3-em-4-carboxylate 2HCl [CAS]	95789-30-3	EP 128029	Cephalsporin, oral	Infection, respiratory tract, lower
cefoxitin	5-Thia-1-azabicyclo(4.2.0)oct-2-ene-2-carboxylic acid, 3-[[[amino]carbonyloxy)methyl]-7-methoxy-8-oxo-7-[(2-thienylacetyl)amino]-, monosodium salt, [6R-cis]- [CAS]	33564-30-6 35607-66-0	GB 1348984	Cephalsporin, oral	Infection, general
cefprozilan	Imidazo[1,2-b]pyridazinium, 1-[[7-[[[(5-amino-1,2,4-thiadiazol-3-yl)(methoxyimino)acetyl]amino]-2-carboxy-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-en-3-yl]methyl]-, hydroxide, inner salt, [6R-[6Apha,7β(Z)]]- [CAS]	113359-04-9	EP 203271	Cephalsporin, injectable	Infection, general
cefpirozole	Pyridinium, 1-[[2-carboxy-7-[[[(5-carboxy-1H-imidazol-4-yl)carbonyl]amino]phenylacetyl]amino]-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-en-3-yl]methyl]-4-(2-sulfoethyl)-, hydroxide, inner salt, [6R-[6Apha,7β(R*)]]- [CAS]	84880-03-5 85287-61-2	EP 60028	Cephalsporin, injectable	Infection, respiratory tract, general
cefpiramide	5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[[[(4-hydroxy-6-methyl-3-pyridinyl)carbonyl]amino](4-hydroxyphenyl)acetyl]amino]-3-[[[(1-methyl-1H-tetrazol-5-yl)thio]methyl]-8-oxo-, [6R-[6Apha,7β(R*)]]- [CAS]	70797-11-4	US 4156724	Cephalsporin, injectable	Infection, general
cefpime	5H-1-Pyridinium, 1-[[7-[[[(2-amino-4-thiazolyl)(methoxyimino)acetyl]amino]-2-carboxy-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-en-3-yl]methyl]-6,7-dihydro-, hydroxide, inner salt, [6R-[6Apha,7β(Z)]]- [CAS]	84957-29-9 96753-19-6	EP 64740	Cephalsporin, injectable	Infection, respiratory tract, lower
Cefpodoxime Proxetil		87239-81-4			

Table IV

API Gen. ric Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
cefprozil	5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[[amino(4-hydroxyphenyl)acetyl]amino]-8-oxo-3-(1-propenyl)-, [6R-[6Alpha,7(S)(R*)]]- [CAS]	92665-29-7 121123-17-9	GB 2173798	Cephalosporin, oral	Infection, dermatological
	5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[[amino-1,4-cyclohexadien-1-ylacetyl]amino]-3-methoxy-8-oxo-, [6R-[6Alpha,7(S)(R*)]]- [CAS]	51762-05-1	GB 1435111	Cephalosporin, oral	Infection, general
ceftriaxone	Pyridinium, 4-(aminocarbonyl)-1-[[2-carboxy-8-oxo-7-[[[phenylsulfonamido]amino]-5-thia-1-azabicyclo[4.2.0]oct-2-en-3-yl]methyl]-, hydroxide, inner salt, [6R-[6Alpha,7(S)(R*)]]- [CAS]	52152-93-9 62587-73-9	GB 1387656	Cephalosporin, injectable	Infection, pseudomonal
	Pyridinium, 1-[[7-[[[(2-amino-4-thiazolyl)](1-carboxy-1-methylethoxy)imino]acetyl]amino]-2-carboxy-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-en-3-yl]methyl]-, hydroxide, inner salt, [6R-[6Alpha,7(S)(R*)]]- [CAS]	72558-82-8 82547-58-8 26973-24-0	GB 2025398	Cephalosporin, injectable	Infection, respiratory tract, upper
ceftazidime					
Ceftazidime					
ceftibuten	5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[[2-(2-amino-4-thiazolyl)-4-carboxy-1-oxo-2-butenyl]amino]-8-oxo-, [6R-[6Alpha,7(S)(R*)]]- [CAS]	97519-39-6	EP 136721	Cephalosporin, oral	Infection, respiratory tract, lower
	5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[[[(2-amino-4-thiazolyl)(methoxymino)acetyl]amino]-8-oxo-, [6R-[6Alpha,7(S)(R*)]]- [CAS]	68401-81-0 68401-82-1	GB 1600735	Cephalosporin, injectable	Infection, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
cefprozime alapivoxil	5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[[[2-[(2-amino-1-oxopropyl)amino]-4-thiazolyl]](methoxymino)acetyl]amino]-8-oxo-, (2,2-dimethyl-1-oxopropoxy)methyl ester, monohydrochloride, [6R-[6Alpha,7S(Z')]]- [CAS]	113812-94-5 135767-36-1	JP 62209112	Cephalosporin, oral	Infection, general
ceftriaxone	5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[[[2-amino-4-thiazolyl]](methoxymino)acetyl]amino]-8-oxo-3-[[[1,2,5,6-tetrahydro-2-methyl-5,6-dioxo-1,2,4-triazin-3-yl]]thio]methyl]-, [6R-[6Alpha,7S(Z')]]- [CAS]	73384-59-5 74578-69-1	GB 2022090	Cephalosporin, injectable	Infection, respiratory tract, lower
cefuroxime axetil	5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 3-[[[aminocarbonyloxy]methyl]-7-[[2-furanyl(methoxymino)acetyl]amino]-8-oxo-, 1'-[acetyloxy]ethyl ester, [6R-[6Alpha,7S(Z')]]- [CAS]	15686-71-2 64544-07-6	GB 1571683	Cephalosporin, oral	Infection, respiratory tract, upper
cefuroxime	5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 3-[[[aminocarbonyloxy]methyl]-7-[[2-furanyl(methoxymino)acetyl]amino]-8-oxo-, [6R-[6Alpha,7S(Z')]]- [CAS]	55268-75-2 56238-63-2	GB 1453049	Cephalosporin, injectable	Infection, general
Cefuzonam		82219-78-1			
celecoxib	Benzenesulfonamide, 4-(5-(4-methylphenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl)- [CAS]	169590-42-5	US 5760068	Antiarthritic, other	Arthritis, rheumatoid
celceosvir	Butanoic acid, octahydro-1,7,8-trihydroxy-6-indoliziny ester, [1S-(1Alpha,6S,7Alpha,8S,8aS)]- [CAS]	121104-96-9	US 5017563	Antiviral, other	Infection, hepatitis virus, general
celiprolol	Urea, N'-[3-acetyl-4-{3-[(1,1-dimethylethyl)amino]-2-hydroxypropoxy]phenyl]-N,N-diethyl- [CAS]	56980-93-9 57470-78-7	GB 1441359	Antihypertensive, adrenergic	Angina, unstable
Cellulose Ethyl Hydroxyethyl Ether		9004-58-4			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Centchroman		31477-60-8			
	9,12-Epoxy-1H-diindolo[1,2,3-fg:3',2',1'-kilpyrrolo[3,4-ij][1,6]benzodiazocine-10-carboxylic acid, 5,16-bis((ethylthio)methyl)-2,3,9,10,11,12-hexahydro-10-hydroxy-9-methyl-1-oxo-, methyl ester, (9S,10R,12R)-[CAS]				
CEP-1347		156177-65-0	WO 9731002	Antiparkinsonian	Parkinson's disease
	9,12-Epoxy-1H-diindolo[1,2,3-fg:3',2',1'-kilpyrrolo[3,4-ij][1,6]benzodiazocine-1-one, 2,3,9,10,11,12-hexahydro-10-hydroxy-10-(hydroxymethyl)-9-methyl-, (9S,10S,12R)-[CAS]	111358-88-4			
CEP-701		23239-41-0			
Cephacetrile		483-17-0			
Cephalexine		15686-71-2			
Cephalexin		3577-1-3			
Cephaloglycin		50-59-9			
Cephaloridine		61-24-5			
Cephalosporin C		153-61-7			
Cephalothin		24356-60-3			
Cephapirin		38821-53-3			
Cephradine		145599-86-6			
Cerivastatin		111223-26-8			
Ceronapril		9005-49-6		Anticoagulant	Thrombosis, venous
certoparin	Heparin [CAS]	17650-98-5			
Ceruletide					
	Prosta-5,13-dien-1-oic acid, 11,15-dihydroxy-9-oxo-, (5Z,11Alpha,13E,-15S)-[CAS]	363-24-6		Formulation, dermal, topical	
Cerviprost		122-18-9			
Cetalkonium		34919-98-7			
Cetamolol		1794-74-7			
Cethexonium					

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
celtromycin	2H-Oxacyclotetradecino[4,3-d]oxazole-2,6,8,14(1H,7H,9H)-tetrone 4-ethyloctahydro-3a,7,9,11,13,15-hexamethyl-11-((3-(3-quinolinyl)-2-propenyl)oxy)-10-((3,4,6-trideoxy-3-(dimethylamino)-β-D-xylo-hexapyranosyl)oxy)-(3a S,4R,7R,9R,10R,11R,13R,15R,15aR)-[CAS]	205110-48-1	EP 929563	Macrolide antibiotic	Infection, respiratory tract, general
Cetiedil		14176-10-4			
Cetirizine		83881-51-0			
celirizine	Acetic acid, [2-[4-[(4-chlorophenyl)phenylmethyl]-1-piperazinyl]ethoxy]-, [CAS]	83881-51-0 83881-52-1	EP 58146	Antiallergic, non-asthma	Allergy, general
celirizine+pseudoephedrine	Acetic acid, [2-[4-[(4-chlorophenyl)phenylmethyl]-1-piperazinyl]ethoxy]-, dihydrochloride, Benzenemethanol, Alpha-[1-(methylamino)ethyl]-, hydrochloride, [S-(R*R*)]-	83881-52-1 90-82-4		Formulation, optimized, microencapsulate	Allergy, general
Cetoflamine		137-76-8			
Cetoxime		25394-78-9			
celraxale	Benzenepropanoic acid, 4-[[[4-(aminomethyl)cyclohexyl]carbonyl]oxy]-, trans-[CAS]	27724-96-5 34675-84-8	JP 48075547	Antiulcer	
Cetrimonium		57-09-0			
Cetrorelax		120287-85-6			
C tyldimethylethylamm onium		124-03-8			
Cetylpyridinium		123-03-5			
cavimeline	Spiro[1-azabicyclo[2.2.2]octane-3,5'-[1,3]oxathiolane], 2'-methyl-, cis- [CAS]	107220-27-9 107233-08-9	EP 205247	Stomatological	Sjogren's syndrome
CG-1521	7-phenyl-2,4,6-heptatrienyl/hydroxamic acid			Anticancer, other	Cancer, general
Chaulmoogric Acid		29106-32-9			
Chenodiol		474-25-9			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
CHF-3381			EP 951465	Analgescic, other	Pain, neuropathic
Chlophedianol		791-35-5			
Chloracizine		800-22-6			
		302-17-0			
chloral	1,1-Ethanediol, 2,2,2-trichloro- [CAS]	2218-68-0			
		515-82-2		Formulation, transmucosal, systemic	Insomnia
Chlorambucil		305-03-3			
Chloramine-B		127-52-6			
Chloramine-T		127-65-1			
Chloraminophenamide		121-30-2			
Chloramphenicol		56-75-7			
Chlorazaniil		500-42-5			
Chlorbenzoxamine		522-18-9			
Chlorbetamide		97-27-8			
Chlorcyclizine		82-93-9			
Chlordantoin		5588-20-5			
Chlordiazepoxide		58-25-3			
Chlorguanide		500-92-5			
Chlorhexadol		3563-58-4			
	2,4,11,13-Tetraazatetradecanedimidamide, N,N''-bis(4-chlorophenyl)-3,12-dilimino- [CAS]	55-56-1			
chlorthexidine				Formulation, other	Xerostomia, Periodontitis
Chlorisondamine		69-27-2			
Chlormadinone		302-22-7			
Chlormerodrin		62-37-3			
Chlormezanone		80-77-3			
Chlormidazole		3689-76-7			
Chlornaphazine		494-03-1			
Chlorazodin		502-98-7			
Chlorophyll		1406-65-1			
Chloroprednisone		52080-57-6			
Chloroprocaine		3858-89-7			
Chloropyramine		59-32-5			

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Chloroquine		54-05-7			
Chlorothen		148-65-2			
Chlorothiazide		58-94-6			
Chlorotrianisene		569-57-3			
Chloroxine		773-76-2			
Chloroxylenol		88-04-0			
Chlorozotocin		54749-90-5			
chlorphenamine	2-Pyridinepropanamine, Gamma-(4-chlorophenyl)-N,N-dimethyl- [CAS]	132-22-9		Formulation, modified-release, other	Allergy, general
Chlorphenesin		104-29-0			
		886-74-8			
Chlorpheniramine		132-22-9			
Chlorphenoxamide		3576-64-5			
Chlorphenoxamine		77-38-3			
Chlorphentermine		461-78-9			
Chlorproethazine		84-01-5			
Chlorproguanil		537-21-3			
chlorproguanil + dapsona	4,4'-Sulfonyldianiline + 1-(3,4-Dichlorophenyl)5-isopropylbiguanide	537-21-3 80-08-0		Antimalarial	Infection, malaria
Chlorpromazine		50-53-3			
Chlorpropamide		94-20-2			
Chlorprothixene		113-59-7			
Chlorquinidol		72-80-0			
Chlortetracycline		57-62-5			
Chlorthalidone		77-36-1			
Chlorthenoxazin(e)		132-89-8			
Chlorzoxazone		95-25-0			
Cholic Acid		81-25-4			
Choline		67-48-1			
		2016-36-6			
		28319-77-9			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
choline theophyllinate	Ethanaminium, 2-hydroxy-N,N,N-trimethyl-, salt with 3,7-dihydro-1,3-dimethyl-1H-purine-2,6-dione (1:1) [CAS]	4499-40-5		Formulation, modified-release, other	
	Ethanaminium, 2-[[[2,3-dihydroxypropoxy]hydroxyphosphinyl]oxy]-N,N,N-trimethyl-, hydroxide, inner salt, (R)-[CAS]				
choline-L-alfoscerate		28319-77-9	JP 55028955	Cognition enhancer	Amnesia
Chromocarb		4940-39-0			
Chromonar		804-10-4			
Chrysoidine		532-82-1			
CHS-828	Guanidine, N-[6-(4-chlorophenoxy)hexyl]-N'-cyano-N''-4-pyridinyl- [CAS]	200484-11-3	US 5696140	Anticancer, other	Cancer, general
CI-1031	Glycine, N-[2-[5-(aminoiminomethyl)-2-hydroxyphenoxy]-6-[3-(4,5-dihydro-1-methyl-1H-imidazol-2-yl)phenoxy]-3,5-difluoro-4-pyridinyl]-N-methyl- [CAS]	183305-24-0	WO 9638421	Antianginal	Angina, unstable
	Benzamide, 2-[(2-chloro-4-iodophenyl)amino]-N-(cyclopropylmethoxy) 3,4-difluoro- [CAS]				
CI-1040		212631-79-3	WO 9837881	Anticancer, other	Cancer, general
cibenzoline	1H-Imidazole, 2-(2,2-diphenylcyclopropyl)-4,5-dihydro- [CAS]	53267-01-9	GB 1417174	Antiarrhythmic	Arrhythmia, general
ciclesonide	Pregna-1,4-diene-3,20-dione 16,17-((cyclohexylmethylene)bis(oxy))-11-hydroxy-21-(2-methyl-1-oxopropoxy) (11 β ,16 α) [CAS]				
		126544-47-6	DE 4129535	Antiasthma	Asthma
cicletanine	Furo[3,4-c]pyridin-7-ol, 3-(4-chlorophenyl)-1,3-dihydro-6-methyl-, (+/-)- [CAS]	82747-56-6 89943-82-8			
ciclonicate	3-Pyridinecarboxylic acid, 3,3,5-trimethylcyclohexyl ester, trans- [CAS]	53449-58-4	DE 1910481	Vasodilator, peripheral	Cancer, lung, small cell
ciclopirox	2(1H)-Pyridinone, 6-cyclohexyl-1-hydroxy-4-methyl-, [CAS]	41621-49-2 29342-05-0	US 3883545	Antifungal	Infection, fungal, general
Ciclosidomine		66564-16-7			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
ciclosporin A	Ciclosporin A- [CAS]	59865-13-3		Formulation, optimized, microemulsion	Transplant rejection, general
cidofovir	Phosphonic acid, [[2-(4-amino-2-oxo-1(2H)-pyrimidinyl)-1-(hydroxymethyl)ethoxy]methyl]-, (S)- [CAS]	1113852-37-2	EP 253412	Antiviral, other	Infection, cytomegalovirus
Cifenline		53267-01-9			
	4H-Pyrido[3,2,1-jk]carbazol-11(8H)-one, 5,6,9,10-tetrahydro-10-[[2-methyl-1H-imidazol-1-yl)methyl]-, (R)- [CAS]	120635-74-7	EP 297651	GI inflammatory/bowel disorders	Irritable bowel syndrome
Cilastatin		82009-34-5			
	6H-Pyridazino[1,2-a][1,2]diazepine-1-carboxylic acid, 9-[[1-(ethoxycarbonyl)-3-phenylpropyl]amino]octahydro-10-oxo-, [1S-[1 α ,9 α (R*)]]- [CAS]	88768-40-5 90139-06-3	GB 2128984	Antihypertensive, renin system	Hypertension, general
cilazapril	Cyclo(L-arginylglycyl-L-Alpha-aspartyl-D-phenylalanyl-N-methyl-L-valyl) [CAS]	188968-51-6	EP 770622	Anticancer, other	Cancer, lung, non-small cell
cilengitide	3,5-Pyridinedicarboxylic acid, 1,4-dihydro-2,6-dimethyl-4-(3-nitrophenyl)-, 2-methoxyethyl 3-phenyl-2-propenyl ester- [CAS]	102106-21-8 132203-70-4	EP 161877	Antihypertensive, other	Hypertension, general
cilnidipine	Cis-4-cyano-4-[3-(cyclopentylloxy)-4-methoxyphenyl]cyclohexane-1-carboxylic acid	153259-65-5	US 5602157	COPD treatment	Chronic obstructive pulmonary disease
cilomilast					
cilostazol	2(1H)-Quinolirone, 6-[4-(1-cyclohexyl-1H-tetrazol-5-yl)butoxy]-3,4-dihydro-[CAS]	73963-72-1	GB 2033893	Antithrombotic	Peripheral vascular disease
Cimetidine		51481-61-9			
	3-Oxa-9-azoniatricyclo[3.3.1.0 ^{2,4}]nonane, 9-(cyclopropylmethyl)-7-(3-hydroxy-1-oxo-2-phenylpropoxy)-9-methyl-, [7(S)-(1 α ,2 α ,4 α ,5 α (R),7 α)]-[CAS]	51598-60-8	US 3853886	Antispasmodic	Muscle spasm, general
cimetropium					
	1-naphthalenemethanamine, Alpha-methyl-N-[3-(trifluoromethyl)phenyl]propyl]-, (AlphaR)-	354782-34-3		Hormone	Hyperparathyroidism
cinacalcet					

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Cinchonidine		485-71-2			
Cinchonine		118-10-5			
Cinchophen		132-60-5			
Cinepazet		23887-41-4			
Cinepazide		23887-46-9			
cinepazide	Piperazine, 1-[2-oxo-2-(1-pyrrolidinyl)ethyl]-4-[1-oxo-3-(3,4,5-trimethoxyphenyl)-2-propenyl]-, (Z)-2-butenedioate (1:1) [CAS]	26328-04-1	GB 1218591	Vasodilator, peripheral	Peripheral vascular disease
Cinitapride		56564-14-5			
Cinmetacin		20168-99-4			
Cinnamedrine		90-86-8			
Cinnarizine		298-57-7			
cinolazepam	1H-1,4-Benzodiazepine-1-propanenitrile, 7-chloro-5-(2-fluorophenyl)-2,3-dihydro-3-hydroxy-2-oxo- [CAS]	75696-02-5	DE 2950235	Hypnotic/Sedative	Insomnia
cinoxacin	[1,3]Dioxolo[4,5-g]cinnoline-3-carboxylic acid, 1-ethyl-1,4-dihydro-4-oxo-[CAS]	28657-80-9	GB 1296753	Quinolone antibacterial	Infection, urinary tract
Cinoxate		104-28-9			
Cinromide		58473-74-8			
Cioteronel		89672-11-7			
cipamfylline	1H-Purine-2,6-dione, 8-amino-1,3-bis(cyclopropylmethyl)-3,7-dihydro- [CAS]	132210-43-6	EP 389282	Antipruritic/inflamm, allergic	Eczema, atopic
cipralisant	1H-Imidazole, 4-[(1R,2R)-2-(5,5-dimethyl-1-hexynyl)cyclopropyl]- [CAS]	213027-19-1	US 6008240	Psychostimulant	Attention deficit disorder
ciprobifrate	Propanoic acid, 2-[4-(2,2-dichlorocyclopropyl)phenoxy]-2-methyl- [CAS]	52214-84-3	GB 1385828	Hypolipaeamic/Antiatherosclerosis	Hyperlipidaemia, general
ciprofloxacin	3-Quinolonecarboxylic acid, 1-cyclopropyl-6-fluoro-1,4-dihydro-4-oxo-7-(1-piperazinyl)- [CAS]	85721-33-1	US 4670444	Quinolone antibacterial	Infection, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
ciprofloxacin+fluocinolone, SAL	3-Quinolincarboxylic acid, 1-cyclopropyl-6-fluoro-1,4-dihydro-4-oxo-7-(1-piperazinyl)- + [6Alpha, 11beta, 16Alpha]-6,9-Difluoro-11,21-dihydroxy-16,17-[(1-methylethylidene)bis-(oxy)]-pregna-1,4-diene-3,20-dione				
Ciramadol		63269-31-8		Formulation, fixed-dose combinations	Otitis
cisapride	Benzamide, 4-amino-5-chloro-N-[1-[3-(4-fluorophenoxy)propyl]-3-methoxy-4-piperidinyl]-2-methoxy-, cis- [CAS]	81098-60-4	EP 76530	Gastroprokinetic	
cisatracurium	Isoquinolinium, 2,2'-[1,5-pentanediy]bis[oxy(3-oxo-3,1-propanediyl)]bis[1-[(3,4-dimethoxyphenyl)methyl]-1,2,3,4-tetrahydro-6,7-dimethoxy-2-methyl-, [1R-[1Alpha,2Alpha](1'R*,2'R*)]-, [CAS]	96946-42-8	US 5453510	Muscle relaxant	Surgery adjunct
cisplatin	Platinum, diamminedichloro-, (SP-4-2)- [CAS]	15663-27-1	US 4177263	Anticancer, alkylating	
citalopram	5-Isobenzofurancarboxonitrile, 1-[3-(dimethylamino)propyl]-1-(4-fluorophenyl)-, 1,3-dihydro- [CAS]	59729-32-7 59729-33-8	GB 1526331	Antidepressant	Depression, general
citicoline	Cytidine 5'-(trihydrogen diphosphate), P'-[2-(trimethylammonio)ethyl]ester, hydroxide, inner salt [CAS]	987-78-0	JP 39006541	Cognition enhancer	Infarction, cerebral
Citolone		1195-16-0			
Citric Acid		77-92-9			
Citrulline		372-75-8			
cizolirine	Ethanamine, N,N-dimethyl-2-[(1-methyl-1H-pyrazol-5-yl)phenylmethoxy]-, 2-hydroxy-1,2,3-propanetricarboxylate [CAS]	142155-44-0		Urological	Incontinence
CJ-13610	4-{3-[4-(2-Methyl-imidazol-1-yl)-phenylsulfanyl]-phenyl}-tetrahydro-pyran-4-carboxylic acid amide			COPD treatment	Chronic obstructive pulmonary disease

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
CKD-602	1H-Pyrano[3',4':6,7]indolizino[1,2-b]quinoline-3,14(4H,12H)-dione, 4-ethyl-4-hydroxy-11-[2-[(1-methylethyl)amino]ethyl]-, monohydrochloride, (4S)- [CAS]	213819-48-8	WO 9902530	Anticancer, other	Cancer, ovarian
cladribine	Adenosine, 2-chloro-2'-deoxy- [CAS]	4291-63-8	EP 173059	Anticancer, antimetabolite	Cancer, leukaemia, hairy cell
Clanobutin		30544-61-7			
clarithromycin	Erythromycin, 6-O-methyl- [CAS]	81103-11-9	EP 41355	Macrolide antibiotic	Infection, respiratory tract, lower
<i>Clavulanate, Disodium</i>					
Clavulanic Acid		58001-44-8			
Cleopride		55905-53-8			
Clemastine		15686-51-8			
Cl mizol		442-52-4			
Clenbuterol		37148-27-9			
Clentiazem		96125-53-0			
clevipidine	3,5-Pyridinedicarboxylic acid, 4-(2,3-dichlorophenyl)-1,4-dihydro-2,6-dimethyl-, methyl (1-oxobutoxy)methyl ester (±) [CAS]	167221-71-8	WO 9512578	Antihypertensive, other	Hypertension, general
clevudine	2,4(1H,3H)-Pyrimidinedione, 1-(2-deoxy-2-fluoro-β-L-arabinofuranosyl)-5-methyl- [CAS]	163252-36-6		Antiviral, other	Infection, hepatitis-B virus
Clidanac		28968-07-2			
Clidinium		3485-62-9			
Clinafloxacin		105956-97-6			
Clindamycin		18323-44-9			
clindamycin + tretinoin	L-threo-Alpha-D-galacto-Octopyranoside, methyl 7-chloro-6,7,8-trideoxy-6-[[[1-(methyl-4-propyl-2-pyrrolidinyl)carbonyl]amino]-1-thio-, (2S-trans)- + retinoic acid			Formulation, fixed-dose combinations	Acne

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
clindamycin	L-Threo-Alpha-D-galacto-octopyranoside, methyl 7-chloro-6,7,8-trideoxy-6-[[[(1-methyl-4-propyl-2-pyrrolidinyl)carbonyl]amino]-1-thio-, 2-(dihydrogen phosphate)], (2S-trans)-	18323-44-9 24729-96-2		Formulation, parenteral, other	Infection, gynaecological
Clinofibrate		30299-08-2			
Clinprost		88931-51-5			
clobazam	1H-1,5-Benzodiazepine-2,4(3H,5H)-dione, 7-chloro-1-methyl-5-phenyl- [CAS]	22316-47-8	GB 1214662	Anxiolytic	
Clobenfurol		3611-72-1			
Clobenoside		29899-95-4			
Clobenzepam		1159-93-9			
Clobenzorex		13364-32-4			
Clobenztropine		5627-46-3			
clobetasol	Pregna-1,4-diene-3,20-dione, 21-chloro-9-fluoro-11,17-dihydroxy-16-methyl-, (11S,16S)- [CAS]	25122-41-2		Formulation, dermal, topical	Psoriasis
clobetasone	Pregna-1,4-diene-3,11,20-trione, 21-chloro-9-fluoro-16-methyl-17-(1-oxobutoxy)-, (16S)- [CAS]	25122-57-0 54063-32-0	GB 1253831	Antipruritic/inflam, allergic	
Clobutinol		14860-49-2			
Clocapramine		47739-98-0			
Clocinizine		298-55-5			
Cloconazole		77175-51-0			
Clocortolone		4828-27-7			
clodronate	Phosphonic acid, (dichloromethylene)bis- [CAS]	22560-50-5		Osteoporosis treatment, Anticancer, hormonal	Pain, cancer, Hypercalcaemia of malignancy
Clodronic Acid		10596-23-3			
clofarabine	2-chloro-9-(2-deoxy-2-fluoro-β-D-arabinofurasonyl)adenine			Anticancer, antimetabolite	Cancer, leukaemia, chronic lymphocytic

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
clofazimine	3-(p-chloroanilo)-10-(p-chlorophenyl)-2,10-dihydro-2-(isopropylimino)-phenazine	2030-63-9		Formulation, optimized, microencapsulate	Infection, tuberculosis
Clofenamide		671-95-4			
Clofibrat		637-07-0			
Clofibric Acid		882-09-7			
Cloflucarban		369-77-7			
Clofoctol		37693-01-9			
Cloforex		14261-75-7			
Clomacran		5310-55-4			
Clomestrone		4091-75-2			
Clometacin		25803-14-9			
Clomethiazole		533-45-9			
Clometocillin		1926-49-4			
Clomiphene		911-45-5			
Clomipramine		303-49-1			
Clomocycline		1181-54-0			
clonazepam	2H-1,4-Benzodiazepin-2-one, 5-(2-chlorophenyl)-1,3-dihydro-7-nitro- [CAS]	1622-61-3	US 4316897	Antiepileptic	Epilepsy, general
clonidine	1H-Imidazol-2-amine, N-(2,6-dichlorophenyl)- 4,5-dihydro- [CAS]	4205-90-7	US 4060084	Formulation, transdermal, patch	Hypertension, general
Clonitazene		3861-76-5			
Clonitrate		2612-33-1			
Clonixin		17737-65-4			
Cloпамid		636-54-4			
Cloпenthixol		982-24-1			
Cloperastine		3703-76-2			
clotidogrel	Thieno[3,2-c]pyridine-5(4H)-acetic acid, Alpha-(2-chlorophenyl)-5,7-dihydro-, methyl ester, (S)- [CAS]	120202-48-4 90055-48-4 113665-84-2	EP 99802	Antithrombotic	Infarction, myocardial
Clopirac		42779-82-8			
Cloprednol		5251-34-3			
cloranolol	2-Propanol, 1-(2,5-dichlorophenoxy)-3-[[[1,1-dimethylethyl]amino]- [CAS]	39563-28-5 54247-25-5	US 4310549	Antihypertensive, adrenergic	

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Clorazepic Acid		23887-31-2			
Clorexolone		2127-1-7			
cloricromene	Acetic acid, [[8-chloro-3-[2-(diethylamino)ethyl]-4-methyl-2-oxo-2H-1-benzopyran-7-yl]oxy]-, ethyl ester [CAS]				
Clorindione		68206-94-0	US 4349566	Vasodilator, coronary	Peripheral vascular disease
Clorprenaline		1146-99-2			
Clort rmine		3811-25-4			
Clospirazine		10389-73-8			
Clostebol		24527-27-3			
Clothiapine		1093-58-9			
		2058-52-8			
clotiazepam	2H-Thieno[2,3-e]-1,4-diazepin-2-one, 5-(2-chlorophenyl)-7-ethyl-1,3-dihydro-1-methyl-[CAS]				
clotrimazole	1-[(2-chlorophenyl)diphenylmethyl]-1H-imidazole	33671-46-4	US 3849405	Anxiolytic	Anxiety, general
		23593-75-1	US 3705172	Antifungal	
clotrimazole + betamethasone	Pregna-1,4-diene-3,20-dione, 9-fluoro-11-hydroxy-16-methyl-17,21-bis(1-oxopropoxy)-, (11S,16S)-, mixt. with 1-[(2-chlorophenyl)diphenylmethyl]-1H-imidazole [CAS]				
Cloxacillin		92522-91-3		Formulation, fixed-dose combinations	Infection, fungal, general
		61-72-3			
cloxazolam	Oxazolol[3,2-d][1,4]benzodiazepin-6(5H)-one, 10-chloro-11b-(2-chlorophenyl)-2,3,7,11b-tetrahydro-, [CAS]				
Cloxtotestosterone		24166-13-0	US 3772371	Anxiolytic	
Cloxyquin		53608-96-1			
		130-16-5			
clozapine	5H-Dibenzo[b,e][1,4]diazepine, 8-chloro-11-(4-methyl-1-piperazinyl)-, [CAS]				
	Trans-2-[3-methoxy-4-(2-p-chlorophenylthio)ethoxy-5-(N'-methyl-N'-hydroxyureidyl)methylphenyl]-5-(3,4,5-trimethoxyphenyl)tetrahydrofuran	5786-21-0	US 3539573	Neuroleptic	Schizophrenia
CMI-392		193739-23-0	US 5648486	Antipsoriasis	Psoriasis

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
CMT-3	2-Naphthacenecarboxamide, 1,4,4a,5,5a,6,11,12a-octahydro-3,10,12,12a-tetrahydroxy-1,11-dioxo-, (4aS,5aR,12aS)- [CAS]	15866-90-7	US 5837696	Anticancer, other	Cancer, sarcoma, Kaposi's
CNI-1493	Decanediamide, N,N'-bis[3,5-bis(1-[[[aminoiminomethyl]hydrazono]ethyl]phenyl]-, tetrahydrochloride [CAS]	164301-51-3	US 5750573	Anti-inflammatory	Psoriasis
CNS-5161	N'-[2-chloro-5-(methylthio)phenyl]-N-methyl-N-[3-(methylthio)phenyl]guanidine [CAS]	160754-76-7	WO 9427591	Analgesic, other	Pain, neuropathic
Cobamamide		13870-90-1			
Cocaeethylene		529-38-4			
Cocaine		50-36-2			
Codeine		76-57-3			
		52-28-8			
CoFactor	5,10 methylene - tetrahydrofolate			Anticancer, antimetabolite	Cancer, colorectal
Colchicine		64-86-8			
colesevelam	1-Hexanaminium, N,N,N-trimethyl-6-(2-propenylamino)-, polymer with (chloromethyl)oxirane, 2-propen-1-amine and N-2-propenyl-1-decanamine, hydrochloride [CAS]	182815-44-7	US 5607669	Hypolipaeamic/Antiatherosclerosis	Hyperlipidaemia, general
colestilan	1H-Imidazole, 2-methyl-, polymer with (chloromethyl)oxirane [CAS]	95522-45-5	JP 59155421	Hypolipaeamic/Antiatherosclerosis	Hypercholesterolaemia
Colestipol		26658-42-4			
colforsin daropate	6-(3-dimethylaminopropionyl)forskolin-[CAS]	138605-00-2	EP 222413	Cardio stimulant	Heart failure
colfosceril	3,5,9-Trioxa-4-phosphapentacosan-1-aminium, 4-hydroxy-N,N-trimethyl-10-oxo-7-[(1-oxohexadecyl)oxy]-, hydroxide, inner salt, 4-oxide, (R)- [CAS]	63-89-8 99732-49-7	US 4826821	Lung Surfactant	Respiratory distress syndrome, infant
Collagraft		138331-02-9		Formulation, implant	Regeneration, bone
Colocynthin		1398-78-3			
Colpormon		1247-71-8			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
coluracetam	1-Pyrrolidineacetamide, 2-oxo-N-(5,6,7,8-tetrahydro-2,3-dimethylfuro[2,3-b]quinolin-4-yl)- [CAS]	135463-81-9	EP 427636	Cognition enhancer	Alzheimer's disease
combrelistatin A-4 prodrug	disodium combrelistatin-A-4-3-O-phosphate				
compound B, Pharmacor				Anticancer, other	Cancer, thyroid
			US 6362165	Antiviral, anti-HIV	Infection, HIV/AIDS
conivaptin	[1,1'-Biphenyl]-2-carboxamide, N-[4-[(4,5-dihydro-2-methylimidazo[4,5-d][1-benzazepin-6(1H)-yl)carbonyl]phenyl]-, [CAS]	168626-94-6	WO 9503305	GI inflammatory/bowel disorders	Hyponatraemia
Connetivina	Hyaluronic acid [CAS]	9004-61-9		Vulnerary	
Convallatoxin		508-75-8			
Coparaffinate		8001-60-3			
<i>Corticorelin Ovine Trifluate</i>					
Corticosterone		50-22-6			
Cortisone		53-06-5			
Cortivazol		1110-40-3			
Cosyntropin		16960-16-0			
Cotarnine		82-54-2			
Cotinine		486-56-6			
	Benzenesulfonamide, 4-amino-N-2-pyrimidinyl-, mixt. with 5-[(3,4,5-trimethoxyphenyl)methyl]-2,4-pyrimidinediamine [CAS]				
co-trimazine		39474-58-3		Trimethoprim and analogues	Infection, urinary tract
Coumetarol		4366-18-1			
	1H-Indene-3-acetamide, 5-fluoro-2-methyl-N-(phenylmethyl)-1-[(3,4,5-trimethoxyphenyl)methylene], (1Z)-[CAS]				
CP-248		200803-37-8	WO 9747303	Anticancer, other	Barrett's oesophagus
CP-461			US 5948779	Anticancer, other	Cancer, prostate
CPC-211	Acetic acid, dichloro-, sodium salt [CAS]	2156-56-1		Neuroprotective	Acidosis, lactic
CPI-1189	CPI 1189 [CAS]	210475-67-5	WO 9631462	Cognition enhancer	Dementia, AIDS-related
CRA-0450			WO 0202549	Anxiolytic	Unspecified

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
creatinol-O-phosphate	Guanidine, N-methyl-N-[2-(phosphonoxy)ethyl]- [CAS]	6903-79-3		Antianginal	
CRL-5861	Oxirane, methyl-, polymer with oxirane, block [CAS]	106392-12-5	US 4837014	Antisickling	Anaemia, sickle cell
crobenetine	(2R,6S)-3-[2(S)-Benzyloxypropyl]-6,11,11-trimethyl-1,2,3,4,5,6-hexahydro-2,6-methano-3-benzazocin-10-ol				
croconazole	1H-Imidazole, 1-[1-[2-(3-chlorophenyl)methoxy]phenylethynyl]- [CAS]	77175-51-0	DE 3021467	Antifungal	Infection, fungal, general
cromoglicic acid	4H-1-Benzopyran-2-carboxylic acid, 5,5'-[[2-hydroxy-1,3-propanediyl]bis(oxy)]bis(4-oxo- [CAS]	53736-52-0		Formulation, mucosal, topical	Conjunctivitis
cromolyn	4H-1-Benzopyran-2-carboxylic acid, 5,5'-[[2-hydroxy-1,3-propanediyl]bis(oxy)]bis(4-oxo-, [CAS]	15826-37-6 16110-51-3		Formulation, inhalable, solution	Asthma
Cropropamide		633-47-6			
Crotamiton		483-63-6			
Crotethamide		6168-76-9			
Crystacide	□		US 4557935	Formulation, dermal, topical	Infection, dermatological
CS-502			EP 799823	Analgesic, other	Pain, general
CS-758	4-[(1E,3E)-4-{trans-5-[(1R,2R)-2-(2,4-difluorophenyl)-2-hydroxy-1-methyl-3-(1H-1,2,4-triazol-1-yl)propyl]thio]-1,3-dioxan-2-yl]-1,3-butadienyl]-3-fluorobenzonitrile			Antifungal	Infection, fungal, general
CS-834	1-Azabicyclo[3.2.0]hept-2-ene-2-carboxylic acid, 6-[(1R)-1-hydroxyethyl]-4-methyl-7-oxo-3-[(3R)-5-oxo-3-pyrrolidinylthio]-, (2R,4R,5S,6S)- [CAS]	157542-49-9	EP 599512	Beta-lactam antibiotic	Infection, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
CT-052923	[(2H-benzod[1,3-dioxalan-5-methyl]amino)[4-(6,7-dimethoxyquinazolin-4-yl)piperazinyl]methane-1-thione			Cardiovascular	Restenosis
CT-3228	N-(4-bromophenyl)-6-(5-chloro-2-methylphenyl)-[1,3,5]triazine-2,4-diamine			Anticancer, other	Cancer, general
Cupric Citrate		866-82-0			
Cuproxoline		13007-93-7			
CVT-2584	Ethanol, 2,2'-[[6-[[[4-methoxyphenyl)methyl]amino]-9-(1-methylethyl)-9H-purin-2-yl]imino]bis-[CAS]	199986-75-9	WO 9805335	Cardiovascular	Restenosis
CX-659S	[(S)-6-amino-5-(6-hydroxy-2,5,7,8-tetramethylchroman-2-carboxamido)-3-methyl-1-phenyl-2,4-(1H,3H)-pyrimidinedione				
Cyacetacide		140-87-4		Dermatological	Eczema, general
Cyamemazine		3546-03-0			
Cyanidin		528-58-5			
CYC400			WO 00172745	Anticancer, other	Cancer, general
Cyclacillin		3485-14-1			
Cyclandelate		456-59-7			
Cyclazocine		3572-80-3			
Cyclexanone		15301-52-7			
Cyclexedrine		532-52-5			
cyclidrol	3-Cyclohexene-1-methanol, 5-hydroxy-				
cyclin D1 inhibitors	Alpha,Alpha,4-trimethyl- [CAS]	498-71-5		COPD treatment, Respiratory	Bronchitis, chronic
Cyclizine		82-92-8	US 6033843	Anticancer, hormonal	Cancer, breast
Cyclobarbital		52-31-3			
Cyclobenzazone		31431-43-3			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
cyclobenzaprine	1-Propanamine, 3-(5H-dibenzo[a,d]cyclohepten-5-ylidene)-N,N-dimethyl-[CAS]	303-53-7		Formulation, modified-release, other	Muscle spasm, general
Cyclobutylrol		512-16-3			
Cyclocumamol		518-20-7			
Cyclodrine		52109-93-0			
Cyclofenil		2624-43-3			
Cycloguanil		516-21-2			
Cyclomethycaine		139-62-8			
Cyclonium Iodide		6577-41-9			
Cyclopentamine		102-45-4			
Cyclopenthiiazide		742-20-1			
Cyclopentobarbital		76-68-6			
Cyclopentolate		512-15-2			
cyclophosphamide	N,N-Bis(2-chloroethyl)tetrahydro-2H-1,3,2-oxazaphosphorin-2-amine-2-oxide monohydrate	50-18-0 6055-19-2		Formulation, parenteral, targeted	Cancer, general
cyclopiroxalamine	2(1H)-Pyridinone, 6-cyclohexyl-1-hydroxy-4-methyl-, compd with 2-aminoethanol(1:1) [CAS]	41621-49-2		Formulation, transdermal, other	Vaginitis
Cycloserine		68-41-7			
Cyclothiazide		2259-96-3			
Cyclovalone		579-23-7			
Cymarlin		508-77-0			
cymserine	Carbamic acid, [4-(1-methylethyl)phenyl]-, (3aS,8aR)-1,2,3,3a,8,8a-hexahydro-1,3a,8-trimethylpyrrolo[2,3-b]indol-5-yl ester [CAS]	145209-39-8	WO 9902154	Cognition enhancer	Alzheimer's disease
Cynarin(e)		30964-13-7	US 6063606	Dermatological	Unspecified
CYP26 inhibitors		129-03-3			
Cyproheptadine	(13,23)-6-Chloro-1,2-dihydro-17-hydroxy-3'H-cyclopropa[1,2]pregna-1,4,6-triene-3,20-dione [CAS]	2098-66-0		Radio/chemoprotective	Chemotherapy-induced injury, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Cysteamine		60-23-1			
cystic fibrosis therapy	[4-[3-[[4-[1-(4-hydroxyphenyl)-1-methylethyl]phenoxy]methyl]phenyl]methoxy]phenyl]iminomethyl-, ethyl ester			Cystic fibrosis treatment	Cystic fibrosis
cytarabine	2(1H)-Pyrimidinone, 4-amino-1-[5-O-[hydroxy(octadecyloxy)phosphinyl]-β-D-arabinofuranosyl]-, [CAS]	65093-40-5 147-94-4	EP 239015	Anticancer, antimetabolite	Myelodysplastic syndrome
D-24851	N-(Pyridin-4-yl)-(1-(4-chlorobenzyl)-indol-3-yl)-glyoxyl-amine			Anticancer, other	Cancer, general
D-4418	8-Methoxyquinoline-5-[N-(2,5-dichloropyridin-3-yl)]carboxamide			Antiasthma	Asthma
DA-5018	Benzeneacetamide, 4-(2-aminoethoxy)-N-(3-(3,4-dimethylphenyl)propyl)-3-methoxy-, monohydrochloride [CAS]	174661-97-3	US 5242944	Analgesic, other	Pain, musculoskeletal
DA-6034			US 6025387	GI inflammatory/bowel disorders	Crohn's disease
DA-7867			KR 9957803	Antibacterial, other	Infection, general
DA-7911			KR 56034	Antiarthritic, other	Arthritis, rheumatoid
DA-8159	3-(1-Methyl-7-oxo-3-propyl-6,7-dihydro-1H-pyrazolo-[4,3-d]pyrimidin-5-yl)-N-[2-(1-methylpyrrolidin-2-yl)ethyl]-4-propoxybenzenesulfonamide				Sexual dysfunction, male, general
Dacarbazine		4342-3-4	KR 353014	Male sexual dysfunction	
Daclizumab		152923-56-3			
Dactinomycin		50-76-0			
dalbavancin	5,31-Dichloro-38-de(methoxycarbonyl)-7-demethyl-19-deoxy-56-O-[2-deoxy-2-(10-methylundecanamido)-β-D-glucopyranosyl]-38-[N-[3-(dimethylamino)propyl]carbamoyl]-42-O-Alpha-D-mannopyranosyl-N15-methylristomycin A aglycone	171500-79-1		Peptide antibiotic	Infection, dermatological
Dalfopristin		112362-50-2			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
	Virginiamycin M1, 26-(2-(diethylamino)ethyl)sulfonyl)-26,27-dihydro-, (26R,27S)-, mixt with 4-(4-(dimethylamino)-N-methyl-L-phenylalanine)-5-(5-((1-azabicyclo(2.2.2)oct-3-ylthio)methyl)-4-oxo-L-2-piperidinecarboxylic acid)				
dalfopristin + quinupristin	virginiamycin S1- [CAS]	126602-89-9	EP 248703	Antibiotic, other	Infection, respiratory tract, general
dalteparin	Heparin-, [CAS]	9041-08-1	US 4303651	Anticoagulant	Thromboprophylaxis
Daltroban		79094-20-5			
δ-Aminolevulinic Acid		106-60-5			
danaparoid			EP 66908	Anticoagulant	Thrombosis, venous
danazol	Pregna-2,4-dien-20-yno[2,3-d]isoxazol-17-ol, (17 α)- [CAS]	17230-88-5	GB 905844	Menstruation disorders	
Danthron		117-10-2			
Dantrolene		7261-97-4			
dapiprazole	1,2,4-Triazol[4,3-a]pyridine, 5,6,7,8-tetrahydro-3-[2-[4-(2-methylphenyl)-1-piperazinyl]ethyl]- [CAS]	72822-12-9 72822-13-0	US 4252721	Ophthalmological	Glaucoma
	4-[[4-(2,4,6-trimethylphenyl)amino]pyrimidin-2-yl]amino]benzonitrile				
dapivirine	244767-67-7			Antiviral, anti-HIV	Infection, HIV/AIDS
dapoxetine	(+)-(S)-N,N-dimethyl- α -[2-(1-naphthyl-oxy)ethyl]benzylamine HCl	119356-77-3	EP 288188	Male sexual dysfunction	Premature ejaculation
dapsone	4,4'-Sulfonyldianiline	80-08-0		Formulation, dermal, topical	Acne
daptomycin	Daptomycin [CAS]	103060-53-3	EP 178152	Peptide antibiotic	Infection, dermatological
<i>Darbepoetin Alfa</i>					
darifenacin	3-Pyrrolidineacetamide, 1-[2-(2,3-dihydro-5-benzofuranylethyl)- α -Alphadiphenyl-, (S)- [CAS]	133099-04-4	EP 388054	Urological	Overactive bladder
daunorubicin	5,12-Naphthacenedione, 8-acetyl-10-[(3-amino-2,3,6-trideoxy- α -Alphal-lyxohexopyranosyl)oxy]-7,8,9,10-tetrahydro-6,8,11-trihydroxy-1-methoxy-, (8S-cis)-[CAS]				
		20830-81-3	US 5441745	Formulation, optimized, liposomes	Cancer, sarcoma Kaposi's

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
DAX, SciClone	3-diallyl-8-cyclohexylxanthine			Cystic fibrosis treatment	Cystic fibrosis
DB-67	7-tert-Butyldimethylsilyl-10-hydroxycamptothecin			Anticancer, other	Cancer, general
d-Camphocarboxylic Acid		18530-30-8			
DCF-987	Dextran		US 5514665	Formulation, other	Cystic fibrosis
DDT		50-29-3			
Deaminoxycytosin		113-78-0			
Deanol		108-01-0			
Debrisoquin		1131-64-2			
Decamethonium		541-22-0			
Decimemide		14817-09-5			
deciabine	1,3,5-Triazin-2(1H)-one, 4-amino-1-(2-deoxy-β-D-erythro-pentofuranosyl)-[CAS]	23339-46-0		Anticancer, antimetabolite	Myelodysplastic syndrome
declopramide	Benzamide, 4-amino-3-chloro-N-(2-(diethylamino)ethyl)- [CAS]	2353-33-5			
Deferiprone		891-60-1	WO 9732582	Anticancer, other	Cancer, colorectal
D feroxamine		30652-11-0			
		70-51-9			
deflazacort	5H-Pregna-1,4-dieno[17,16-d]oxazole-3,20-dione, 21-(acetyloxy)-11-hydroxy-2'-methyl-, (11β,16β)- [CAS]	14484-47-0			
		74712-90-6	GB 1077393	Hormone	Asthma
Defosfamide		3733-81-1			
	N-acetyl-3-(naphthalen-2-yl)-D-alanyl-4-chloro-D-phenylalanyl-3-(pyridin-3-yl)-D-alanyl-L-seryl-4-[[[(4S)-2,6-dioxohexahydropyrimidin-4-yl]carbonylamino]-L-phenylalanyl-4-(carbamoylamino)-D-phenylalanyl-L-leucyl-N6-(1-methylethyl)-L-lysyl-L-prolyl-D-alaninamide				
degarelix	L-threo-2,3-Hexodiulosonic acid gamma-lactone	214766-78-6		Anticancer, hormonal	Cancer, prostate
dehydroascorbic acid		490-83-5		Cognition enhancer	Alzheimer's disease
Dehydrocholic Acid		81-23-2			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Dehydroemetine		4914-30-1			
delapril	Glycine, N-(2,3-dihydro-1H-inden-2-yl)-N-[N-[1-(ethoxycarbonyl)-3-phenylpropyl]-L-alanyl]-, (S)- [CAS]	83435-66-9 83435-67-0	EP 51391	Antihypertensive, renin system	Hypertension, general
delapril+manidipine	Glycine, N-(2,3-dihydro-1H-inden-2-yl)-N-[N-[1-(ethoxycarbonyl)-3-phenylpropyl]-L-alanyl]-, (S)-3,5-Pyridinedicarboxylic acid, 1,4-dihydro-2,6-dimethyl-4-(3-nitrophenyl)-, 2-[4-(diphenylmethyl)-1-piperazinyl]ethyl methyl ester [CAS]		FR 2733911	Formulation, fixed-dose combinations	Hypertension, general
delavirdine	Piperazine, 1-[3-[(1-methylethyl)amino]-2-pyridinyl]-4-[5-[(methylsulfonyl)amino]-1H-indol-2-yl]carbonyl- [CAS]	136817-59-9 13698-49-2 79874-76-3	WO 9109849	Antiviral, anti-HIV	Infection, HIV/AIDS
Delmadinone					
Delmopinol					
delorazepam	2H-1,4-Benzodiazepin-2-one, 7-chloro-5-(2-chlorophenyl)-1,3-dihydro- [CAS]	2894-67-9	CH 408029	Anxiolytic	
delucemine	3,3-Bis-(m-fluorophenyl)-N-methylpropylamine [CAS]	186495-99-8		Neuroprotective	Ischaemia, cerebral
Demanyl		6909-62-2			
D m carium		56-94-0			
	2-Naphthacenecarboxamide, 7-chloro-4-(dimethylamino)-1,4,4a,5,5a,6,11,12a-octahydro-3,6,10,12,12a-pentahydroxy-1,11-dioxo-, [4S-(4Alpha,4aAlpha,5aAlpha,6R,12aAlpha)]-[CAS]	127-33-3 477-30-5 10116-22-0 24701-51-7		Formulation, modified-release, <=24hr	Infection, general
demeclocycline					
Demecolcine					
Demegestone					
Demexiptiline					
denaverine	Benzeneacetic acid, Alpha-(2-ethylbutoxy)-Alpha-phenyl-, 2-(dimethylamino)ethyl ester, [CAS]	3321-06-0 173146-27-5 71771-90-9	DE 4133785	Analgesic, NSAID	Pain, musculoskeletal
Denil ukin Diffitox					
D nopamine					

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Denopterin		22006-84-4			
Deoxycholic Acid		83-44-3			
Deoxycorticosterone		64-85-7			
		56-47-3			
Deoxydihydrostreptomycin		26086-49-7			
Deoxyepinephrine		501-15-5			
D-proline		161982-62-3			
desipipride	L-Valine, N-[(3S,4E)-3-hydroxy-7-mercapto-1-oxo-4-heptenyl]-D-valyl-D-cysteinyl-(2Z)-2-amino-2-butenoyl-, (4-1)-lactone, cyclic (1-2)-disulfide [CAS]	128517-07-7	EP 352646	Anticancer, antibiotic	Cancer, general
Deptropine		604-51-3			
Dequalinium		522-51-0			
desalazine	Benzoic acid, 2-hydroxy-5-[4-{3-[4-(2-methyl-1H-imidazol[4,5-c]pyridin-1-yl)methyl]-1-piperidinyl}-3-oxo-1-phenyl-1-propenyl]phenylazo] (Z) [CAS]	188913-57-7 188913-58-8	US 5747477	Anti-inflammatory	Colitis, ulcerative
Deserpidine		131-01-1			
desferrioxamine	Butanediamide, N'-[5-[4-{5-(acetylhydroxyamino)pentylamino]-1,4-dioxobutyl]hydroxyamino]pentyl]-N-(5-aminopentyl)-N-hydroxy- [CAS]	70-51-9		Antidote	Poisoning, metal
Desflurane		57041-67-5			
Desipramine		50-47-5			
Deslanoside		17598-65-1			
desloratadine	5H-Benzo(5,6)cyclohepta(1,2-b)pyridine, 8-chloro-6,11-dihydro-11-(4-piperidinylidene) [CAS]	100643-71-8	US 5595997	Antiallergic, non-asthma	Rhinitis, allergic, perennial
deslorelin	Luteinizing hormone-releasing factor (pig), 6-D-tryptophan-9-(N-ethyl-L-prolinamide)-10-deglycinamide- [CAS]	57773-65-6	US 4034082	Releasing hormones	Cancer, prostate
desmopressin	Vasopressin, 1-(3-mercaptothiopropanoic acid)-8-D-arginine- [CAS]	16679-58-6	DE 2948345	Hormone	Enuresis
Desogestrel		54024-22-5			

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
desogestrel + estradiol	Estra-1,3,5(10)-triene-3,17-diol (17β)-mixt. with (17α)-13-ethyl-11-methylene-18,19-dinorpregn-4-en-20-yn-17-ol [CAS]	122364-17-4		Menopausal disorders	Hormone replacement therapy
desogestrel, Akzo Nobel	18,19-Dinorpregn-4-en-20-yn-17-ol, 13-ethyl-11-methylene-, (17α)- [CAS]	54024-55-5		Formulation, oral, other	Contraceptive, female
desogestrel+ethinylestrad (1)	18,19-Dinorpregn-4-en-20-yn-17-ol, 13-ethyl-11-methylene-, (17α)- [CAS]	54024-22-5 71138-35-7	US 3927046	Formulation, oral, other	Contraceptive, female
Desomorphine		427-00-9			
Desonide		638-94-8			
Desoximetasone		382-67-2			
Detaxtran		9015-73-0			
Devacade			WO 9308176	Analgesic, other	Pain, general
dexamethasone	Pregna-1,4-diene-3,20-dione, 9-fluoro-11,17,21-trihydroxy-16-methyl-, (11β, 16α)- [CAS]	50-02-2 2392-39-4 312-93-6		Formulation, other	Inflammation, ocular
dexanabinol	6H-Dibenzof. dipyran-9-methanol, 3-(1,1-dimethylheptyl)-6a,7,10,10a-tetrahydro-1-hydroxy-6,6-dimethyl-, (6aS-trans)- [CAS]			Neuroprotective	Head trauma
dexecadolril	Glycine, N-[2-[(acetylthio)methyl]-1-oxo-3-phenylpropyl]-, phenylmethyl ester, (R)- [CAS]	112573-72-5	EP 318377	Alimentary/Metabolic, other	Unspecified
dexelaroxan	1H-Imidazole, 2-(2-ethyl-2,3-dihydro-2-benzofuranyl)-4,5-dihydro- [CAS]	89197-00-2 89197-32-0	EP 71368	Cognition enhancer	Alzheimer's disease
Dexetimide		21888-98-2			
dexibuprofen	Benzeneacetic acid, Alpha-methyl-4-(2-methylpropyl)-, (AlphaS)- [CAS]	51146-56-6		Analgesic, NSAID	Pain, general
dexketoprofen	Benzeneacetic acid, 3-benzoyl-Alpha-methyl-, (S)- [CAS]	22161-81-5		Anti-inflammatory	Inflammation, general
dexloxiglumide	Pentanoic acid, 4-[(3,4-dichlorobenzoyl)amino]-5-[(3-methoxypropyl)pentylamino]-5-oxo-, (R)- [CAS]	119817-90-2	EP 0344184	GI inflammatory/bowel disorders	Irritable bowel syndrome
dexmedetomidine	1H-Imidazole, 4-[1-(2,3-dimethylphenyl)ethyl]-, (R)- [CAS]	113775-47-6 86347-15-1	EP 187471	Hypnotic/Sedative	Anaesthesia

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
dexmethylphenidate	2-Piperidineacetic acid, Alpha-phenyl-, methyl ester, (AlphaR,2R)-	19262-68-1		Psychostimulant	Attention deficit disorder
Dexpanthenol		81-13-0			
dexrazoxane	2,6-Piperazinedione, 4,4'-(1-methyl-1,2-ethanediyl)bis-, (S)- [CAS]	24584-09-6	DE 1910283	Radio/chemoprotective	Chemotherapy-induced injury, general
Dextran-1	Dextran [CAS]	9004-54-0		Plasma substitute	
Dextranomer		56087-11-7			
Dextroamphetamine		51-64-9			
dextromethorphan	Morphinan, 3-methoxy-17-methyl-, (9Alpha,13Alpha,14Alpha)-, [CAS]	6700-34-1			
Dextromoramide		125-71-3	US 4221788	Formulation, oral, other	Cough, Emotional lability
		357-56-2			
dextropropoxyphene	Benzeneethanol, Alpha-[2-(dimethylamino)1-methylethyl]-Alpha-phenyl-, propanoate (ester), [S-(R*,S*)]- [CAS]	469-62-5		Formulation, modified-release, other	Pain, general
Dezocine		53648-55-8			
DF-1012	N-Tropyl 7-azaindol-3-ylcarboxamide	163220-65-3	WO 9504742	Respiratory	Respiratory disease, general
DFA-IV	di-D-fructofuranose 2,6':6,2' dianhydride				
d-Fenchone		4695-62-9	US 5700832	Antianaemic	Anaemia, aplastic
D-Glucuronolactone		32449-92-6			
Diab II	Diab II	309956-85-2	US 6153632	Antidiabetic	Diabetes, Type II
diacerein	2-Anthracenecarboxylic acid, 4,5-bis(aceytoxy)-9,10-dihydro-9,10-dioxo- [CAS]	13739-02-1	US 4244968	Antiartihritic, other	Arthritis, rheumatoid
Diampromide		552-25-0			
Diamthazole		136-96-9			
Diathymosulfone		5964-62-5			
Diatrizoate		737-31-5			
diazepam	2H-1,4-Benzodiazepin-2-one, 7-chloro-1,3-dihydro-1-methyl-5-phenyl- [CAS]	439-14-5		Formulation, transmucosal, systemic	Anxiety, epilepsy, general
Diaziquone		57998-68-2			
Diazoxide		364-98-7			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
dibekacin	D-Streptamine, O-3-amino-3-deoxy-Alpha-D-glucopyranosyl-(1-6)-O-[2,6-diamino-2,3,4,6-tetra-deoxy-Alpha-D-erythro-hexopyranosyl-(1-4)]-2-deoxy-, sulfate (salt)[CAS]	34493-98-6 58580-55-5	GB 1349302	Aminoglycoside antibiotic	Infection, general
Dibenzepin		4498-32-2			
Dibromopropamidine		496-00-4			
Dibucaine		61-12-1			
Dichloralphenazone		480-30-8			
Dichloramine T		473-34-7			
Dichlorisone		7008-26-6			
Dichlorobenzyl Alcohol		1777-82-8			
Dichlorophen		97-23-4			
Dichlorophenarsine		536-29-8			
Dichlorophenamide		120-97-8			
diclofenac + HA	Hyaluronic acid + benzenecarboxylic acid, 2-[(2,6-dichlorophenyl)amino]-, [CAS]			Formulation, transdermal, systemic	Keratosis
diclofenac	Benzenecarboxylic acid, 2-[(2,6-dichlorophenyl)amino]-, [CAS]	15307-79-6 15307-86-5 15307-81-0		Formulation, modified-release, <=24hr	Pain, general
Dicloxacillin		3116-76-5			
Dicumarol		66-76-2			
Dicyclomine		77-19-0			
didanosine	Inosine, 2',3'-dideoxy-, [CAS]	69655-05-6	US 4861759	Antiviral, anti-HIV	Infection, HIV/AIDS
Dideoxyadenosine		4097-22-7			
didox	Benzamide, N,3,4-trihydroxy-, [CAS]	69839-83-4	US 4263322	Anticancer, antimetabolite	Cancer, general
Dienestrol		84-17-3			
dienogest	19-Norpregna-4,9-diene-21-nitrile, 17-hydroxy-3-oxo-, (17Alpha)-, [CAS]	65928-58-7	GB 1524917	Menstruation disorders	Endometriosis
dienogest+estradiol	19-Norpregna-4,9-diene-21-nitrile, 17-hydroxy-3-oxo-, (17Alpha)- + Estradiol, 1,3,5(10)-triene-3,17-diol(17B)				
Diethadione		702-54-5		Formulation, fixed-dose combinations	Contraceptive, female
Diethazine		60-91-3			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Diethylbromoacetamide		511-70-6			
Diethylcarbamazine		90-89-1			
diethylpropion	1-Propanone, 2-(diethylamino)-1-phenyl-[CAS]	90-84-6		Formulation, modified-release, <=24hr	Obesity
Diethylstilbestrol		56-53-1			
Difemerine		80387-96-8			
Difenamizole		20170-20-1			
Dif noxin		28782-42-5			
Difenpiramide		51484-40-3			
diflomotecan	(5R)-5-Ethyl-9,10-difluoro-1,4,5,13-tetrahydro-5-hydroxy-3H,15H-oxepino[3',4':6,indolizino[1,2-b]quinoline-3,15-dione				
diflomotecan		220997-97-7		Anticancer, other	Cancer, general
diflorasone	Pregna-1,4-diene-3,20-dione, 17,21-bis(acetyloxy)-6,9-difluoro-11-hydroxy-16-methyl-, (6Alpha,11beta,16beta)- [CAS]	33564-31-7 2557-49-5	US 3980778	Antipsoriasis	
Difloxacin		98106-17-3			
Diflucortolone		2607-6-9			
diflunisal	2',4'-difluoro-4-hydroxy[1,1'-biphenyl]-3-carboxylic acid	23674-86-4 22494-42-4	GB 1175212	Analgesic, NSAID	Pain, post-operative
Difluprednate		23674-86-4			
Digitalin		752-61-4			
Digitoxin		71-63-6			
digoxin	Card-20(22)-enolide, 3-[(O-2,6-dideoxy-beta-D-ribo-hexopyranosyl-(1-4)-O-2,6-dideoxy-beta-D-ribo-hexopyranosyl-(1-4))-2,6-dideoxy-beta-D-ribo-hexopyranosyl]oxy]-12,14-dihydroxy-, (3beta,5beta,12beta)- [CAS]	20830-75-5	US 4088750	Formulation, oral, enteric-coated	Heart failure
Dihexyverine		561-77-3			
Dihydralazine		484-23-1			
Dihydrocodeine		125-28-0			
Dihydrocodeinone Enol		466-90-0			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
dihydroergocryptine	Ergocryptine, dihydro- [CAS]	25447-66-9		Formulation, other	Depression, general
dihydroergotamine	Ergotaman-3',6',18-trione, 9,10-dihydro-12'-hydroxy-2'-methyl-5'-(phenylmethyl)-, (5'Alpha, 10Alpha)- [CAS]	511-12-6	6495535	Formulation, modified-release, other	Migraine
Dihydromorphine		509-60-4			
Dihydrostreptomycin		128-46-1			
Dihydrotachysterol		67-96-9			
Dihydroxyaluminum		13682-92-3			
		539-68-4			
Diisopromine		5966-41-6			
Diisopropyl Paraoxon		3254-66-8			
Diisopropylamine		660-27-5			
diazepam	Benzoic acid, 3,4,5-trimethoxy-, (tetrahydro-1H-1,4-diazepine-1,4(5H)-diyl)di-3,1-propanediyl ester [CAS]	35898-87-4	JP 51095086	Vasodilator, coronary	
Dilevalol		75659-07-3			
dioxanide	2-Furancarboxylic acid, 4-[[dichloroacetyl)methylamino]phenyl ester [CAS]	3736-81-0 579-38-4		Amoebicide	
diltiazem	1,5-Benzothiazepin-4(5H)-one, 3-(acetyloxy)-5-[2-(dimethylamino)ethyl]-2,3-dihydro-2-(4-methoxyphenyl)-, (2S-cis)- [CAS]	33286-22-5 42399-41-7	US 4721619 US 5529791 EP 322277	Antianginal	Angina, hypertension, general
Dimecrotic Acid		7706-67-4			
Dimeflin		1165-48-6			
Dimemorfan		36309-01-0			
Dimenhydrinate		523-87-5			
Dimenoxadol		509-78-4			
Dim pheptanol		545-90-4			
Dimercaprol		59-52-9			
Dimetacrine		4757-55-5			
Dimethadione		695-53-4			
Dimethazan		519-30-2			
Dimethindene		5636-83-9			
Dimethisoquin		86-80-6			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Dimethisterone		79-64-1			
Dimethocaine		94-15-5			
Dimethoxanate		477-93-0			
Dimethyl Sulfoxide		67-68-5			
Dimethylthiambutene		524-84-5			
Dimetofrine		22950-29-4			
Dimorpholamine		119-48-2			
dinoprostone	Prosta-5,13-dien-1-oic acid, 11,15-dihydroxy-9-oxo-, (5Z,11Alpha,13E,15S)-[CAS]	363-24-6		Formulation, modified-release, <=24hr	Labour, induction
diosmedile	Smecla- [CAS]	110070-78-5	FR 2770778	Antidiarrhoeal	Diarrhoea, general
diosmin	4H-1-Benzopyran-4-one, 7-[[6-O-(6-deoxy-Alpha-L-mannopyranosyl)-beta-D-glucopyranosyl]oxy]-5-hydroxy-2-(3-hydroxy-4-methoxyphenyl)- [CAS]	520-27-4	DE 2602314	Vasoprotective, systemic	
Dioxadrol		6495-46-1			
Dioxaphetyl		467-86-7			
Dioxethedrine		497-75-6			
Dioxybenzone		131-53-3			
Diphemanil		62-97-5			
Diphenadione		82-66-6			
Diphencyprone		886-38-4			
Diphenhydramine		58-73-1			
Diphenidol		972-02-1			
Diphenoxylate		915-30-0			
Diphenylpyraline		147-20-6			
Diphetarstone		515-76-4			
Diphtheria & Tetanus Toxoids And Acellular Pertussis Vaccine Adsorbed					
Dipipanone		467-83-4			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
dipivefrin	Propanoic acid, 2,2-dimethyl-, 4-[1-hydroxy-2-(methylanino)ethyl]-1,2-phenylene ester, (+/-) [CAS]	52365-63-6	US 3809714	Antiglaucoma	Glaucoma
Dipyridamole		58-32-2			
Dipyroc tyl		486-79-3			
Dipyrrone		5907-38-0			
diquafosol	Uridine 5'-(pentahydrogen tetraphosphate)-5-ester with uridine, [CAS]	211427-08-6		Ophthalmological	Dry eye syndrome
dithromycin	Erythromycin, 9-deoxy-11-deoxy-9,11-[imino]2-(2-methoxyethoxy)ethylidene]oxy]-, [9S(R)], [CAS]	62013-04-1	DE 2515075	Macrolide antibiotic	Tonsillitis
disodium pamidronate	Phosphonic acid, (3-amino-1-hydroxypropylidene)bis-, disodium salt [CAS]	57248-88-1	EP 177443	Osteoporosis treatment	Hypercalcaemia of malignancy
Disofenin		65717-97-7			
disopyramide	2-Pyridineacetamide, Alpha-[2-bis(1-methylethyl)amino]ethyl]-Alpha-phenyl]-[CAS]	3737-09-5		Formulation, modified-release, <=24hr	Arrhythmia, general
Distigmine		15876-67-2			
Disulfamide		671-88-5			
Disulfiram		97-77-8			
Ditazol		18471-20-0			
Dithiazanine		514-73-8			
dithranol	9(10H)-Anthracenone, 1,8-dihydroxy-[CAS]	1143-38-0		Formulation, dermal, topical	Psoriasis
Ditiocarb		148-18-5			
Dixanthogen		502-55-6			
Dixyrazine		2470-73-7			
DJ-927			WO 01027115	Anticancer, other	Cancer, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
DK-507k	(-)-7-[(7S)-7-Amino-5-azaspiro[2.4]heptan-5-yl]-6-fluoro-1-[(1R,2S)-2-fluoro-1-cyclopropyl]-1,4-dihydro-8-methoxy-4-oxo-3-quinolinecarboxylic acid hydrochloride monohydrate			Quinolone antibacterial	Infection, general
D,L-Lactic Acid		598-82-3			
DMDC	Cytidine, 2'-deoxy-2'-methylene-, monohydrochloride [CAS]	113648-25-2	WO 8807049	Anticancer, antimetabolite	Cancer, general
DMXAA	5,6-dimethylxanthenone-4-acetic acid			Anticancer, other	Cancer, lung, general
DNA Stealth Nucleosides			US 6132776	Antiviral, anti-HIV	Infection, HIV/AIDS
Dobesilate		20123-80-2			
dobutamine	1,2-Benzenediol, 4-[2-[[3-(4-hydroxyphenyl)-1-methylpropyl]amino]ethyl]-, (+/-), [CAS]	34368-04-2 49745-95-1	US 3987200	Cardio stimulant	
Docarpamine		74639-40-0			
docetaxel	(2R,3S)-N-Carboxy-3-phenylisoserine, N-tert-butyl ester, 13-ester with 5 β ,20-epoxy-1,2 α ph-4,7 β ,10 β ,13 α ph-hexahydroxytax-11-en-9-one 4-acetate 2-benzoate- [CAS]	114977-28-5 148408-66-6	EP 253738	Anticancer, other	Cancer, breast
docosahexaenoic acid			EP 707487	Hypolipaeamic/Antiatherosclerosis	Hyperlipidaemia, general
docosanol	1-Docosanol [CAS]	661-19-8	EP 459064	Antiviral, other	Infection, herpes simplex virus
docusate		128-49-4 577-11-7	US 4752617	Formulation, dermal, topical	Infection, herpes simplex virus prophylaxis
dofetilide	Meihanesulfonamide, N-[4-[2-[methyl(2-[4-(methylsulfonylamino)phenoxy]ethyl)aminomethyl]phenyl]- [CAS]	115256-11-6	EP 245997	Antiarrhythmic	Fibrillation, atrial
dolasetron mesilate	1H-Indole-3-carboxylic acid, octahydro-3-oxo-2,6-methano-2H-quinolizin-8-yl ester, (2 α ph,6 α ph,8 α ph,9 α ph α), monomethanesulfonate- [CAS]	115956-13-3 115956-12-2	EP 266730	Antiemetic	Chemotherapy-induced nausea and vomiting
Domiodol		61869-07-6			
Domiphen		538-71-6			

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Domitroban		112966-96-8			
domperidone	2H-Benzimidazol-2-one, 5-chloro-1-[1-[3-(2,3-dihydro-2-oxo-1H-benzimidazol-1-yl)propyl]-4-piperidinyl]-1,3-dihydro- [CAS]	57808-66-9	US 4066772	Antiemetic	
donepezil	1H-Inden-1-one, 2,3-dihydro-5,6-dimethoxy-2-((1-(phenylmethyl)-4-piperidinyl)methyl)-, [CAS]	120011-70-3 120014-06-4	EP 296560	Cognition enhancer	Alzheimer's disease
donitriplan	Piperazine, 1-(((3-(2-aminoethyl)-1H-indol-5-yl)oxy)acetyl)-4-(4-cyanophenyl)- [CAS]	170912-52-4		Antimigraine	Migraine
Dopamine		51-61-6			
Dopexamine		86197-47-9			
doramapimod	urea, N-[3-(1,1-dimethylethyl)-1-(4-methylphenyl)-1H-pyrazol-5-yl]-N'-[4-(2-(4-morpholinyl)ethoxy)-1-naphthalenyl]-	285983-48-4		Antiarthritic, immunological	Arthritis, rheumatoid
doranidazole	(±)-1,2,4-Butanetriol, 3-((2-nitro-1H-imidazol-1-yl)methoxy)- [CAS]	137339-64-1	WO 9414778	Radio/chemosensitizer	Surgery adjunct
doripenem	(1R,5S,6S)-2-[(3S,5S)-5-(sulfamoylaminoethyl)pyrrolidin-3-yl]thio-6-[(1R)-1-hydroxyethyl]-1-methylcarbapen-2-em-3-carboxylic acid	148016-81-3	EP 528678	Beta-lactam antibiotic	Infection, urinary tract
dorzolamide	4H-Thieno(2,3-b)thiopyran-2-sulfonamide, 4-(ethylamino)-5,6-dihydro-6-methyl-7,7-dioxide (4S-trans)- [CAS]	120279-96-1	EP 296879	Antiglaucoma	Glaucoma
dorzolamide + timolol	4H-Thieno(2,3-b)thiopyran-2-sulfonamide, 4-(ethylamino)-5,6-dihydro-6-methyl-7,7-dioxide (4S-trans) + ethyl 2-propanol, 1-[[1,1-dimethylamino]-3-[[4-(4-morpholinyl)-1,2,5-thiadiazol-3-yl]oxy]-, (S), (Z)-2-butenedioate (1:1) (salt) [CAS]	120279-96-1 26839-75-8 26921-17-5		Formulation, fixed-dose combinations	Glaucoma

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
dosmaltate	Aluminium, (μ7-(7-((6-O-(6-deoxy-2,3,4-tri-O-sulfo-Alpha-L-mannosylpyranosyl)-2,3,4-tri-O-sulfo-β-D-glucopyranosyl)oxy)-5-hydroxy-2-(4-methoxy-3-(sulfooxy)phenyl)-4H-1-benzopyran-4-onato(7-)))tetradeca-μ-hydroxyheneicosahydroxytetradeca- [CAS]	122312-55-4		Antulcer	Ulcer, gastric
dosulepine	1-Propanamine, 3-dibenzolb,e]thiepin-11(6H)-ylidene-N,N-dimethyl- [CAS]	113-53-1		Antidepressant	
Dotarizine		84625-59-2			
Dothiepin		113-53-1			
Doxacurium		106819-53-8			
Doxapram		309-29-5			
doxazosin	Piperazine, 1-(4-amino-6,7-dimethoxy-2-quinazolinyl)-4-[(2,3-dihydro-1,4-benzodioxin-2-yl)carbonyl]- [CAS]	74191-85-8	GB 2007656	Antihypertensive, adrenergic	Hypertension, general
Doxefazepam		40762-15-0			
Doxenitoin		3254-93-1			
doxepin	1-Propanamine, 3-dibenz[b,e]oxepin-11(6H)-ylidene-N,N-dimethyl-	1668-19-5		Formulation, dermal, topical	Pruritus
doxercalciferol	9,10-secoergosta-5,7,10(19),22-tetraene-1,3-diol (1Alpha, 3β, 5Z, 7E, 22E) [CAS]	54573-75-0	US 5104854	Hormone	Hyperparathyroidism
doxifluridine	Uridine, 5'-deoxy-5-fluoro- [CAS]	3094-09-5	US 4071680	Anticancer, antimetabolite	Cancer, colorectal
doxofylline	1H-Purine-2,6-dione, 7-(1,3-dioxolan-2-ylmethyl)-3,7-dihydro-1,3-dimethyl-[CAS]	69975-86-6	US 4187308	Antiasthma	Asthma
doxorubicin	5,12-Naphthacenedione, 10-[(3-amino-2,3,6-trideoxy-Alpha-L-xyo-hexopyranosyl)oxy]-7,8,9,10-tetrahydro-6,8,11-trihydroxy-8-(hydroxyacetyl)-1-methoxy-, (8S-cis)- [CAS]	23214-92-8	EP 191824	Formulation, optimized, liposomes	Cancer, general

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
doxycycline	2-Naphthacene-carboxamine, 4-(dimethylamino)-1,4,4a,5,5a,6,11,12a-octahydro-3,5,10,12,12a-pentahydroxy-6-methyl-1,11-dioxo-[4S-(4A)pha,4aAlpha,5Alpha,5aAlpha,6Alpha,12aAlpha)]- [CAS]	564-25-0 17086-28-1		Formulation, modified-release, immediate	Periodontitis
doxylamine	N,N-Dimethyl-2-[1-phenyl-1-(2-pyridinyl)ethoxy]ethanamine	469-21-6		Formulation, transmucosal, systemic	Rhinitis, allergic, general
DPC-817	β -D-2',3'-didehydro-2',3'-dideoxy-5-fluorocytidine				Infection, HIV/AIDS
DPI-3290			US 5681830	Antiviral, anti-HIV Analgesic, other	Pain, general
DQ-113	5-Amino-7-[(3S,4R)-(1-aminocyclopropyl)-3-fluoropyrrolidin-1-yl]-1-[(1R,2S)-2-fluoro-1-cyclopropyl]-1,4-dihydro-8-methyl-4-oxo-3-quinolinecarboxylic acid			Quinolone antibacterial	Infection, general
Drofenine		1679-76-1			
Droloxifene		82413-20-5			
Drometrizole		2440-22-4			
Dromostanolone		58-19-5			
dronabinol	6H-Dibenzo[b,d]pyran-1-ol, 6a,7,8,10a-tetrahydro-6,9,9-trimethyl-3-penyl-, (6aR-trans)- [CAS]	1972-08-3		Antiemetic	Chemotherapy-induced nausea and vomiting
dronedarone	2-n-Butyl 3-[4-(3-di-n-butylamino-propoxy)benzoyl]5-methylsulfonamidobenzofuran			Antiarrhythmic	Arrhythmia, general
Droperidol		548-73-2			
Drorenilamine		57653-27-7			
Dropropizine		17692-31-8			
Drosiprenone		67392-87-4			
Drotaverine		14009-24-6			
Drötebanol		03/02/3176			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
doxicam	2H,5H-1,3-Oxazino[5,6-c][1,2]benzothiazine-2,4(3H)-dione, 5-methyl-3-(2-pyridinyl)-, 6,6-dioxide [CAS]	90101-16-9	EP 99770	Anti-inflammatory	Inflammation, general
dioxidopa	L-Tyrosine, β,3-dihydroxy-, threo- [CAS]	23651-95-8	EP 128684	Antiparkinsonian	Parkinson's disease
Droxidopa		23651-95-8			
DU-125530	1,2-Benzisothiazol-3(2H)-one, 2-[4-[4-(7-chloro-2,3-dihydro-1,4-benzodioxin-5-yl)-1-piperazinyl]butyl]-, 1,1-dioxide [CAS]	161611-99-0	EP 633260	Anxiolytic	Anxiety, general
duloxetine	2-Thiophenepropanamine, N-methyl-Gamma-(1-naphthalenyl(oxy)-, hydrochloride, (S)- [CAS]	136434-34-9 116539-59-4	US 5362886	Antidepressant	Depression, general
duramycin			WO 9428726	Formulation, inhalable, solution	Cystic fibrosis
Durapatite		1306-06-5			
dutasteride	4-Azaandrosta-1-ene-17-carboxamide, N-(2,5-bis(trifluoromethyl)phenyl)-3-oxo-, (5α)- [CAS]	164656-23-9	US 5565467	Prostate disorders	Benign prostatic hyperplasia
DW-1141	N,N-diisopropyl-4-[4-(3-aminobenzo[d]isoxazol-6-yloxy)butoxy]-3-methoxybenzamide			Osteoporosis treatment	Osteoporosis
DW-286a	(R)-(-)-7-[(4-aminomethyl-4-methyl-3-(Z)-methyloxyimino)pyrrolidin-1-yl)-1-cyclopropyl-6-fluoro-4-oxo-1,4-dihydro[1,8]naphthyridine-3-carboxylic acid			Quinolone antibacterial	Infection, general
DW-471			US 5922871	Antiviral, other	Infection, hepatitis-B virus
DX-9065a	2-Naphthalenepropanoic acid, 7-(aminiminomethyl)-Alpha-[4-[[1-(1-iminoethyl)-3-pyrrolidinyl]oxy]phenyl]-, monohydrochloride, pentahydrate, [S-(R*,R*)]- [CAS]	155204-81-2		Antithrombotic	Thrombosis, general

Table IV

API Gen ric Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
DY-9760e	1H-Indazole, 3-[2-[4-(3-chloro-2-methylphenyl)-1-piperazinylethyl]-1-(1H-imidazol-4-yl)methyl]-5,6-dimethoxy- [CAS]	160522-00-9	US 5681954	Neuroprotective	Ischaemia, cerebral
Dyclonine		586-60-7			
Dydrogesterone		152-62-5			
Dymanthine		124-28-7			
Dyphyllin		479-18-5			
E-1010	1-Azabicyclo[3.2.0]hept-2-ene-2-carboxylic acid, 6-[(1R)-1-hydroxyethyl]-3-[[[(3S,5S)-5-[(R)-hydroxy(3R)-3-pyrrolidinylmethyl]-3-pyrrolidinyl]thio]-4-methyl-7-oxo-, monohydrochloride, (4R,5S,6S)- [CAS]	186319-97-1		Beta-lactam antibiotic	Infection, general
E-2101	N-Ethyl-1-[1-(2-fluorophenethyl)piperidin-4-yl]-1H-indol-6-yl)acetamide			Muscle relaxant	Muscle spasm, general
E2F antagonists			WO 9606943	Anticancer, other	Cancer, general
E-3620	Benzamide, 4-amino-5-chloro-N-(8-methyl-8-azabicyclo[3.2.1]oct-3-yl)-2-[(1-methyl-2-butyryloxy)-, monohydrochloride, [3(S)-endo]- [CAS]	151213-86-4	EP 554794	Antacid/Antiflatulent	Dyspepsia
E-5564	Alpha-D-Glucopyranose, 3-O-decyl-2-deoxy-6-O-(2-deoxy-3-O-((3R)-3-methoxydecyl)-6-O-methyl-2-((11Z)-1-oxo-11-octadecenyl)amino)-4-O-phosphono-β-D-glucopyranosyl)-2-((1,3-dioxotetradecyl)amino)- 1-(dihydrogen phosphate), tetrasodium salt [CAS]	185954-98-7	EP 536969	Septic shock treatment	Sepsis
E-5842	Pyridine, 4-(4-fluorophenyl)-1,2,3,6-tetrahydro-1-[4-(1H-1,2,4-triazol-1-yl)butyl]-, 2-hydroxy-1,2,3-propanetricarboxylate (1:1) [CAS]	220120-14-9		Neuroleptic	Schizophrenia

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
E-6259	1-(4-Aminosulfonylphenyl)-5-(2,4-difluorophenyl)-4,5-dihydro-3-trifluoromethyl-1H-pyrazole			Antiarthritic, other	Unspecified
EAA-90	[2-(8,9-Dioxo-2,6-diazabicyclo[5.2.0]non-1(7)-en-2-yl)-ethyl]phosphonic acid				
ϵ-Acetamidocaproic Acid		57-08-9		Analgesic, other	Pain, neuropathic
ϵ-Aminocaproic Acid		60-32-2			
ebastine	1-Butanone, 1-[4-(1,1-dimethylethyl)phenyl]-4-[4-(diphenylmethoxy)-1-piperidinyl]- [CAS]	90729-43-4	EP 134124	Antiallergic, non-asthma	Rhinitis, allergic, seasonal
eberconazole	1H-Imidazole, 1-(2,4-dichloro-10,11-dihydro-5H-dibenzof[a,d]cyclohepten-5-yl)- [CAS]	128326-82-9 130104-32-4	ES 2012297	Antifungal	Infection, dermatological
ebrolidine	Benzenesulfonamide, N-[[[2-[[[aminoiminomethyl]amino]-4-thiazolyl)methyl]thio]ethyl]amino]methylene]-4-bromo- [CAS]	100981-43-9	EP 159012	Antiulcer	Ulcer, duodenal
ebselen	1,2-Benzisoseleselenazol-3(2H)-one, 2-phenyl- [CAS]	60940-34-3 474-00-0 104775-36-2	EP 44971	Neuroprotective	Haemorrhage, subarachnoid
Eburnamonine					
Ecabapide					
ecabel	1-Phenanthrenecarboxylic acid, 1,2,3,4,4a,9,10,10a-octahydro-1,4a-dimethyl-7-(1-methylethyl)-6-sulfo-, [1R-(1 α ,4 α ,10 α)]- [CAS]	33159-27-2 86408-72-2	DE 3239172	Antiulcer	Ulcer, gastric
ecadotril	Glycine, N-[2-[(acetylthio)methyl]-1-oxo-3-phenylpropyl]-,phenylmethyl ester, (S)- [CAS]	112573-73-6	EP 318377	Antihypertensive, other	Hypertension, general
Ecgonidine		484-93-5			
Ecgonine		481-37-8			
Echothiophate		513-10-0			
Econazole		27220-47-9			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
ecopipam	5H-Benzod[naphth][2,1-b]azepin-12-ol, 11-chloro-6,6a,7,8,9,13b-hexahydro-7-methyl-, (6aS-trans)- [CAS]	112108-01-7	EP 230270	Anorectic/Antiobesity	Obesity
ecraprost	Prosta-8,13-dien-1-oic acid, 11,15-dihydroxy-9-(1-oxobutoxy)-, butyl ester, (11Alpha,13E,15S)- [CAS]	136892-64-3	EP 423697	Vasodilator, peripheral	Peripheral vascular disease
Ectylurea		95-04-5			
ED-71	9,10-Secosterolesta-5,7,10(19)-triene-1,3,25-triol, 2-(3-hydroxypropoxy)-, (1Alpha,2B,3B,5Z,7E)- [CAS]	104121-92-8	EP 184206	Osteoporosis treatment	Osteoporosis
edaravone	3H-Pyrazol-3-one, 2,4-dihydro-5-methyl-2-phenyl- [CAS]	89-25-8	JP 62108814	Neuroprotective	Infarction, cerebral
Edatrexate		80576-83-6			
Edetate Calcium Disodium		62-33-9			
Edetate Disodium		139-33-3			
Edetate Sodium		64-02-8			
Edetate Trisodium		150-38-9			
edonentan	Butanamide N-[[2'-[[4,5-dimethyl-3-isoxazolyl]amino]sulfonyl]-4-(2-oxazolyl)][1,1'-biphenyl]-2-yl]methyl]-N,3,3-trimethyl-, monohydrate	210891-04-6		Cardiosimulant	Heart failure
edotrelotide	[N-[2-[4,7-Bis[(carboxy-kappaO)methyl]-10-(carboxymethyl)-1,4,7,10-tetraazacyclododec-1-yl-kappaN1,kappaN4,kappaN10]acetyl]-D-phenylalanyl-L-cysteiny]-L-tyrosyl-D-tryptophyl-L-lysyl-L-threonyl-L-cysteinyl-L-threoninol cyclic (2-7)-disulfidato(3-yl)]trium	204318-14-9	US 6183721	Anticancer, hormonal	Cancer, lung, small cell
edoxudine	Uridine, 2'-deoxy-5-ethyl- [CAS]	15176-29-1	GB 1170565	Antiviral, other	Infection, herpes virus, general
Edrecolomab		156586-89-9			
Edrophonium		116-38-1			
Efaith	Butanedioic acid, lithium salt [CAS]	16090-09-8		Antipruritic/inflamm, allergic	Eczema, seborrhoeic

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
efaproxiral	Propanoic acid, 2-[4-[2-[(3,5-dimethylphenyl)amino]-2-oxoethyl]phenoxy]-2-methyl- [CAS]	131179-95-8	US 5705521	Radio/chemosensitizer	Cancer, brain
efavirenz	2H-3,1-Benzoxazin-2-one, 6-chloro-4-(cyclopropylethynyl)-1,4-dihydro-4-(trifluoromethyl)-, (S)- [CAS]	154598-52-4	WO 9403440	Antiviral, anti-HIV	Infection, HIV/AIDS
efetritzine	[2-[4-[Bis(p-fluorophenyl)methyl]-1-piperazinyl]ethoxy]acetic acid	150756-35-7	GB 2311940	Antiallergic, non-asthma	Allergy, general
efornithine	DL-Ornithine, 2-(difluoromethyl)- [CAS]	70052-12-9 67037-37-0	US 4413141	Protozoacide, dermal, topical	Infection, trypanosomiasis, African, Hirsutism
Efloxate		119-41-5			
eflucimibe	Benzeneacetamide, Alpha-(dodecylthio)-N-(4-hydroxy-2,3,5-trimethylphenyl)- (S)- [CAS]	202340-45-2		Hypolipaeimic/Antiatherosclerosis	Hyperlipidaemia, general
efonidipine	3-pyridinecarboxylic acid, 5-(5,5-dimethyl-1,3,2-dioxaphosphorinan-2-yl)-1,4-dihydro-2,6-dimethyl-4-(3-nitrophenyl)-, 2-(phenyl[(phenylmethyl)amino]ethyl ester, P-oxide [CAS]	111011-53-1 111011-63-3 111011-76-8	EP 230944	Antihypertensive, other	Hypertension, general
EGIS-7229	5-Chloro-4-[3-[N-[2-(3,4-dimethoxyphenyl)ethyl]-N-methylamino]propylamino]-3-(2H)-pyridazinone fumarate [CAS]	150800-12-7 190333-92-7	DE 4243381	Antiarrhythmic	Arrhythmia, general
eglumegad	Bicyclo[3.1.0]hexane-2,6-dicarboxylic acid, 2-amino-, (1S,2S,5R,6S)- [CAS]	176199-48-7 209216-09-1		Anxiolytic	Anxiety, general
egualen	1-Azulenenesulfonic acid, 3-ethyl-7-(1-methylethyl)-,	97683-31-3 99287-30-6 10417-94-4	EP 147915	Antiulcer	Ulcer, gastric
Eicosapentaenoic Acid					
elarofiban	3-Pyridinepropanoic acid, 8-[[[(3R)-1-[1-oxo-3-(4-piperidinyl)propyl]-3-piperidinyl]carbonyl]amino]-, (8S)- [CAS]	198958-88-2 60731-46-6	WO 9741102	Antithrombotic	Thrombosis, general
Elcatonin					
Eleldoisin		69-25-0			
eletriptan	1H-Indole, 3-[(1-methyl-2-pyrrolidinyl)methyl]-5-(2-(phenylsulfonyl)ethyl)- (R)- [CAS]	143322-58-1	US 5607951	Antimigraine	Migraine

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Elgodipine		119413-55-7			
Ellagic Acid		476-66-4			
Elliptinium		58337-35-2			
Eltoprazine		98224-03-4			
elvicitabine	β-L-2',3'-Dideoxy-2',3'-dideoxy-5-fluorocytidine (2Z)-4-(3,4-dichlorophenyl)-2-[2-(4-methylpiperazin-1-yl)benzylidene]thiomorpholin-3-one monohydrochloride- [CAS]	181785-84-2		Antiviral, other	Infection, hepatitis-B virus
elzasonan		220322-05-4 361343-20-6		Antidepressant	Depression, general
Embelin		550-24-3			
Embramine		3565-72-8			
emedastine	1H-Benzimidazole, 1-(2-ethoxyethyl)-2-(hexahydro-4-methyl-1H-1,4-diazepin-1-yl), (E)-2-butenedioate (1:2) [CAS]	87233-61-2 87233-62-3	EP 79545	Antiallergic, non-asthma	Rhinitis, allergic, general
Emepronium		3614-30-0			
Emetine		483-18-1			
Emitefur		110690-43-2			
EMM-210525	17Alpha-Acetoxy-6Alpha-methyl-19-nor-18,28-dihydrocyclopropa[1,2]pregn-4-ene-3,20-dione+Estra-1,3,5(10)-triene-3,17-diol(17β)			Formulation, fixed-dose combinations	Hormone replacement therapy
Emodin		518-82-1			
emorfazole	3(2H)-Pyridazinone, 4-ethoxy-2-methyl-5-(4-morpholinyl)- [CAS]	35957-41-4	JP 7224030	Anti-inflammatory	
EMR-62203			WO 9806722	Male sexual dysfunction	Impotence
emtricitabine	2(1H)-Pyrimidinone, 4-amino-5-fluoro-1-(2-(hydroxymethyl)-1,3-oxathiolan-5-yl)-, (2R-cis)- [CAS]	143491-57-0	WO 9214743	Antiviral, anti-HIV	Infection, HIV/AIDS
Emylcamate		78-28-4			
enalapril	L-Proline, 1-[N-[1-(ethoxycarbonyl)-3-phenylpropyl]-L-alanyl]-, (S)-, (Z)-2-butenedioate [CAS]	76095-16-4 76420-72-9	US 4374829	Antihypertensive, renin system	
Enalaprilat					
Enallypropymal		1861-21-8			

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Encainide		66778-36-7			
Enciprazine		68576-86-3			
Endralazine		39715-02-1			
enfenamic acid	Benzoic acid, 2-[(2-phenylethyl)amino]- [CAS]	23049-93-6	IN 103066	Anti-inflammatory	
enflurane	Ethane, 2-chloro-1-(difluoromethoxy)-, 1,1,2-trifluoro- [CAS]	13838-16-9	US 3469011	Anaesthetic, inhalation	Anaesthesia
Enilconazole		35554-44-0			
Eniluracil		59989-18-3			
ENMD-0995	S-3-amino-phthalidoglutaramide		US 5712291	Anticancer, other	Cancer, myeloma
Enocitabine		55726-47-1			
Enol-3-IPA	1H-Indole-3-propanoic acid, Alpha-oxo- [CAS]	392-12-1	EP 106813	Hypnotic/Sedative	Insomnia
enoxacin	1,8-Naphthyridine-3-carboxylic acid, 1-ethyl-6-fluoro-1,4-dihydro-4-oxo-7-(1-piperazinyl)- [CAS]	74011-58-8	US 4359578	Quinolone antibacterial	Infection, general
enoxaparin	Heparin, [CAS]	9005-49-6			
enoximone	2H-Imidazol-2-one, 1,3-dihydro-4-methyl-5-[4-(methylthio)benzoyl]- [CAS]	9041-08-1	EP 40144	Antithrombotic	Thrombosis, venous
Enoxolone		77671-31-9	EP 59948	Cardio stimulant	Heart failure
		471-53-4			
enprostil	4,5-Heptadienoic acid, 7-[3-hydroxy-2-(3-hydroxy-4-phenoxy-1-butenyl)-5-oxocyclopentyl]-, methyl ester, [1Alpha,2beta,(1E,3R*),3Alpha]- [CAS]	73121-56-9	GB 2025431	Prostaglandin	Ulcer, duodenal
enrasentan	1H-Indene-2-carboxylic acid, 1-(1,3-benzodioxol-5-yl)-2,3-dihydro-3-(2-(2-hydroxyethoxy)-4-methoxyphenyl)-5-propoxy-, (1S-(1Alpha,2beta,3Alpha))- [CAS]	167256-08-8	US 5817693	Antihypertensive, other	Hypertension, pulmonary
entacapone	2-Propenamide, 2-cyano-3-(4,5-dihydroxy-3-nitrophenyl)-N,N-diethyl- [CAS]	130929-57-6	EP 426468	Antiparkinsonian	Parkinson's disease
entecavir	6H-Purin-6-one, 2-amino-1,9-dihydro-9-((1S,3R,4S)-4-hydroxy-3-(hydroxymethyl)-2-methylenecyclopentyl)- [CAS]	142217-69-4	EP 481754	Antiviral, other	Infection, hepatitis-B virus

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Enviomycin		33103-22-9			
epalrestat	3-Thiazolidineacetic acid, 5-(2-methyl-3-phenyl-2-propenylidene)-4-oxo-2-thioxo-, (E,E)- [CAS]	82159-09-9	EP 47109	Symptomatic antidiabetic	Neuropathy, diabetic
Epavir	L-lysine-cis-5,8,11,14,17-eicosapentanoate with L-lysine-cis-4,7,10,13,16,19-doahexanoate			Antiviral, other	Infection, herpes simplex virus
EPC-K1	L-ascorbic acid 2-[3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-1-benzopyran-6-yl]-hydrogen phosphate/potassium- [CAS]	127061-56-7	EP 127471	Neuroprotective	Infarction, cerebral
eperisone	1-Propanone, 1-(4-ethylphenyl)-2-methyl-3-(1-piperidinyl)- [CAS]	64840-90-0	US 3995047	Muscle relaxant	Spastic paralysis
epervudine	Uridine, 2'-deoxy-5-(1-methylethyl)- [CAS]	60136-25-6	DE 2918260	Antiviral, other	Infection, herpes simplex virus
Ephedrine		299-42-3			
Epicillin		26774-90-3			
Epimestrol		7004-98-0			
epinasline	1H-Dibenz[c,f]imidazo[1,5-a]azepin-3-amine, 9,13b-dihydro- [CAS]	80012-43-7	DE 3008944	Antiasthma	Asthma
epinephrine	(R)-4-[1-hydroxy-2-(methylamino)-ethyl]-1,2-benzenediol	51-43-4		Formulation, inhalable, dry powder	Anaphylaxis
Epirizole		18694-40-1			
epirubicin	5,12-Naphthacenedione, 10-[(3-amino-2,3,6-trideoxy-Alpha-L-arabinohexopyranosyl)oxy]-7,8,9,10-tetrahydro-6,8,11-trihydroxy-8-(hydroxyacetyl)-1-methoxy-, (8S-cis)- [CAS]	56390-09-1 56420-45-2	GB 1457632	Anticancer, antibiotic	
Epitiostanol		2363-58-8			
epiprenone	Pregn-4-ene-7,21-dicarboxylic acid, 9,11-epoxy-17-hydroxy-3-oxo-, Gamma-lactone, methyl ester (7Alpha,11Alpha,17Alpha)- [CAS]	107724-20-9	EP 122232	Antihypertensive, diuretic	Hypertension, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
epivanserin	1-Propanone, 1-(2-fluorophenyl)-3-(4-hydroxyphenyl)-, O-(2-(dimethylamino)ethyl)oxime, (Z)-, (E)-2-butenedioate (2:1) (salt) [CAS]	130580-02-8	EP 373998	Anxiolytic	Schizophrenia
epoprostenol	Prosta-5,13-dien-1-oiic acid, 6,9-epoxy-11,15-dihydroxy-, (5Z,9Alpha,11Alpha,13E,15S)-[CAS]	35121-78-9 61849-14-7	DE 2720999	Prostaglandin	Hypertension, pulmonary
Epostane		80471-63-2			
Eprazinone		10402-90-1			
Epristeride		119169-78-7			
eprosartan	3-[2-Butyl-1-(4-carboxybenzyl)-1H-imidazol-5-yl]-2-(2-thienylmethyl)-2-(E)-propenoic acid	133040-01-4	EP 403159	Antihypertensive, renin system	Hypertension, general
Eprozinol		32665-36-4			
eptapirone	4-methyl-2-[4-(4-(pyrimidin-2-yl)-piperazino)-butyl]-2H,4H-1,2,4-triazin-3,5-dione	179756-85-5		Antidepressant	Depression, general
eptaplatin	Platinum, [(4R,5R)-2-(1-methylethyl)-1,3-dioxolane-4,5-dimethanamine-kappaN4,kappaN5][propanedioato(2-)-kappaO1,kappaO3]-, (SP-4-2)- [CAS]	146665-77-2	WO 9216539	Anticancer, alkylating	Cancer, lung, small cell
Eptastigmine		101246-68-8			
eptazocine	1,6-Methano-1H-4-benzazonin-10-ol, 2,3,4,5,6,7-hexahydro-1,4-dimethyl-, (1S)-[CAS]	72522-13-5	US 4082744	Analgesic, other	
Eptifibatide		188627-80-7			
Equilenin		517-09-9			
Equilin		474-86-2			
ERA-923	ERA 923 [CAS]	352233-89-7	EP 802183	Female contraceptive	Contraceptive, female
erdosteine	Acetic acid, [[2-oxo-2-[(tetrahydro-2-oxo-3-thienyl)amino]ethyl]thio]- [CAS]	84611-23-4	EP 61386	Respiratory	Respiratory disease, general
Ergocormine		564-36-3			
Ergocorminine		564-37-4			
Ergoloid Mesylates		8067-24-1			
Ergonovine		60-79-7			
Ergosterol		57-87-4			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
ergotamine	(5 α)-12'-Hydroxy-2-methyl-(phenylmethyl)ergotaman-3',6', 18-trione	113-15-5		Formulation, inhalable, systemic	Migraine
Eritadenine		23918-98-1			
erlotinib	4-Quinazolinamine, N-(3-ethynylphenyl)-6,7-bis(2-methoxyethoxy)-, monohydrochloride [CAS]	183319-69-9	WO 9630347	Anticancer, other	Cancer, lung, non-small cell
ertapenem	1-Azabicyclo[3.2.0]hept-2-ene-2-carboxylic acid, 3-[[[(3S,5S)-5-[[[3-carboxyphenyl]amino]carbonyl]-3-pyrrolidinyl]thio]-5-[(1R)-1-hydroxyethyl]-4-methyl]-7-oxo-, [CAS]	153773-82-1 153832-46-3	WO 9315078	Beta-lactam antibiotic	Infection, GI tract
Erythrityl Tetranitrate		7297-25-8			
Erythrocentaurin		50276-98-7			
erythromycin acistrate	Erythromycin, 2'-acetate, octadecanoate (salt) [CAS]	96128-89-1	US 4599326	Macrolide antibiotic	Infection, general
Erythromycin Estolate		3521-62-8			
Erythromycin		23067-13-2			
Glucoheptonate		3847-29-8			
Erythromycin		134-36-1			
Lactobionate					
Erythromycin					
Propionate					
Erythromycin Stearate		643-22-1			
erythromycin stinoprate	Erythromycin, 2'-propanoate, compd. with N-acetyl-L-cysteine (1:1) [CAS]	84252-03-9	EP 57489	Macrolide antibiotic	Infection, respiratory tract, lower
erythromycin	Erythromycin [CAS]	114-07-8		Formulation, dermal, topical	Acne
Erythropleine		36150-73-9			
Esaprazole		64204-55-3			
escitalopram	5-Isobenzofuran carbonitrile, 1-[3-(dimethylamino)propyl]-1-(4-fluorophenyl)-1,3-dihydro-, (S)-, [CAS]	128196-01-0	EP 347066	Antidepressant	Depression, general
Esculin		531-75-9			
Eseridine		25573-43-7			

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
esmolol	Benzenepropanoic acid, 4-[2-hydroxy-3-[(1-methylethyl)amino]propoxy]-, methyl ester, (+/-) [CAS]	81147-92-4	US 4387103	Antihypertensive, adrenergic	Tachycardia, supraventricular
esomeprazole	bis (5-methoxy-2-[[[4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-1H-benzimidazolato)				
eszazolam	4H-[1,2,4]Triazolo[4,3-a][1,4]benzodiazepine, 8-chloro-6-phenyl- [CAS]	161973-10-0	US 5877192	Antispasmodic	Gastro-oesophageal reflux
estradiol	Androst-4-en-3-one, 17-hydroxy-, (17β)- [CAS]	29975-16-4	US 3987052	Hypnotic/Sedative	
estradiol	Estra-1,3,5(10)-triene-3,17-diol (17β)- [CAS]	58-22-0	US 5460820	Formulation, transdermal, patch	Sexual dysfunction, female Menopausal symptoms, general
estramustine	Estra-1,3,5(10)-triene-3,17-diol (17β)-, 3-[bis(2-chloroethyl)carbamate] 17- [CAS]	50-28-2	EP 430491	Formulation, transdermal, systemic	
Estriol		2998-57-4 4891-15-0 52205-73-9 50-27-1		Anticancer, alkylating	Cancer, prostate
estrogen			WO 9924041	Menopausal disorders	Menopausal symptoms, general
Estrone		53-16-7			
eszopiclone	1-Piperazinecarboxylic acid, 4-methyl- 6-(5-chloro-2-pyridinyl)-6,7-dihydro-7-oxo-5H-pyrrolo(3,4-b)pyrazin-5-yl ester (S)- [CAS]	138729-47-2	US 5786357	Hypnotic/Sedative	Insomnia
Etafedrine		7681-79-0			
Etafenone		90-54-0			
Etamiphyllin		314-35-2			
Etanercept		185243-69-0			
Etanidazole		22668-01-5			
Etaqualone		7432-25-9			
Eterobarb		27511-99-5			
Ethacridine		442-16-0			
Ethacrynic Acid		58-54-8			
Ethadion		520-77-4			
Ethambutol		74-55-5			
Ethamivan		304-84-7			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Ethamsylate		2624-44-4			
Ethanolamine		141-43-5			
Ethavertine		486-47-5			
Ethchlorvynol		113-18-8			
Ethenzamide		938-73-8			
Ethiazide		1824-58-4			
Ethinamate		126-52-3			
Ethinyl Estradiol		57-63-6			
ethinyl estradiol	19-Norpregna-1,3,5(10)-trien-20-yne-3,17-diol, 3-(2-propanesulfonate), (17 α pha)-[CAS]	28913-23-7	DE 1949095	Formulation, modified-release, >24hr	Cancer, prostate
Ethionamide		536-33-4			
Ethisterone		434-03-7			
Ethioheptazine		77-15-6			
Ethopropazine		522-00-9			
Ethosuximide		77-67-8			
Ethotoin		86-35-1			
Ethoxzolamide		452-35-7			
Ethybenztropine		524-83-4			
Ethyl Alcohol		64-17-5			
Ethyl Biscoumacetate		548-00-5			
Ethyl Chloride		75-00-3			
Ethyl Dibunate		5560-69-0			
Ethyl Ether		60-29-7			
ethyl icosapentate	5,8,11,14,17-Eicosapentaenoic acid, ethyl ester, (all-Z)- [CAS]	86227-47-6	JP 61043143	Antithrombotic	Peripheral vascular disease
ethyl loflazepate	11H-1,4-Benzodiazepine-3-carboxylic acid, 7-chloro-5-(2-fluorophenyl)-2,3-dihydro-2-oxo-, ethyl ester [CAS]	29177-84-2	US 3657223	Anxiolytic	Anxiety, general
Ethyl Loflazepate		29177-84-2			
Ethylamine		75-04-7			
Ethylene		74-85-1			
Ethylestrenol		965-90-2			
Ethylidene Dicummarol		1821-16-5			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Ethylmethythiambutene		441-61-2			
Ethylmorphine		76-58-4			
Ethylnorepinephrine		536-24-3			
Ethynodiol		1231-93-2			
ethynyletidine	Uridine, 3'-C-ethynyl- [CAS]	180300-49-6	WO 9618636	Anticancer, antimetabolite	Cancer, general
Etidocaine		36637-18-0			
etidronate	Phosphonic acid, (1-hydroxyethylidene)bis-, [CAS]	2809-21-4 7414-83-7	US 4137309	Osteoporosis treatment	Osteoporosis
Etidronic Acid		2809-21-4			
Etifelmin		341-00-4			
etifoxine	4H-3,1-Benzoxazin-2-amine, 6-chloro-N-ethyl-4-methyl-4-phenyl- [CAS]	21715-46-8	US 3725404	Anxiolytic	
Etilefrin		709-55-7			
etillevodopa	L-Tyrosine, 3-hydroxy-, ethyl ester [CAS]	37178-37-3	US 5354885	Antiparkinsonian	Parkinson's disease
etiprednol	androsta-1,4-diene-17-carboxylic acid, 17-[[dichloroacetyl]oxy]-11-hydroxy-3-oxo-, ethyl ester, (11S, 17Alpha)-	199331-40-3		GI inflammatory/bowel disorders	Crohn's disease
Etiroxate		17365-01-4			
Etizolam		40054-69-1			
etodolac	Pyranol[3,4-b]indole-1-acetic acid, 1,8-diethyl-1,3,4,9-tetrahydro- [CAS]	41340-25-4	US 3939178	Antiarthritic, other	Arthritis, osteo
Etodroxizine		17692-34-1			
etofenamate	Benzoic acid, 2-[[3-(trifluoromethyl)phenyl]amino]-, 2-(2-hydroxyethoxy)ethyl ester [CAS]	30544-47-9	GB 1285400	Anti-inflammatory, topical	Inflammation, general
etofibrate	3-Pyridinecarboxylic acid, 2-[2-(4-chlorophenoxy)-2-methyl-1-oxopropoxy]ethyl ester [CAS]	31637-97-5	US 3723446	Hypolipaeic/Antiatherosclerosis	
Etofylline		519-37-9			
etofylline clobifrate	Propanoic acid, 2-(4-chlorophenoxy)-2-methyl-, 2-(1,2,3,6-tetrahydro-1,3-dimethyl-2,6-dioxo-7H-purin-7-yl)ethyl ester [CAS]	54504-70-0	DE 2308826	Hypolipaeic/Antiatherosclerosis	
Etofylline Nicotinate		13425-39-3			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Etoglucid		1954-28-5			
Etomidate		33125-97-2			
Etomidoline		21590-92-1			
Etonitazene		911-65-9			
etonogestrel	18,19-Dinorpregn-4-en-20-yn-3-one, 13-ethyl-17-hydroxy-11-methylene, (17 α) [CAS]	54048-10-1		Formulation, implant	Contraceptive, female
Etoperidone		52942-31-1			
etoposide	Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 9-[[4,6-O-ethylidene- β -D-glucopyranosyl]oxy]-5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-, [5R-[5 α],5a β ,8a α],9 β (R*)] [CAS]	33419-42-0	GB 1205966	Anticancer, other	Cancer, testicular
etoposide phosphate	Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5-{[3,5-dimethoxy-4-(phosphonoxy)phenyl]-9-[[4,6-O-ethylidene- β -D-glucopyranosyl]oxy]-5,8,8a,9-tetrahydro-, [5R-[5 α],5a β ,8a α],9 β (R*)] [CAS]	117091-64-2	EP 302473	Anticancer, other	Cancer, testicular
etoricoxib	2,3-Bipyridine, 5-chloro-6'-methyl-3-(4-methylsulfonyl)phenyl [CAS]	202409-33-4	WO 9803484	Antiarthritic, other	Arthritis, osteo
Etoxadrol		28189-85-7			
Etozolin		73-09-6			
etretrinate	2,4,6,8-Nonatetraenoic acid, 9-(4-methoxy-2,3,6-trimethylphenyl)-3,7-dimethyl-, ethyl ester, (all-E) [CAS]	54350-48-0	US 4215215	Antipsoriasis	
Etryptamine		2235-90-7			
Etymemazine		523-54-6			
Eucatropine		100-91-4			
Eugenol		97-53-0			
EUK-134	Manganese, chloro[[2,2'-(1,2-ethanediy)bis[(nitro-kappaN)methylidene]]bis(6-methoxyphenolato-kappaO)]-, (SP-5'-13)- [CAS]	81065-76-1	US 6046188	Cardiovascular	Unspecified

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
EUK-189			US 6046188	Radiochemoprotective	Chemotherapy-induced injury, general
Evan's Blue		314-13-6			
everolimus	Rapamycin, 42-O-(2-hydroxyethyl)- [CAS]	159351-69-6	WO 9409010	Immunosuppressant	Transplant rejection, general
exalamide	Benzamide, 2-(hexyloxy)- [CAS]	53370-90-4	GB 726786	Antifungal	Infection, fungal, general
Exametazime		105613-48-7			
	10H, 13H-Benzo[de]pyrano[3',4':6,7]indolizino[1,2-b]quinoline-10,13-dione, 1-amino-9-ethyl-5-fluoro-1,2,3,9,12,15-hexahydro-9-hydroxy-4-methyl-, (1S,9S)-, [CAS]	171335-80-1		Anticancer, other	Cancer, pancreatic
exalecan	Androsta-1,4-diene-3,17-dione, 6-methylene- [CAS]	107868-30-4	DE 3622841	Anticancer, hormonal	Cancer, breast
Exifone		52479-85-3			
	1H-Indene-3-acetic acid 5-fluoro-2-methyl-1-(4-(methylsulfonyl)phenyl)methylene)-, (Z)- [CAS]	59973-80-7		Anticancer, other	Polyp
exisulind		99732-49-7			
Exosurf®					
	2-Azetidinone, 1-(4-fluorophenyl)-3-[(3S)-3-(4-fluorophenyl)-3-hydroxypropyl]-4-(4-hydroxyphenyl)-, (3R,4S)- [CAS]	163222-33-1	US 5846966	Hypolipemic/Antiatherosclerosis	Hypercholesterolaemia
Factor IX		9001-28-9			
Factor VIII		9001-27-8			
Factor XIII		9013-56-3			
fadolmidine	1H-Inden-5-ol, 2,3-dihydro-3-(1H-imidazol-4-ylmethyl)-, monohydrochloride [CAS]	189353-32-0	WO 9712874	Analgesic, other	Pain, general
Fadrozole		102676-47-1			
	9,10-Secocholesta-5,7,10(19)-triene-1,3,25-triol, 26,26,26,27,27-hexafluoro-, (1Alpha,3S,5Z,7E)- [CAS]	83805-11-2	JP 03099022	Osteoporosis treatment	Hyperparathyroidism
falecalcitriol	1,3-Propanediol, 2-[2-(2-amino-9H-purin-9-yl)ethyl]-, diacetate (ester)- [CAS]	104227-87-4	JP 61085388	Antiviral, other	Infection, gynaecological
famciclovir					

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
famotidine	Propanimidamide, 3-[[2-[(aminiminomethyl)amino]-4-thiazolyl]methyl]thio]-N-(aminosulfonyl)-[CAS]	76824-35-6	US 4283408	Anticancer	Ulcer, duodenal
fampridine	4-pyridinamine	504-24-5		Neuroprotective	Spinal cord injury
fandofloxacin	3-Quinolonecarboxylic acid, 6-fluoro-1-(5-fluoro-2-pyridinyl)-1,4-dihydro-7-(4-methyl-1-piperazinyl)-4-oxo, [CAS]	164150-85-0 164150-99-6	US 5496947	Quinolone antibacterial	Infection, urinary tract
Fantofarone		114432-13-2			
faropenem daloxate	(5R,6S)-6-[1(R)-Hydroxyethyl]-2-[2(R)-tetrahydrofuryl]-2-penam-3-carboxylic acid-5-methyl-2-oxo-1,3-dioxol-4-ylmethyl ester			Beta-lactam antibiotic	Infection, general
faropenem	4-Thia-1-azabicyclo[3.2.0]hept-2-ene-2-carboxylic acid, 6-(1-hydroxyethyl)-7-oxo-3-(tetrahydro-2-furanyl)-, [5R-3(R*),5Alpha,6Alpha(R*)][CAS]	122547-49-3	EP 410727	Beta-lactam antibiotic	Infection, ocular
fasidotril	L-Alanine, N-[(2S)-3-(acetylthio)-2-(1,3-benzodioxol-5-ylmethyl)-1-oxopropyl]-phenylmethyl ester [CAS]	135038-57-2	EP 419327	Antihypertensive, renin system	Hypertension, general
fasudil	1H-1,4-Diazepine, hexahydro-1-(5-isquinolinylsulfonyl)- [CAS]	103745-39-7 105628-07-7	EP 187371	Neuroprotective	Vasospasm, general
Fazadinium Bromide		49564-56-9			
febarbamate	2,4,6-(1H,3H,5H)-Pyrimidinetrione, 1-[2-[(aminocarbonyloxy]-3-butoxypropyl]-5-ethyl-5-phenyl- [CAS]	13246-02-1	US 3075983	Psychostimulant	
Febuprol		3102-00-9			
febuxostat	5-Thiazolecarboxylic acid, 2-[3-cyano-4-(2-methylpropoxy)phenyl]-4-methyl- [CAS]	144060-53-7	WO 9209279	Antigout	Hyperuricaemia
Fedotozine		123618-00-8			
felbamate	1,3-Propanediol, 2-phenyl-, dicarbamate [CAS]	25451-15-4	US 4868327	Antiepileptic	Epilepsy, general
felbinac	[1,1'-Biphenyl]-4-acetic acid [CAS]	5728-52-9	EP 127840	Anti-inflammatory, topical	
felodipine	3,5-Pyridinedicarboxylic acid, 4-(2,3-dichlorophenyl)-1,4-dihydro-2,6-dimethyl-, ethyl methyl ester [CAS]	72509-76-3	US 4264611	Antihypertensive, other	Hypertension, general
Felypressin		56-59-7			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Femoxetine		59859-58-4			
Fenbenicillin		1926-48-3			
fenbufen	[1,1'-Biphenyl]-4-butanolic acid, Gamma-oxo- [CAS]				
Fenbutrazate		36330-85-5	US 3784701	Anti-inflammatory	
Fencamfamine		4378-36-3			
Fencamine		1209-98-9			
Fenclozic Acid		28947-50-4			
Fendiline		17969-20-9			
Fendosal		13042-18-7			
Fenethylline		53597-27-6			
Fenfluramine		3736081			
Fenipentol		458-24-2			
		583-03-9			
fenofibrate	Propanoic acid, 2-[4-(4-chlorobenzoyl)phenoxy]-2-methyl-, 1-methylethyl ester [CAS]	26129-32-8 49562-28-9		Formulation, modified-release, <=24hr	Hyperlipidaemia, general
fenoldopam	1H-3-Benzazepine-7,8-diol, 6-chloro-2,3,4,5-tetrahydro-1-(4-hydroxyphenyl)- [CAS]	67227-56-9 67227-57-0	EP 22330	Antihypertensive, other	Hypertension, general
Fenoprofen		31879-05-7			
Fenoterol		13392-18-2			
fenoverine	10H-Phenothiazine, 10-[4-(1,3-benzodioxol-5-ylmethyl)-1-piperazinyl]acetyl [CAS]				
Fenoxazoline		37561-27-6	FR 2092639	Antispasmodic	
Fenoxedil		4846-91-7			
Fenoxolone		54063-40-0			
Fenpentadiol		15302-16-6			
Fenpiprane		15687-18-0			
Fenpiverinium Bromide		3540-95-2			
		125-60-0			
Fenproporex		15686-61-0			
Fenquizone		20287-37-0			
fensetinide	Retinamide, N-(4-hydroxyphenyl)- [CAS]	65646-68-6	BE 847942	Anticancer, other	Cancer, breast
Fenspiride		5053066			

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
fentanyl	Propanamide, N-phenyl-N-[1-(2-phenylethyl)-4-piperidinyl]- [CAS]	437-38-7		Formulation, transmucosal, systemic	Anaesthesia, adjunct
Fentiazac		18046-21-4			
Fenticlor		97-24-5			
	1H-Imidazole, 1-[2-(2,4-dichlorophenyl)-2-[[4-(phenylthio)phenyl]methoxy]ethyl]- [CAS]	72479-26-6 73151-29-8	US 4221803	Antifungal	Infection, gynaecological
Fentonium Bromide		5868064			
		36981-91-6			
fepradinol	Benzenemethanol, Alpha-[[[(2-hydroxy-1,1-dimethylethyl)amino]methyl]-, (+/-)- [CAS]	67704-50-1 63075-47-8		Anti-inflammatory, topical	
Feprazone		30748-29-9			
Ferric Sodium Edetate		15708-41-5			
ferrioxamine B			WO 9426263	Septic shock treatment	Respiratory distress syndrome, adult
Ferrocholine		1336-80-7			
Ferrous Gluconate		299-29-6			
ferumoxylol	Polyglucose sorbitol carboxymethyl ether-coated non-stoichiometric magnetite			Imaging agent	Diagnosis, cancer
	2-[(1R)-3-(bis(1-methylethyl)amino)-1-phenylpropyl]-4-(hydroxymethyl)Phenyl ester, (2E)-2-butenedioate (1:1) (Salt) - [CAS]	286930-03-8			Incontinence
fesoterodine	Benzeneacetic acid, 4-[1-hydroxy-4-[4(hydroxydiphenylmethyl)-1-piperidinyl]butyl]-Alpha,Alpha-dimethyl-, [CAS]	153439-40-8 83799-24-0 138452-21-8	US 5375693 CA 2132416	Antiallergic, non-asthma Vulnerary	Rhinitis, allergic, seasonal Wound healing
Fibrostal					
fidaresat	Spiro(4H-1-benzopyran-4,4'-imidazolidine)-2-carboxamide, 6-fluoro-2,3-dihydro-2',5'-dioxo-, (2S-cis)-, [CAS]	136087-85-9	EP 418834	Symptomatic antidiabetic	Neuropathy, diabetic

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
fiduxosin	8-Phenyl-3-[4-[(3aR,9bR)-1,3a,4,9b-tetrahydro-9-methoxy[1]benzopyrano[3,4-c]pyrrol-2(3H)-yl]butyl]pyrazino[2',3':4,5]thieno[3,2-d]pyrimidine-2,4(1H,3H)-dione	208993-54-8		Prostate disorders	Benign prostatic hyperplasia
finasteride	4-Azaandrost-1-ene-17-carboxamide, N-(1,1-dimethylethyl)-3-oxo-, (5Alpha,17beta)-[CAS]	98319-26-7	EP 155096	Prostate disorders	Benign prostatic hyperplasia
finrozole	Benzonitrile, 4-(3-(4-fluorophenyl)-2-hydroxy-1-(1H-1,2,4-triazol-1-yl)-propyl)-[CAS]	160146-16-7	EP 476944	Urological	Urinary retention
Fipexide		34161-24-5			
FK-960	N-(4-Acetyl-1-piperazinyl)-4-fluorobenzamide monohydrate- [CAS]	133920-70-4	WO 9101979	Cognition enhancer	Alzheimer's disease
Flavopiridol		146426-40-6			
flavoxate	4H-1-Benzopyran-8-carboxylic acid, 3-methyl-4-oxo-2-phenyl-, 2-(1-piperidinylethyl ester [CAS]	15301-69-6 3717-88-2	US 2921070	Urological	
flecainide	Benzamide, N-(2-piperidinylmethyl)-2,5-bis(2,2,2-trifluoroethoxy)-, [CAS]	54143-55-4 54143-56-5		Formulation, modified-release, <=24hr	Fibrillation, atrial
floxacin	3-Quinolonecarboxylic acid, 6,8-difluoro-1-(2-fluoroethyl)-1,4-dihydro-7-(4-methyl-1-piperazinyl)-4-oxo- [CAS]	79660-53-0 79660-72-3	US 4398029	Quinolone antibacterial	Infection, general
Flesinoxan		98206-10-1			
flibanserin	2H-Benzimidazol-2-one, 1,3-dihydro-1-(2-(4-(3-(trifluoromethyl)phenyl)-1-piperazinyl)ethyl)-, [CAS]	167933-07-5		Reproductive/gonadal, general	Sexual dysfunction, female
floctafenine	Benzoic acid, 2-[[[8-(trifluoromethyl)-4-quinolinyl]amino]-, 2,3-dihydroxypropyl ester [CAS]	23779-99-9	US 3644368	Analgesic, NSAID	
	5-Oxa-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[[[[(difluoromethyl)thio]acetyl]amino]-3-[[[1-(2-hydroxyethyl)-1H-tetrazol-5-yl]thio]methyl]-7-methoxy-8-oxo-, (6R-cis)-[CAS]	92823-03-5 99665-00-6	EP 128636	Cephalosporin, injectable	Infection, general
flomoxef					

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Fliopropione		2295-68-1			
Florantyrone		519-95-9			
Flosequinan		76568-02-0			
Floxacinil		5250-39-5			
Floxuridine		50-91-9			
Fluacizine		30223-48-4			
Fluanisone		1480-19-9			
flusasterone	Androst-5-en-17-one, 16-fluoro-, (16 α)- [CAS]	112859-71-9	EP 246650	Cardiovascular	Keratosis
fluzacort	5H-Pregna-1,4-dieno[17,16-d]oxazole-3,20-dione, 21-(acetyloxy)-9-fluoro-11-hydroxy-2'-methyl-, (11R,16R)- [CAS]	19888-56-3	US 3461119	Antipruritic/inflam, non-allergic	
Flucloronide		3693-39-8			
flucloxacillin		1847-24-1			
		34214-51-2		Formulation, other	Infection, general
fluconazole	1H-1,2,4-Triazole-1-ethanol, Alpha-(2,4-difluorophenyl)-Alpha-(1H-1,2,4-triazol-1-ylmethyl)- [CAS]	86386-73-4	EP 96569	Antifungal	Infection, dermatological
Flucytosine		2022-85-7			
fludarabine	9H-Purin-6-amine, 2-fluoro-9-(5-O-phosphono- β -D-arabinofuranosyl)- [CAS]	75607-67-9 21679-14-1	US 4357324	Anticancer, antimetabolite	Cancer, leukaemia, chronic lymphocytic
Fludeoxyglucose F ₁₈		105851-17-0			
Fludiazepam		3900-31-0			
Fludrocortisone		127-31-1			
Flufenamic Acid		530-78-9			
Fluindione		957-56-2			
flumazenil	4H-Imidazo[1,5-a][1,4]benzodiazepine-3-carboxylic acid, 8-fluoro-5,6-dihydro-5-methyl-6-oxo-, ethyl ester [CAS]				
Flumecinol		78755-81-4	EP 27214	Neurological	
Flumequine		56430-99-0			
Flumethasone		42835-25-6			
		2135-17-3			
Flumethiazide		148-56-1			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
flunarizine	Piperazine, 1-[bis(4-fluorophenyl)methyl]-4-(3-phenyl-2-propenyl)-, (E)- [CAS]	30484-77-6 27848-84-6	GB 1268710	Antimigraine	
flunisolide	Pregna-1,4-diene-3,20-dione, 6-fluoro-11,21-dihydroxy-16,17-[(1-methylethylidene)bis(oxy)]-, (6Alpha,11beta,16Alpha)- [CAS]	3385-03-3	US 3124571	Antiasthma	Rhinitis, allergic, general
flunitrazepam	2H-1,4-Benzodiazepin-2-one, 5-(2-fluorophenyl)-1,3-dihydro-1-methyl-7-nitro- [CAS]	1622-62-4	US 3116203	Hypnotic/Sedative	
Flunoxaprofen		66934-18-7			
Fluocinolone Acetonide		67-73-2			
Fluocinonide		356-12-7			
Fluocortin Butyl		41767-29-7			
Fluocortolone		152-97-6			
Fluorescein		2321-07-5			
Fluoresone		2924-67-6			
Fluorometholone		426-13-1			
Fluorosalan		4776061			
fluorouracil	2,4-(1H,3H)-Pyrimidinedione, 5-fluoro- [CAS]	51-21-8		Formulation, transdermal enhanced	Keratosiis
fluoxetine	Benzenepropanamine, N-methyl-Gamma-[4-(trifluoromethyl)phenoxy]-, (+/-)- [CAS]	54910-89-3 56296-78-7	US 4314081	Antidepressant	Depression, general
Fluoxymesterone		76-43-7			
Flupentixol		2709-56-0			
Fluperolone		2119-75-7			
Fluphenazine		69-23-8			
flupirtine	Carbamic acid, [2-amino-6-[[[4-fluorophenyl]methyl]amino]-3-pyridinyl]-, ethyl ester [CAS]	33400-45-2 56995-20-1 75507-68-5	US 4481205	Analgesic, other	Pain, post-operative
Fluprednidene Acetate		1255-35-2			
Fluprednisolone		53-34-9			
Fluproquazone		40507-23-1			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Flurandrenolide		1524-88-5			
Flurazepam		17617-23-1			
flurbiprofen	[1,1'-Biphenyl]-4-acetic acid, 2-fluoro- Alpha-methyl- [CAS]	5104-49-4	US 3793457	Anti-inflammatory	
flurithromycin	Erythromycin, 8-fluoro-mono(ethyl butanedioate) (ester)- [CAS]	82730-23-2	EP 56291	Macrolide antibiotic	Infection, respiratory tract, lower
Flurogestone		2529-45-5			
Flurothyl		333-36-8			
Flurox n		406-90-6			
Fluspirilene		1841-19-6			
flutamide	Propanamide, 2-methyl-N-[4-nitro-3- (trifluoromethyl)phenyl]- [CAS]	13311-84-7	US 4329364	Anticancer, hormonal	
flutazolam	Oxazolo[3,2-d][1,4]benzodiazepin-6(5H)- one, 10-chloro-11b-(2-fluorophenyl)- 2,3,7,11b-tetrahydro-7-(2-hydroxyethyl)- [CAS]	27060-91-9	US 3905956	Anxiolytic	
fluticasone	Androsta-1,4-diene-17-carbothioic acid, 6,9-difluoro-11,17-dihydroxy-16-methyl-3- oxo-, S- (fluoromethyl) ester, (6Alpha,11beta,16Alpha,17Alpha)- [CAS]	80474-14-2 90566-53-3		Formulation, inhalable, solution	Asthma
flutoprazepam	2H-1,4-Benzodiazepin-2-one, 7-chloro-1- (cyclopropylmethyl)-5-(2-fluorophenyl)-1,3- dihydro- [CAS]	25967-29-7	GB 1253368	Anxiolytic	Psychosis, general
flutrimazole	1H-Imidazole, 1-[(2-fluorophenyl)(4- fluorophenyl)phenylmethyl]- [CAS]	119006-77-8	EP 352352	Antifungal	Infection, dermatological
Flutropium Bromide		63516-07-4			
fluvastatin	6-Heptenoic acid, 7-[3-(4-fluorophenyl)-1- (1-methylethyl)-1H-indol-2-yl]-3,5- dihydroxy-, monosodium salt, [R*,S*-(E)]- (±)- [CAS]	93957-55-2 93957-54-1	EP 114027	Hypolipaeic/Antiatherosclerosis	Hypercholesterolaemia
fluvoxamine	1-Pentanone, 5-methoxy-1-[4- (trifluoromethyl)phenyl]-O-(2- aminoethoxy)oxime, (E)- [CAS]	54739-18-3 61718-82-9	GB 1535226	Antidepressant	Depression, general, Obsessive-compulsive disorder
Folic Acid		59-30-3			
Folinic Acid		58-05-9			
Fomepizole		7554-65-6			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
fominoben	Benzamide, N-[3-chloro-2-[[methyl(2-(4-morpholinyl)-2-oxoethyl]amino)methyl]phenyl]- [CAS]	18053-31-1 24600-36-0	US 3661903	Respiratory stimulant	Eczema, general
Fomivirsen		144245-52-3			
Fomocaine		17692-39-6			
Fonazine		7456-24-8			
fondaparinux	Alpha-D-Glucopyranoside, methyl O-2-deoxy-6-O-sulfo-2-(sulfoamino)-Alpha-D-glucopyranosyl-(1-4)-O-β-D-glucopyranuronosyl-(1-4)-O-2-deoxy-3,6-di-O-sulfo-2-(sulfoamino)-Alpha-D-glucopyranosyl-(1-4)-O-2-O-sulfo-Alpha-L-idopyranuronosyl-(1-4)-2-deoxy-2-(sulfoamino)-6-(hydrogen sulfate) [CAS]	104993-28-4 114870-03-0		Anticoagulant	Thrombosis, venous
Formebolone		2454117			
formestane	Androst-4-ene-3,17-dione, 4-hydroxy- [CAS]	566-48-3	EP 346953	Anticancer, hormonal	Cancer, breast
Formocortol		2825-60-7			
formoterol	Formamide, N-[2-hydroxy-5-[1-hydroxy-2-[[[2-(4-methoxyphenyl)-1-methylethyl]amino]ethyl]phenyl]-, (R*,R*)-(+/-)- [CAS]	43229-80-7 73573-87-2	GB 1415256	Antiasthma	Asthma
fosamprenavir	Carbamic acid, ((1S,2R)-3-(((4-aminophenyl)sulfonyl)(2-methylpropyl)amino)-1-(phenylmethyl)-2-(phosphonooxy)propyl)- C-(3S)-tetrahydro-3-furanyl ester, [CAS]	226700-81-8 34156-56-4 4428-95-9 63585-09-1		Antiviral, anti-HIV	Infection, HIV/AIDS
foscarnet	Phosphinecarboxylic acid, dihydroxy-, oxide, trisodium salt [CAS]	522-40-7	US 4839445	Antiviral, other	Infection, cytomegalovirus
Fosfestrol					
fosfluconazole	2,4-difluoro-Alpha,Alpha-bis(1H-1,2,4-triazol-1-ylmethyl)benzyl alcohol, dihydrogen phosphate (ester)	194798-83-9 23155-02-4		Antifungal	Infection, fungal, general
fosfomycin	Phosphonic acid, (3-methyloxiranyl)-, (2R-cis)- [CAS]	26016-98-8	GB 1223923	Antibiotic, other	Infection, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
fosfomicin trometamol	Phosphonic acid, (3-methoxyisoxiranyl)-, (2R-cis)-, compd. with 2-amino-2-(hydroxymethyl)-1,3-propanediol (1:1)- [CAS]	78964-85-9	EP 27597	Antibiotic, other	Infection, urinary tract
Fosfosal		6064-83-1			
	L-Proline, 4-cyclohexyl-1-[[[2-methyl-1-(1-oxopropoxy)propoxy][4-phenylbutyl]phosphiny]acetate]-, (2Alpha,4S)- [CAS]	88889-14-9 98048-97-6	EP 63896	Antihypertensive, renin system	Hypertension, general
fosphenytoin	2,4-Imidazolidinedione, 5,5-diphenyl-3-[[[phosphonoxy)methyl]- [CAS]	92134-98-0 93390-81-9	US 4260769	Antiepileptic	Epilepsy, generalized, tonic-clonic
fotemustine	Phosphonic acid, [1-[[[2-chloroethyl]nitrosoamino]carbonyl]amino]ethyl]-, diethyl ester [CAS]	92118-27-9	EP 117959	Anticancer, alkylating	Cancer, melanoma
Fropenem		106560-14-9			
froatriptan	1H-Carbazole-6-carboxamide, 2,3,4,9-tetrahydro-3-(methylamino)-, (R)- [CAS]	158747-02-5	WO 9922730	Antimigraine	Migraine
Fructose		57-48-7			
Fructose-1,6-diphosphate		488-69-7			
FTC	2(1H)-Pyrimidinone, 4-amino-5-fluoro-1-(2-(hydroxymethyl)-1,3-oxathiolan-5-yl)- (4R) [CAS]			Antiviral, anti-HIV	Infection, HIV/AIDS
FTY-720	1,3-Propanediol, 2-amino-2-(2-(4-octylphenyl)ethyl)-hydrochloride [CAS]	162359-56-0	WO 9408943	Immunosuppressant	Transplant rejection, general
fudosteine	Alanine, 3-((3-hydroxypropyl)thio)- [CAS]	13189-98-5	US 5047428	Antitussive	Cough
fulvestrant	Estra-1,3,5(10)-triene-3,17-diol, 7-[9-[[[4,4,5,5,5-pentafluoropentyl]sulfinyl]nonyl]-, (7Alpha,17S)- [CAS]	129453-61-8	EP 346014	Anticancer, hormonal	Cancer, breast
	2,4,6,8-Decatetraenedioic acid, mono[5-methoxy-4-[2-methyl-3-(3-methyl-2-butenyl)oxiranyl]-1-oxaspiro[2.5]oct-6-yl] ester, [3R-[3Alpha,4Alpha(2R*,3R*),5S,6S(all-E)]]-[CAS]	23110-15-8		Protozoacide	Infection, GI tract
fumagiline					

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Fumagillin		23110-15-8			
Furaltadone		139-91-3			
Furazabol		1239-29-8			
Furazolidone		67-45-8			
Furazolum Chloride		5118-17-2			
Furonazide		3460-67-1			
furosemide	Benzoic acid, 5-(aminosulfonyl)-4-chloro-2-[(2-furanyl)methyl]amino]- [CAS]	54-31-9		Formulation, modified-release, other	Hypertension, general
Fursultiamine		804-30-8			
Furtrethonium		7618-86-2			
Fusidic Acid		06/03/6990			
G1, YM BioSciences	1-(5-bromofur-2-yl)-2-bromo-2-nitroethene			Antifungal	Infection, gynaecological
G25			WO 9804252	Antimalarial	Infection, malaria
GABA-A Alpha5 inverse agonist, Mer			WO 0206285	Cognition enhancer	Alzheimer's disease
gabapentin	Cyclohexanecarboxylic acid, 1-(aminomethyl)- [CAS]	60142-96-3	US 4152326	Antiepileptic	Epilepsy, general
gabexale	Benzoic acid, 4-[[6-[(aminiminomethyl)amino]-1-oxohexyl]oxy]- ethyl ester, monomethanesulfonate [CAS]	39492-01-8 56974-61-9	US 3751447	GI inflammatory/bowel disorders	Pancreatitis
gaboxadol	Isoxazolo[5,4-c]pyridin-3(2H)-one, 4,5,6,7-tetrahydro- [CAS]	64603-91-4	CA 1125288	Hypnotic/Sedative	Sleep disorder, general
Gadobenat		127000-20-8			
Dimeglumine					
Gadobutrol		138071-82-6			
Gadodiamide		131410-48-5			
Gadopentetic Acid		80529-93-7			
Gadoteridol		120066-54-8			
Gadoversetamide		131069-91-5			
Gadoxetic Acid		135326-11-3			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
galantamine	(4aS,6R,8aS)-6-Hydroxy-3-methoxy-11-methyl-5,6,9,10,11,12-hexahydro-4H-benzofuro[3a,3,2-e][2]benzazepine			Formulation, modified-release, other	Alzheimer's disease
Galanthamine		357-70-0			
	[β -Alanine, 2-[4-[(2,6-dideoxy-2-fluoro- α -L-talopyranosyl)oxy]-1,2,3,4,6,11-hexahydro-2,5,12-trihydroxy-7-methoxy-6,11-dioxo-2-naphthaceny]-2-oxoethyl ester, [CAS]	140637-82-7 140637-86-1	EP 424899	Anticancer, antibiotic	Cancer, breast
Gallamine Triethiodide		65-29-2			
Gallic Acid		149-91-7			
gallium maltolate	4H-Pyran-4-one, 3-hydroxy-2-methyl-, gallium complex			Anticancer, other	Cancer, myeloma
gallium nitrate	Nitric acid, gallium salt [CAS]	13494-90-1	US 4529593	Osteoporosis treatment	Hypercalcaemia of malignancy
gallopamil	Benzeneacetoneitrile, Alpha-[3-[[2-(3,4-dimethoxyphenyl)ethyl]methylamino]propyl]-3,4,5-trimethoxy-Alpha-(1-methylethyl)-[CAS]	16662-47-8	GB 1367677	Antianginal	Angina, general
γ-Aminobutyric Acid		56-12-2			
Ganaxolone		38398-32-2			
ganciclovir	6H-Purin-6-one, 2-amino-1,9-dihydro-9-[[2-hydroxy-1-(hydroxymethyl)ethoxy]methyl]-[CAS]	107910-75-8 82410-32-0	EP 49072	Antiviral, other	Infection, cytomegalovirus
ganirelix	[N-Ac-D-Nal(D-pCl-Phe,D-Pal,D-hArg(Et) ₂ ,hArg(Et) ₂ D-Ala]GnRH-[CAS]	124904-93-4	EP 312052	Releasing hormones	Infertility, female
ganstigmine	Carbamic acid, (2-ethylphenyl)-, (3aS,8aS)-1,2,3,3a,8,8a-hexahydro-1,3a,8-trimethylpyrrolo[2,3-b]indol-5-yl ester,				
		223585-99-7	EP 1023297	Cognition enhancer	Alzheimer's disease

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
gantofiban	1-Piperazineacetic acid, 4-[[[(5R)-3-[4-[[imino[(methoxycarbonyl)amino]methyl]phenyl]-2-oxo-5-oxazolidinyl]methyl]-ethyl]ester [CAS]	183547-57-1	EP 741133	Antithrombotic	Thrombosis, general
garenoxacin	3-Quinolonecarboxylic acid, 1-cyclopropyl-8-(difluoromethoxy)-7-((1R)-2,3-dihydro-1-methyl-1H-isindol-5-yl)-1,4-dihydro-4-oxo-monomethanesulfonate [CAS]	223652-82-2		Quinolone antibacterial	Infection, respiratory tract, lower
garnociclim	5-73-macrophage inflammatory protein 2Alpha (human gene gr2)- [CAS]	246861-96-1		Radio/chemoprotective	Chemotherapy-induced injury, bone marrow, neutropenia
gatifloxacin	3-Quinolonecarboxylic acid, 1-cyclopropyl-6-fluoro-1,4-dihydro-8-methoxy-7-(3-methyl-1-piperazinyl)-4-oxo-, (+)- [CAS]	112811-59-3	EP 230295	Quinolone antibacterial	Infection, respiratory tract, general
Gefarnate		51-77-4			
gefitinib	4-Quinazolinamine, N-(3-chloro-4-fluorophenyl)-7-methoxy-6-(3-(4-morpholinyl)propoxy) [CAS]	184475-35-2	WO 9633980	Anticancer, other	Cancer, lung, non-small cell
gemcabene	6,6'-oxybis(2,2-dimethylhexanoate)	209789-08-2		Hypolipaeic/Antiatherosclerosis	Hyperlipidaemia, general
gemcitabine	Cytidine, 2'-deoxy-2', 2'-difluoro-, [CAS]	122111-03-9 95058-81-4	GB 2136425	Anticancer, antimetabolite	Cancer, pancreatic
gemeprost	Prosta-2,13-dien-1-oic acid, 11,15-dihydroxy-16,16-dimethyl-9-oxo-, methyl ester, (2E,11Alpha,13E,15R)- [CAS]	64318-79-2	GB 1540427	Prostaglandin	
gemfibrozil	Pentanoic acid, 5-(2,5-dimethylphenoxy)-2,2-dimethyl- [CAS]	25812-30-0	US 3674836	Hypolipaeic/Antiatherosclerosis	Hyperlipidaemia, general
gemifloxacin	1,8-Naphthyridine-3-carboxylic acid, 7-(3-(aminomethyl)-4-(methoxyimino)-1-pyrrolidinyl)-1-cyclopropyl-6-fluoro-1,4-dihydro-4-oxo- [CAS]	175463-14-6	US 5869670	Quinolone antibacterial	Infection, respiratory tract, general
gentamicin	Gentamicin [CAS]	1403-66-3		Formulation, implant	Infection, general
Gentian Violet		548-62-9			
Gentiopticrin		20831-76-9			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Gentisic Acid		490-79-9			
Gepefrine		18840-47-6			
gepirone	2,6-Piperidinedione, 4,4-dimethyl-1-[4-[(2-pyrimidinyl)-1-piperazinyl]butyl]- [CAS]			Formulation, modified-release, other	Depression, general
gestodene	18,19-Dinorepregna-4,15-dien-20-yn-3-one, 13-ethyl-17-hydroxy-, (17Alpha)- [CAS]	109852-02-0 60282-87-3	GB 1569135	Formulation, fixed-dose combinations	Contraceptive, female
gestodene + ethinylest	18,19-Dinorepregna-4,15-dien-20-yn-3-one, 13-ethyl-17-hydroxy-, (17Alpha) mixt with 19-Norepregna-1,3,5(10)-trien-20-yne-13,17-diol (17Alpha)			Formulation, modified-release, >24hr	Contraceptive, female
Gestonorone Caproate		1253-28-7			
Gestrinone		16320-04-0			
γ -Hydroxybutyrate		591-81-1			
gimatecan	(4S)-11-[(E)-[(1,1-dimethylethoxy)imino]methyl]-4-ethyl-4-hydroxy-1-12-dihydro-14H-pyran[3,4':6,7]indolizino[1,2-b]quinoline-3,14(4H)-dione	292618-32-7		Anticancer, other	Cancer, brain
Giractide		24870-04-0			
Gitoxin		4562-36-1			
GL-406349	N,N'-Bis[2-[N-[2-(N2,N5-dimethyl-DL-lysylamino)-ethyl]carbamoyl]1H-indol-6-yl]-1H-indole-2,5-dicarboxamide			Antifungal	Infection, fungal, general
Glafenine	L-Glutamic acid, polymer with L-alanine, L-lysine and L-tyrosine, [CAS]	3820-67-5 147245-92-9			
glatiramer		28704-27-0	WO 5800808	Multiple sclerosis treatment	Multiple sclerosis, relapsing-remitting
Glibornuride		26944-48-9			
gliclazide	Benzenesulfonamide, N-[[[(hexahydrocyclopenta[c]pyrrol-2(1H)-yl)amino]carbonyl]-4-methyl- [CAS]	21187-98-4	GB 1153982	Antidiabetic	Diabetes, Type II

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
glimepiride	1H-Pyrrole-1-carboxamide, 3-ethyl-2,5-dihydro-4-methyl-N-[2-[4-[[[(4-methylcyclohexyl)amino]carbonyl]amino]sulfonyl]phenyl]ethyl]-2-oxo- [CAS]	93479-97-1	WO 9303724	Antidiabetic	Diabetes, Type II
γ-Linolenic Acid		506-26-3			
glipizide	Pyrazinecarboxamide, N-[2-[4-[[[(cyclohexylamino)carbonyl]amino]sulfonyl]phenyl]ethyl]-5-methyl- [CAS]	29094-61-9	US 3669966	Antidiabetic	
gliquidone	Benzenesulfonamide, N-[[cyclohexylamino]carbonyl]-4-[2-(3,4-dihydro-7-methoxy-4,4-dimethyl-1,3-dioxo-2(1H)-isoquinolinyl)ethyl]- [CAS]	33342-05-1	GB 1277847	Antidiabetic	Diabetes, general
glisolamide	3-Isoxazolecarboxamide, N-[2-[4-[[[(cyclohexylamino)carbonyl]amino]sulfonyl]phenyl]ethyl]-5-methyl- [CAS]	24477-37-0		Antidiabetic	Diabetes, general
Glisoxepid		25046-79-1			
Glucametacin		52443-21-7			
Glucuheptonic Acid		87-74-1			
Gluconic Acid		526-95-4			
glucosamine	D-Glucose, 2-amino-2-deoxy-, [CAS]	29031-19-4	DE 1953689	Antiarthritic, other	Arthritis, osteo
Glucosulfone		3416-24-8			
		554-18-7			
glufosfamide	β -D-Glucopyranose, 1-(N,N'-bis(2-chloroethyl)phosphorodiamidate)- [CAS]	132682-98-5	DE 3835772	Anticancer, alkylating	Cancer, general
Glutamic Acid		56-86-0			
Glutaraldehyde		111-30-8			
Glutethimide		77-21-4			
Glyburide		10238-21-8			
Glybuthiazol(e)		535-65-9			
Glybuzole		1492-02-0			
Glycerol		56-81-5			
Glycocyamine		352-97-6			
Glycol Salicylate		87-28-5			
Glyconiazide		3691-74-5			

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Glycopyrrolate		596-51-0			
Glyhexamide		451-71-8			
Glymidine		339-44-6			
Glypinamide		1228-19-9			
GMDP	N-acetylglucosaminyl-N-acetylmuramyl dipeptide			Anti-infective, other	Infection, general
Gold Sodium Thi malat		12244-57-4			
Gold Sodium Thiosulfate		10233-88-2			
goserelin	Luteinizing hormone-releasing factor (pig), 6-[O-(1,1-dimethylethyl)-D-serine]-10-deglycinamide-, 2-(aminocarbonyl)hydrazide [CAS]	65807-02-5	US 4100274	Releasing hormones	Cancer, prostate
GPI-1485	L-Proline, 1-(3,3-dimethyl-1,2-dioxopentyl)-, 3-(3-pyridinyl)propyl ester [CAS]	186452-09-5		Antiparkinsonian	Parkinson's disease
GPI-5693	2-(Phosphonomethyl)pentanedioic acid		US 5672592	Analgesic, other	Pain, neuropathic
Graftskin					
granisetron	1H-Indazole-3-carboxamide, 1-methyl-N-(9-methyl-9-azabicyclo[3.3.1]non-3-yl)-, endo- [CAS]	107007-99-8 109889-09-0	EP 200444	Antiemetic	Chemotherapy-induced nausea and vomiting
Grepafloxacin		119914-60-2			
griseofulvin	Spiro[benzofuran-2(3H),1'-[2]cyclohexane]-3,4-dione, 7-chloro-2',4,6-trimeth-oxy-6 methyl-, (1'S-trans)- [CAS]	126-07-8		Formulation, dermal, topical	Infection, dermatological
Guaiacol		90-05-1			
Guaiapate		852-42-6			
Guaiazul ne		489-84-9			
Guafenesin		93-14-1			
guaimesal	4H-1,3-Benzodioxin-4-one, 2-[2-methoxyphenoxy]-2-methyl- [CAS]	81674-79-5	GB 2098201	Anti-inflammatory	
Guamecycline		16545-11-2			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Guanabenz		5051-62-7			
Guanadrel		40580-59-4			
Guanethidine		55-65-2			
Guanfacine		29110-47-2			
Guanoxabenz		24047-25-4			
Guanoxan		2165-19-7			
gugulipid	Pregna-4,17(20)-diene-3,16-dione [CAS]	95975-55-6	EP 447706	Hypolipaeic/Antiatherosclerosis	
Gusperimus		104317-84-2			
GW-280430A	(Z)-2-Chlorofumaric acid 1-[3-[[6,7-dimethoxy-2(S)-methyl-1(R)-(3,4,5-trimethoxybenzyl)-1,2,3,4-tetrahydroisoquinolinium-2-yl]propyl]			Muscle relaxant	Anaesthesia, adjunct
GW-320659	[2S,3S,5R]-2-[3,5-difluorophenyl]-3,5-dimethyl-2-morpholinol			Anorectic/Antiobesity	Obesity
GYKI-16084	(+)-R-2-[3-[N-(2-Benzo[1,4]dioxanylmethyl)amino]-1-propyl]-3(2H)-pyridazinone hydrochloride		US 6194411	Prostate disorders	Benign prostatic hyperplasia
Hachimycin		1394-02-1			
Halazepam		23092-17-3			
Halcinonide		3093-35-4			
halobetasol	Pregna-1,4-diene-3,20-dione, 21-chloro-6,9-difluoro-11-hydroxy-16-methyl-17-(1-oxopropoxy)-, (6Alpha,11beta,16beta)- [CAS]	66852-54-8	US 4619921	Antipsoriasis	Psoriasis
halofantrine	9-Phenanthrenemethanol, 1,3-dichloro-Alpha-[2-(dibutylamino)ethyl]-6-(trifluoromethyl)- [CAS]	36167-63-2 69756-53-2	EP 138374	Antimalarial	Infection, malaria
halomelasone	Pregna-1,4-diene-3,20-dione, 2-chloro-6,9-difluoro-11,17,21-trihydroxy-16-methyl-, (6Alpha,11beta,16Alpha)- [CAS]	50629-82-8	US 4076737	Antipruritic/Inflamm. allergic	
Haloperidol		52-86-8			
Halopredone		57781-14-3			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Haloproglin		777-11-7			
Halopropane		679-84-5			
Halothane		151-67-7			
Haloxazolam		59128-97-1			
harkoseride	2(R)-Acetamido-N-benzyl-3-methoxypropionamide		WO 9733861	Antiepileptic	Epilepsy, general
HE-2000	16Alpha-Bromo-3 β -hydroxy-5Alpha-androstane-17-one			Antiviral, anti-HIV	Infection, HIV/AIDS
Healos			WO 9714376	Musculoskeletal	Regeneration, bone
H matoporphyrin		14459-29-1			
Hepronicate		7237-81-2			
Heptabarbital		509-86-4			
Heptaminol		372-66-7			
Hetacillin		3511-16-8			
Hetastarch		9004-62-0			
Hexachlorophene		70-30-4			
Hexadimethrine Bromide		28728-55-4			
Hexafluorenum Bromide		317-52-2			
Hexamethonium		60-26-4			
Hexamidine		3811-75-4			
Hexapropymate		358-52-1			
Hexedine		5980-31-4			
Hexestrol		84-16-2			
Hexestrol Bis(β -di thylaminoethyl ether)		2691-45-4			
Hexethal		144-00-3			
Hexetidine		141-94-6			
Hexobarbital		56-29-1			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Hexobendine		54-03-5			
H xocyclium Methyl Sulfate		115-63-9			
Hexoprenaline		3215-70-1			
Hexlend	Hexlend [CAS]	235746-51-7	US 5407428	Plasma substitute	Surgery adjunct
Hexylcaine		532-76-3			
HF-0299	11b-hydroxy androstenedione			Osteoporosis treatment	Osteoporosis
	Benzeneacetic acid, 4-[2-hydroxy-3-[(1-methylethyl)amino]propoxy]-, 2-tricyclo[3.3.1.1 ^{3,7} dec-1-ylethyl ester, (2Z)-2-butenedioate (1:1) (salt) [CAS]	121009-31-2		Antiglaucoma	Glaucoma
HGP-2					
	8-Azoniabicyclo[3.2.1]octane, 3-(3-ethoxy-1,3-dioxo-2-phenylpropoxy)-8-dimethyl-, (3-endo)-, methyl sulfate [CAS]	113932-41-5		Antiepileptic	Epilepsy, general
HGP-6 ^a				Vasoprotective, systemic	
Hydrosmim	Hydrosmim- [CAS]	120250-44-4	EP 0493468	Anticancer, immunological	Cancer, melanoma
histamine	histamine	51-45-6			
Histapyrridine		493-80-1			
	Luteinizing hormone-releasing factor (pig), 6-[1-(phenylmethyl)-D-histidine]-9-(N-ethyl-L-prolinamide)-10-deglycinamide- [CAS]	76712-82-8	EP 217659	Releasing hormones	Precocious puberty
histrelin				Osteoporosis treatment	Osteoporosis
HIM-101	HM 101 [CAS]	217311-70-1			
	(E)-4-[2-[2-(p-methoxybenzenesulfonylamide)-phenyl]ethenyl]pyridine-1-oxide			Anticancer, other	Cancer, general
HIMN-214					
Homatropine		87-00-3			
Homocamfin		535-86-4			
Homochlorcyclizine		848-53-3			
Hopantenic Acid		18679-90-8			
HP-228	Glycinamide, N-acetyl-L-noreucyl-L-glutamyl-L-histidyl-D-phenylalanyl-L-arginyl-D-tryptophyl- [CAS]	172617-89-9	EP 759770	Analgesic, other	Pain, post-operative

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Hyperzine A		102518-79-6			
hyaluronan	Hyaluronic acid [CAS]	9004-61-9		Formulation, other	Restenosis
Hycanthone		3105-97-3			
Hydnocarpic Acid		459-67-6			
Hydralazine		86-54-4			
Hydrastine		118-08-1			
Hydrastinine		6592-85-4			
Hydrochlorothiazide		58-93-5			
hydrocodone	Morphinan-6-one, 4,5-epoxy-3-hydroxy-17-(4,5-epoxy-3-hydroxy-17-methyl-, (5 α)-) [CAS]	125-29-1		Formulation, modified-release, other	Pain, general
Hydrocortamate		76-47-1			
hydrocortisone	Pregn-4-ene-3,20-dione, 21-(acetyloxy)-11-hydroxy-17-(1-oxopropoxy)-, (11 β)-[CAS]	74050-20-7	DE 2826257	Dermatological	Unspecified
hydrocortisone butyrate propio	Pregn-4-ene-3,20-dione, 11-hydroxy-17-(1-oxobutoxy)-21-(1-oxopropoxy)-, (11 β)-[CAS]	72590-77-3	DE 2910899	Antipruritic/inflamm, allergic	
Hydroflumethiazide		135-09-1			
hydromorphone	Morphinan-6-one, 4,5-epoxy-3-hydroxy-17-methyl-, (5 α)-, mixt with acetamide, N-(4-hydroxyphenyl)-, mixt with morphinan-6-one, 17-(cyclopropylmethyl)-4,5-epoxy-3,14-dihydroxy-, (5 α)-[CAS]	103-90-2 16590-41-3 466-99-9		Formulation, fixed-dose combinations	Pain, general
Hydroquinidine		1435-55-8			
Hydroquinine		522-66-7			
Hydroquinone		123-31-9			
Hydroxocobalamin		13422-51-0			
Hydroxyamphetamine		1518-86-1			
Hydroxychloroquine		118-42-3			
Hydroxydione		53-10-1			
Hydroxypethidine		468-56-4			
Hydroxyphenamate		50-19-1			

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Hydroxypropyl Cellulose		9004-64-2			
Hydroxystilbamidine		495-99-8			
Hydroxytetracaine		490-98-2			
Hydroxyzine		68-88-2			
<i>Hylan G-F 20</i>					
Hymecromone		90-33-5			
hyoscyamine	benzeneacetic acid, Alpha(hydroxymethyl)-, 8-methyl-8-azabicyclo [3.2.1]oct-3-yl ester, [3(S)-endo],				
hypericin	Phenanthro[1,10,9,8-opqra]perylene-7,14-dione, 1,3,4,6,8,13-hexahydroxy-10,11-dimethyl- [CAS]	101-31-5		Formulation, oral, orally-disintegrating	Ulcer, GI, general
IACFT		548-04-9		Anticancer, other	Cancer, brain
ibandronic acid	Phosphonic acid, [1-hydroxy-3-(methylpentylamino)propylidene] bis- [CAS]	180468-34-2			
ibopamine	Propanoic acid, 2-methyl-, 4-[2-(methylamino)ethyl]-1,2-phenylene ester- [CAS]	114084-78-5	EP 252504	Osteoporosis treatment	Hypercalcaemia of malignancy
ibopamine	Propanoic acid, 2-methyl-, 4-[2-(methylamino)ethyl]-1,2-phenylene ester- [CAS]	66195-31-1	GB 1551661	Cardio stimulant	Heart failure
ibritumomab Tiuxetan		66195-31-1		Formulation, mucosal, topical	Surgery adjunct
ibuprofen	Phosphonic acid, [4-[(4-bromo-2-cyanophenyl)amino]carbonyl]phenyl]methyl-, diethyl ester [CAS]	206181-63-7			
ibudilast	1-Propanone, 2-methyl-1-[2-(1-methylethyl)pyrazolo[1,5- <i>a</i>]pyridin-3-yl]- [CAS]	133208-93-2	EP 402033	Hypolipaeimic/Antiatherosclerosis	Hypertriglyceridaemia
ibufenac	Benzenecacetic acid, Alpha-methyl-4-(2-methylpropyl)-, 2-pyridinylmethyl ester [CAS]	50847-11-5	EP 215438	Antiasthma	Asthma
ibuprofen piconol		1553-60-2			
		64622-45-3	DE 2658610	Antipruritic/inflam, non-allergic	Eczema, contact

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
ibuprofen	Benzeneacetic acid, Alpha-methyl-4-(2-methylpropyl)- [CAS]	15687-27-1		Formulation, modified-release, other	Inflammation, general
Ibuproxam		53648-05-8			
ibutilide	Methanesulfonamide, N-[4-[4-(ethylheptylamino)-1-hydroxybutyl]phenyl]-, (+/-)-, [CAS]	122647-31-8 122647-32-9	JP 60239458	Antiarrhythmic	Fibrillation, atrial
ICA-17043			US 6288122	Antisickling	Anaemia, sickle cell
icodextrin	Dextrin- [CAS]	9004-53-9		Urological	Renal failure
	5,12-Naphthacenedione, 9-acetyl-7-[(3-amino-2,3,6-trideoxy-Alpha-L-lyxohexopyranosyl)oxy]-7,8,9,10-tetrahydro-6,9,11-trihydroxy-, (7S-cis) [CAS]	58957-92-9 86189-66-4	US 4471052	Anticancer, antibiotic	Cancer, leukaemia, acute lymphocytic
Idazoxan		79944-58-4			
	2-(2,3-dihydro-2-(4-hydroxy-3-methoxyphenyl)-3-(hydroxymethyl)-1,4-benzodioxin-6-yl)-2,3-dihydro-3,5,7-trihydroxy-4H-1-benzopyran-4-one phosphatidylcholine complex	134499-06-2	EP 209038	Anticancer, hormonal	Cancer, ovarian
idebenone	2,5-Cyclohexadiene-1,4-dione, 2-(10-hydroxydecyl)-5,6-dimethoxy-3-methyl- [CAS]	58186-27-9	EP 58057	Neuroprotective	Ischaemia, cerebral
	4-Hexenoic acid, 3-[[[(1,1-dimethylethoxy)carbonyl]amino]-2-hydroxy-5-methyl-, (3aS,4R,7R,8aS,9S,10aR,12aS,12bR,13S,13aS)-7,12a-bis(acetyloxy)-13-(benzoyloxy)-3a,4,7,8,8a,9,10,10a,12,12a,12b,13-dodecahydro-9-hydroxy-5,8a,14,14-tetramethyl-2,8-dioxo-6,13a-methanotetramethyl-2,3,5,6] benzo[1,2,4,5] cyclohexa [1,2-d] dioxy[4-yl ester, 2R,3S) [CAS]	186348-05-0	US 5264591	Anticancer, other	Cancer, colorectal
IDN-5109		116057-75-1			
Idoxifen					

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
idraparinux	Alpha-D-Glucopyranoside, methyl O-2,3,4-tri-O-methyl-6-O-sulfo-Alpha-D-glucopyranosyl-(1-4)-O-2,3-di-O-methyl-6-D-glucopyranuronosyl-(1-4)-O-2,3,6-tri-O-sulfo-Alpha-D-glucopyranosyl-(1-4)-O-2,3-di-O-methyl-Alpha-L-idopyranuronosyl-(1-4)-, tris(hydrogen sulfate) nonasodium salt [CAS]	149920-56-9	AU 698456	Antithrombotic	Thrombosis, venous
idroclamide	2-Propenamide, N-(2-hydroxyethyl)-3-phenyl- [CAS]	6961-46-2	US 3659014	Anti-inflammatory, topical	
ifenprotil	(7)-2-(4-benzyl piperidino)-1-p-hydroxyphenylpropanol tartrate	23210-58-4 23210-56-2	US 3509164	Neuroprotective	
ifosfamide	2H-1,3,2-Oxazaphosphorin-2-amine, N,3-bis(2-chloroethyl)tetrahydro-2-oxide [CAS]	3778-73-2	US 3732340	Anticancer, alkylating	Cancer, lung, general
iguratimod	N-[3-(Formylamino)-4-oxo-6-phenoxy-4H-chromen-7-yl] methanesulfonamide	123663-49-0	DE 3834204	Antiarthritic, other	Arthritis, rheumatoid
ilaprazole	1H-Benzimidazole, 2-(((4-methoxy-3-methyl-2-pyridinyl) methyl)sulfinyl)-5-(1H-pyrrol-1-yl)- [CAS]	172152-36-2	US 5703097	Antiulcer	Ulcer, GI, general
ilomastat	Butanediamide, N4-hydroxy-N1-(1-(1H-indol-3-ylmethyl)-2-(methylamino)-2-oxoethyl)-2-(2-methylpropyl)-, (S-(R*, S*))-[CAS]	142880-36-2	US 5892112	COPD treatment	Emphysema, smoking-related
iloperidone	Ethanone, 1-[4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxyphenyl]- [CAS]	133454-47-4	US 5776963	Neuroleptic	Schizophrenia
iloprost trometamol	Pentanoic acid, 5-[hexahydro-5-hydroxy-4-(3-hydroxy-4-methyl-1-octen-6-ynyl)-2(1H)-pentalenylidene]- [CAS]	78919-13-8	DE 3417638	Prostaglandin	Peripheral vascular disease
ILX23-7553	1Alpha,25-Hydroxy-16-yne vitamin D3			Anticancer, other	Cancer, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
imatinib	4-((Methyl-1-piperazinyl)methyl)-N-(4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]-phenyl]benzamide methanesulfonate	152459-95-5	US 5521184	Anticancer, other	Cancer, leukaemia, chronic myelogenous
imidapril	4-Imidazolidinecarboxylic acid, 3-[2-[[1-(ethoxycarbonyl)-3-phenylpropyl]amino]-1-oxopropyl]-1-methyl-2-oxo-, [4S-[3(R*(R*),4R*)]- [CAS]	89371-37-9 89396-94-1	EP 95163	Antihypertensive, renin system, Musculoskeletal	Hypertension, general, Cachexia
imidazole salicylate	Benzoic acid, 2-hydroxy-, compd. with 1H-imidazole (1:1) [CAS]	36364-49-5	US 4329340	Anti-inflammatory	Pain, general
imipenem	1-Azabicyclo[3.2.0]hept-2-ene-2-carboxylic acid, 6-(1-hydroxyethyl)-3-[[2-[[iminomethyl]amino]ethyl]thio]-7-oxo-, [5R-[5Alpha,6Alpha(R*)]]- [CAS]	64221-86-9 74431-23-5 81129-83-1	GB 1570990	Beta-lactam antibiotic	Infection, general
Imipramine		50-49-7			
Imipramine N-Oxide		6829-98-7			
imiquimod	1H-imidazo[4,5-c]quinolin-4-amine, 1-(2-methylpropyl)- [CAS]	99011-02-6	EP 145340	Antiviral, other	infection, human papilloma virus
Imolamine		318-23-0			
	Benzeneacetamide, Alpha-cyclopentyl-4-((2,4-dimethyl-9H-pyrido[2,3-b]indol-9-yl)methyl)-N-((1R)-2-hydroxy-1-phenylethyl)- (AlphaS)- [CAS]	177469-96-4	EP 705831	Hypolipaeamic/Antiatherosclerosis	Atherosclerosis
Improsulfan		13425-98-4			
Inaperisone		99323-21-4			
incadronate	Phosphonic acid, ((cycloheptylamino)methylene)bis-, [CAS]	138330-18-4		Musculoskeletal	Hypercalcaemia of malignancy
Incadronic Acid		124351-85-5			
Indalpine		63758-79-2			
Indanazoline		40507-78-6			
indapamide	4-chloro-N-(2-methylindolin-1-yl)-3-sulfamoylbenzamide	26807-65-8	GB 1203691	Antihypertensive, diuretic	Hypertension, general
Indecainid		74517-78-5			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
indoloxazine	Morpholine, 2-[(1H-inden-7-yloxy)methyl]- [CAS]	60929-23-9 65043-22-3	JP 52083773	Cognition enhancer	Alzheimer's disease
Indeloxazine		65043-22-3			
		30190-87-5			
indenolol	2-Propanol, 1-[1H-inden-4(or 7)-yloxy]-3-[[1-methylethyl]amino]- [CAS]	60607-68-3 68906-88-7	GB 1290343	Antihypertensive, adrenergic	
indinavir	D-erythro-Pentonamide, 2,3,5-trideoxy-N-(2,3-dihydro-2-hydroxy-1H-inden-1-yl)-5-(2-(((1,1-dimethylethyl)amino)carbonyl)-4-(3-pyridinylmethyl)-1-piperazinyl)-2-(phenylmethyl), [1S]-[1Alpha(R'),2Alpha]]-, [CAS]	150378-17-9 157810-81-6	EP 0541168	Antiviral, anti-HIV	Infection, HIV/AIDS
indiplon	Acetamide, N-methyl-N-(3-(2-(thienylcarbonyl)pyrazolo(1,5-a) pyrimidin-7-yl)phenyl)- [CAS]	325715-02-4	US 6399621	Hypnotic/Sedative	Insomnia
indiseron	1H-Indazole-3-carboxamide, N-(3,9-dimethyl-3,9-diazabicyclo(3.3.1)non-7-yl)-, diendo- [CAS]	160472-97-9			
indisulam	1,4-Benzenedisulfonamide, N-(3-chloro-1H-indol-7-yl)- [CAS]	165668-41-7		Antiemetic	Nausea and vomiting, general
Indobufen		63610-08-2		Anticancer, other	Cancer, lung, non-small cell
Indocyanine Green		3599-32-4			
indometacin	1H-Indole-3-acetic acid, 1-(4-chlorobenzoyl)-5-methoxy-2-methyl- [CAS]	53-86-1		Formulation, modified-release, other	Inflammation, general
Indoprofen		31842-01-0			
indoramin	Benzamide, N-[1-[2-(1H-indol-3-yl)ethyl]-4-piperidinyl]- [CAS]	26844-12-2 38821-52-2	GB 1218570	Antihypertensive, adrenergic	
Inducterm			US 5993810	Labour inducer	Labour, induction
Infliximab		170277-31-3			
Inosine Pranobex		36703-88-5			
Inositol		87-89-8			
Inositol Niacinate		6556112			
lobenguane		80663-95-2			
lobenzamic Acid		3115057			

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Iobitridol		136949-58-1			
Iocarmic Acid		10397-75-8			
Iocetamic Acid		16034-77-8			
Iodamide		440-58-4			
Iodine	Iodine [CAS]	7553-56-2		Formulation, oral, other	Fibrocystic breast disorder
Iodipamide		606-17-7			
Iodixanol		92339-11-2			
Iodoalphonic Acid		577-91-3			
Iodochlorhydroxyquin	5-Chloro-7-iodo-8-quinolinol	130-26-7		Cognition enhancer	Alzheimer's disease
Iodoform		75-47-8			
Iodopyracet		300-37-8			
Iodopyrrole		87-58-1			
Iodoquinol		83-73-8			
Iofetamine ¹²³ I		75917-92-9			
Ioglycamic Acid		2618-25-9			
Iohexol		66108-95-0			
Iomeglamic Acid		25827-76-3			
Iomeprol		78649-41-9			
Iopamidol		60166-93-0			
Iopanoic Acid		96-83-3			
Iopentol		89797-00-2			
Iophendylate		99-79-6			
Iophenoxic Acid		96-84-4			
Iopromide		73334-07-3			
Iopronic Acid		41473-08-9			
Iopydol		5579-92-0			
Iopydone		5579-93-1			
Iothalamic Acid		2276-90-6			
Iotrolan		79770-24-4			
Ioversol		87771-40-2			
Ioxaglic Acid		59017-64-0			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
loxilan	(3R,4R)-(delta6)-THC-DMH-11-oic acid	107793-72-6	WO 9401429	Analgesic, other	Pain, neuropathic
lpidacrine	Stigmastan-15-one, 22,29-epoxy-3,4,6,7,29-pentahydroxy-, (3Alpha,4beta,5Alpha,6Alpha,7beta,14beta,22S)-[CAS]	62732-44-9			
lpl-576092		137571-30-3	US 6046185	Antiasthma	Asthma
lpodate		5587-89-3			Chronic obstructive pulmonary disease
lpratropium bromide		66985-17-9		Formulation, inhalable, solution	
		22254-24-6			
lpratropium	(endo, syn)-(±)-3-(3-Hydroxy-1-oxo-2-phenylpropoxy)-8-methyl-8-(1-methylethyl)-8-azoniabicyclo[3.2.1]octane			Formulation, inhalable, topical	Asthma
lprazochrome	Hydrazinecarboxamide, 2-[1,2,3,6-tetrahydro-3-hydroxy-1-(1-methylethyl)-6-oxo-5H-indol-5-ylidene]- [CAS]	7248-21-7		Haemostatic	
lprilflavone	4H-1-Benzopyran-4-one, 7-(1-methylethoxy)-3-phenyl- [CAS]	35212-22-7	EP 214647	Osteoporosis treatment	Osteoporosis
lprindole		5560-72-5			
lproclozid		3544-35-2			
lproniazid		54-92-2			
lpsapiron		95847-70-4			
lrbesartan	2-n-butyl-4-spirocyclopentane-1-yl-[(2'-tetrazol-5-yl)biphenyl-(4-yl)methyl]-2-imidazolin-5-one	138402-11-6	WO 9114679	Antihypertensive, renin system	Hypertension, general
lRFI-042	Butanedioic acid, mono[2-(2-(acetylthioethyl)-2,3-dihydro-4,6,7-trimethyl-5-benzofuranyl] ester, (+/-)-[CAS]	134867-62-2	US 5114966	Cardiovascular	Atherosclerosis
lRFI-165	N-Cyclopentyl-1-methylimidazo[1,2-a]quinoxalin-4-amine	191349-26-5	EP 865442	Antidepressant	Depression, general
lridomymecicin		485-43-8			

Table IV

API Gen ric Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
irindalone	-Imidazolidinone, 1-[2-{4-[3-(4-fluorophenyl)-2,3-dihydro-1H-inden-1-yl]-1-piperazinyl]ethyl-, (1R-trans)- [CAS]	104113-57-7 96478-43-2	EP 183349	Antidepressant	Depression, general
Irinotecan	Spiro[cyclopropane-1,5'-(5H)inden]-7'-(5H)-one, 6'-hydroxy-2',4',6'-trimethyl-, (R)- [CAS]	97682-44-5			
irofulven		125392-76-9	US 5563176	Anticancer, other	Cancer, prostate
Iron Sorbitex		1338-16-5			
irsogladine	1,3,5-Triazine-2,4-diamine, 6-(2,5-dichlorophenyl)- [CAS]	57381-28-7 57381-28-9 57381-33-6	US 4657907	Antihypertensive, diuretic	Hypertension, general
IS-741	Cyclohexanecarboxamide, N-[2-(ethylsulfonyl)amino]-5-(trifluoromethyl)-3-pyridinyl- [CAS]	141283-87-6	EP 465913	GI inflammatory/bowel disorders	Pancreatitis
isaglitazone	2,4-Thiazolidinedione, 5-[6-[(2-fluorophenyl)methoxy]-2-naphthalenyl]methyl-[CAS]	161600-01-7	US 5594016	Antidiabetic	Diabetes, Type II
ISAb-247			NZ 502362	Immunosuppressant	Transplant rejection, general
Isbogrel		89667-40-3			
isepamicin	D-Streptamine, O-6-amino-6-deoxy-Alpha-D-glucopyranosyl-(1-4)-O-[3-deoxy-4-C-methyl-3-(methylamino)-β-L-arabinopyranosyl-(1-6)]-N1-(3-amino-2-hydroxy-1-oxopropyl)-2-deoxy-, (S)- [CAS]	58152-01-5 58152-03-7	US 4029882	Aminoglycoside antibiotic	Infection, dermatological
Isoaminile		77-51-0			
Isobutyl p-Aminobenzoate		94-14-4			
Isocarboxazid		59-63-2			
isoconazole	1-[2-(2,6-dichlorobenzoyloxy)-2-(2,4-dichlorophenyl)ethyl]	24168-96-5 27523-40-6	GB 1244530	Antifungal	Infection, fungal, general
Isoetharine		530-08-5			

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
isoflurothepin	1-Piperazineethanol, 4-[3-fluoro-10,11-dihydro-8-(1-methylethyl)dibenzo[b,f]thiepin-10-yl]-[CAS]	106819-39-0 106819-41-4 70931-18-9	GB 2010843	Neuroleptic	
	Ethane, 2-chloro-2-(difluoromethoxy)-1,1,1-trifluoro- [CAS]	26675-46-7			
		55-91-4			
isoflurane		530-34-7		Anaesthetic, inhalation	Anaesthesia
Isoliophosphate		466-40-0			
Isoladol		503-01-5			
Isomethadone		54-85-3			
Isomethheptene		57021-61-1			
Isoniazid		303-14-0			
Isonixin		71-81-8			
Isopromethazine		67-63-0			
Isopropamide Iodide					
Isopropyl Alcohol					
	5-Heptenoic acid, 7-(3,5-dihydroxy-2-(3-oxodecyl)cyclopentyl)-, 1-methylethylester, (1R-(1Alpha(Z), 2R,3Alpha,5Alpha))- [CAS]	120373-24-2	EP 289349	Prostaglandin	Glaucoma
isopropyl unoprostone		7683-59-2			
Isoproterenol		652-67-5			
Isosorbide					
Isosorbide dinitrate	D-Glucitol, 1,4:3,6-dianhydro-, dinitrate [CAS]	87-33-2		Formulation, modified-release, other	Angina, general
Isosorbide mononitrate	D-Glucitol, 1,4:3,6-dianhydro-, 5-nitrate [CAS]	16051-77-7		Formulation, modified-release, other	Angina, general
Isothipendyl		482-15-5			
isotretinolin	Retinoic acid, 13-cis- [CAS]	4759-48-2	US 4843096	Antiacne	Acne
Isovaleryl Diethylamide		533-32-4			
Isoxepac		55453-87-7			
Isoxicam		34552-84-6			
Isoxsuprine		395-28-8			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
isradipine	3,5-Pyridinedicarboxylic acid, 4-(4-benzofurazanyl)-1,4-dihydro-2,6-dimethyl-, methyl 1-methylethyl ester [CAS]	75695-93-1	GB 2037766	Antihypertensive, other	Hypertension, general
israpafant	6H-Thieno[3,2-f][1,2,4]triazolo[4,3-a][1,4]diazepine, 4-(2-chlorophenyl)-6,9-dimethyl-2-[2-[4-(2-methylpropyl)phenylethyl]-[CAS]	117279-73-9	EP 268242	Antiasthma	Asthma
ISV-403			US 5447926	Formulation, mucosal, topical	Conjunctivitis
Itasetron		123258-84-4			
ITF-282	ITF 282 [CAS]	93615-44-2	GB 2115821	Antianaemic	Anaemia, general
itopride	Benzamide, N-[[4-(2-(dimethylamino)ethoxy)phenyl]methyl]-3,4-dimethoxy-, monohydrochloride [CAS]	122892-31-3	EP 306827	Gastroprokinetic	Gastritis
itraconazole	3H-1,2,4-Triazol-3-one, 4-{4-[4-{[2-(2,4-dichlorophenyl)-2-(1H-1,2,4-triazol-1-yl)methyl]-1,3-dioxolan-4-yl]methoxy]phenyl}-1-piperazinyl]phenyl]-2,4-dihydro-2-(1-methylpropyl)-, [CAS]	84625-61-6	EP 6711	Antifungal	Infection, fungal, general
ltrammin		13445-63-1			
lriglutimide	1-Naphthalenepropanoic acid, β -[2-[(2-(8-azaspiro[4.5]dec-8-ylcarbonyl)-4,6-dimethylphenyl]amino]-2-oxoethyl]-, (β R)-[CAS]	201605-51-8	WO 9800404	Anxiolytic	Anxiety, general
litrelx	D-Alaninamide N-acetyl-3-(2-naphthalenyl)-D-alanyl-4-chloro-D-phenylalanyl-3-(3-pyridinyl)-D-alanyl-L-seryl-N6-(3-pyridinylcarbonyl)-L-lysyl-N6-(3-pyridinylcarbonyl)-D-lysyl-L-leucyl-N6-(1-methylethyl)-L-lysyl-L-prolyl- [CAS]	112568-12-4	WO 8901944	Fertility enhancer	Infertility, female
ivabradine	7,8-dimethoxy-3-((1S)(4,5-dimethoxybenzocyclobutan-1-yl)methyl)methylamino]propyl)-1,3,4,5-tetrahydro-2H-benzazepin-2-one			Antianginal	Angina, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
ixabepilone	17-Oxa-4-azabicyclo(14.1.0)heptadecane-5,9-dione, 7,11-dihydroxy-8,10,12,16-pentamethyl-3-(1-methyl-2-(2-methyl-4-thiazolyl)ethyl), (1R,3S,7S,10R,11S,12S,16R) [CAS]	219989-84-1		Anticancer, other	Cancer, breast
J-104132	5H-Cyclopenta[b]pyridine-6-carboxylic acid, 5-(1,3-benzodioxol-5-yl)-2-butyl-7-[2[(2S)-2-carboxypropyl]-4-methoxyphenyl]-6,7-dihydro-, (5S,6R,7R)- [CAS]	198279-45-7	WO 9737665	Antihypertensive, other	Heart failure
J-107088	5H-Indolo(2,3-a)pyrrolo(3,4-c)carbazole-5,7(6H)-dione, 12-β-D-glucopyranosyl-12,13-dihydro-2,10-dihydroxy-6-((2-hydroxy-1-(hydroxymethyl)ethyl)amino)-[CAS]	174402-32-5		Anticancer, other	Cancer, bladder
J-113397	1-[(3R,4R)-1-Cyclooctylmethyl-3-hydroxymethyl-4-piperidyl]-3-ethyl-1,3-dihydro-2H-benzimidazole-2-one				
Janex-1	Phenol, 4-[[6,7-dimethoxy-4-quinazolinyl)amino]-[CAS]	202475-60-3		Analgesic, other	Pain, general
josamycin	Leucomycin V, 3-acetate 4B-(3-methylbutanoate) [CAS]	16846-24-5	JP 41021759	Macrolide antibiotic	Cancer, leukaemia, general Infection, general
JTV-519	1,4-Benzothiazepine, 2,3,4,5-tetrahydro-7-methoxy-4-[1-oxo-3-[4-(phenylmethyl)-1-piperidinyl]propyl]-[CAS]	145903-06-6	WO 9212148	Cardiovascular	Infarction, myocardial
K-777			US 6287840	Protozoacide	Infection, trypanosomiasis, American
Kainic Acid		487-79-6			
Kalimate	Kalimate- [CAS]	92354-70-6		Urological	
Kallidin		342-10-9			
KB-130015	Acetic acid (2,6-diodo-4-(2-methyl-3-benzofuranyl)methyl)phenoxy)- [CAS]	147030-48-6		Antiarrhythmic	Arrhythmia, general

Table IV

API Gen. ric Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
KCB-328	Methanesulfonamide, N-[3-amino-4-{2-[(3,4-dimethoxyphenyl)ethyl]methylamino]ethoxy]phenyl]-, monohydrochloride [CAS]	177596-55-3	WO 9604231	Antiarrhythmic	Arrhythmia, general
Kebuzone		853-34-9			
ketamine	2-(2-Chlorophenyl)-2-(methylamino)-cyclohexanone hydrochloride	6740-88-1		Formulation, transmucosal, nasal	Pain, post-operative
ketanserlin	2,4-(1H,3H)-Quinazolinodione, 3-[2-[4-(4-fluorobenzoyl)-1-piperidinyl]ethyl]-[CAS]	74050-98-9 83846-83-7	EP 13612	Antihypertensive, other	Hypertension, general
ketazolam	4H-[1,3]Oxazino[3,2-d][1,4]benzodiazepine-4,7(6H)-dione, 11-chloro-8,12b-dihydro-2,8-dimethyl-12b-phenyl- [CAS]	27223-35-4	GB 1222294	Anxiolytic	
Kethoxal		27762-78-3			
Ketobemidone		469-79-4			
ketokonazole	Piperazine, 1-acetyl-4-[4-{2-(2,4-dichlorophenyl)-2-(1H-imidazol-1-ylmethyl)-1,3-dioxolan-4-yl]methoxy]phenyl]-, cis-[CAS]	65277-42-1	US 4335125	Antifungal	Infection, fungal, general
ketoprofen	mono(3-benzoyl-Alpha-methylbenzeneacetate) [CAS]	173011-11-5	EP 502502	Formulation, transdermal, systemic	Pain, general
ketorolac	1H-Pyrrolizine-1-carboxylic acid, 5-benzoyl-2,3-dihydro-, (+/-) [CAS]	74103-06-3 74103-07-4	EP 53021	Analgesic, NSAID	
<i>Ketorolac Tromethamine</i>					
ketotifen	10-H-Benzo[4,5]cyclohepta[1,2-b]thiophen-10-one, 4,9-dihydro-4-(1-methyl-4-piperidinylidene)-, (E)-2-butenedioate (1:1) [CAS]	34580-13-7 34580-14-8	GB 1355539	Antiasthma	Asthma
Khellin		82-02-0			
kinetin		9001-29-0		Dermatological	Photodamage

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
KNI-272	4-Thiazolidinecarboxamide, N-(1,1-dimethylethyl)-3-[2-hydroxy-3-[[2-[(5-isoquinolinolyl)oxy]acetyl]amino]-3-(methylethio)-1-oxopropyl]amino]-1-oxo-4-phenylbutyl-, [4R-[3[2S*,3S*(R*)],4R*]]-[CAS]	147318-81-8	US 5644028	Antiviral, anti-HIV	Infection, HIV/AIDS
KP-103	(R,R)-2-(2,4-Difluorophenyl)-3-(4-methylenepiperidin-1-yl)-1-(1,2,4-triazol-1-yl)-2-butanol			Antifungal	Infection, general
KP-157			US 6110961	Antidepressant	Depression, general
KP-544			WO 9919305	Cognition enhancer	Unspecified
KRN-5500	L-glycero-β-L-manno-Heptopyranosylamine, 4-deoxy-4-[[[[(2E,4E)-1-oxo-2,4-tetradecadienyl]amino]acetyl]amino]-N-1H-purin-6-yl- [CAS]	151276-95-8	WO 9015811	Anticancer, antibiotic	Cancer, colorectal
KT-136	Alpha-D-Glucopyranoside, β-D-fructofuranosyl, mixt. with 1-ethenyl-2-pyrrolidinone homopolymer compd. with iodine [CAS]	121602-88-8		Formulation, dermal, topical	Ulcer, decubitus
KUL-7211	(-)-2-[(2S)-1,2,3,4-tetrahydro-2-[[[(2R)-2-hydroxy-2-(4-hydroxyphenyl)ethyl]amino]naphthalen-7-yloxy]-N,N-dimethylacetamide hydrochloride monohydrate			Urological	Urinary calculus
KW-2170	6H-Pyrazolo[4,5,1-de]acridin-6-one,5-[(3-aminopropyl)amino]-7,10-dihydroxy-2-[[[(2-hydroxyethyl)amino]methyl]-,dihydrochloride [CAS]	207862-44-0		Anticancer, alkylating	Cancer, lung, non-small cell
KW-6002	1H-Purine-2,6-dione, 8-(2-(3,4-dimethoxyphenyl)ethenyl)-1,3-diethyl-3,7-dihydro-7-methyl- (E)- [CAS]	155270-99-8		Antiparkinsonian	Parkinson's disease
KW-7158	3,3,3-Trifluoro-2-hydroxy-2-methyl-N-(10-oxo-4,10-dihydrothieno[3,2-C][1]benzothiepin-9-yl)propanamide 5,5 dioxide			Urological	Incontinence

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
L-365260	Urea, N-(2,3-dihydro-1-methyl-2-oxo-5-phenyl-1H-1,4-benzodiazepin-3-yl)-N'-(3-methylphenyl)-, (R)- [CAS]	118101-09-0	EP 284256	Anticancer, other	Cancer, general
L-5-hydroxytryptophan	L-Tryptophan, 5-hydroxy- [CAS]	4350-09-8		Metabolic and enzyme disorders	Unspecified
L-745337	Mehtanesulfonamide, N-[6-[(2,4-difluorophenyl)thio]-2,3-dihydro-1-oxo-1H-inden-5-yl]- [CAS]	158205-05-1	WO 9413635	Analgesic, NSAID	Pain, general
L-758298	Phosphonic acid, [3-[[[(2R,3S)-2-[(1R)-1-[3,5-bis(trifluoromethyl)phenyl]ethoxy]-3-(4-fluorophenyl)-4-morpholinyl]methyl]-2,5-dihydro-5-oxo-1H-1,2,4-triazol-1-yl]- [CAS]	172673-20-0	WO 9523798	Antiemetic	Chemotherapy-induced nausea and vomiting
L-826141			WO 9722585	Antiasthma	Unspecified
labetalol	5-[1-hydroxy-2-[(1-methyl-3-phenylpropyl)amino]ethyl]salicylamide HCl	32780-64-6 36894-69-6	US 4012444	Antihypertensive, adrenergic	
lacidipine	3,5-Pyridinedicarboxylic acid, 4-[2-[3-(1,1-dimethylethoxy)-3-oxo-1-propenyl]phenyl]-1,4-dihydro-2,6-dimethyl-, diethyl ester, (E) [CAS]	103890-78-4	GB 2164336	Antihypertensive, other	Hypertension, general
Lactic Acid					
lactitol	D-Glucitol, 4-O-β-D-galactopyranosyl- [CAS]	585-86-4		Hepatoprotective	Infection, neurological
Lactulose		4618-18-2			
lafutidine	Acetamide, 2-[(2-furanylmethyl)sulfinyl]-N-[4-[4-(1-piperidinylmethyl)-2-pyridinyl]oxy]-2-butenyl]-, (Z)- [CAS]	118288-08-7 169899-19-8	EP 282077	Antilulcer	Ulcer, gastric
Lamifiban		144412-49-7			
lamivudine	2(1H)-Pyrimidinone, 4-amino-1-[2-(hydroxymethyl)-1,3-oxathiolan-5-yl]-, (2R-cis)- [CAS]	134678-17-4	EP 513917	Antiviral, anti-HIV	Infection, HIV/AIDS
lamotrigine	1,2,4-Triazine-3,5-diamine, 6-(2,3-dichlorophenyl)- [CAS]	84057-84-1	EP 21121	Antiepileptic	Epilepsy, partial (focal, local)

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
lansinapril	Benzenehexanoic acid, 4-[2-hydroxy-3-[[4-morpholinylcarbonyl]amino]ethyl]amino]propoxy]-, (2S,2-dimethyl-1,3-dioxolan-4-yl)methyl ester, [S-(R*,R*)]- HCL	133242-30-5	EP 397031	Antiarhythmic	Tachycardia, general
lanicemine	(S)-Alpha-phenyl-2-pyridine ethanamine dihydrochloride	153322-05-5		Neurological	Unspecified
laniquidar	Methyl 6,11-dihydro-11-[1-[2-[4-(2-quinolylmethoxy)phenyl]ethyl]-4-piperidinylidene] 5H-imidazo[2,1-b][3]benzazepine-3-carboxylate	197509-46-9	WO 9734897	Radio/chemosensitizer	Cancer, general
lanocanazole	1H-Imidazole-1-acetonitrile, Alpha-[4-(2-chlorophenyl)-1,3-dithiolan-2-ylidene]-, (E)- (±)- [CAS]	101530-10-3	US 4738976	Antifungal	Infection, fungal, general
Lanotepase		171870-23-8			
Lanreotide		108736-35-2			
lansoprazole	1H-Benzimidazole, 2-[[[3-methyl-4-(2,2,2-trifluoroethoxy)-2-pyridyl]methyl]sulfinyl]- [CAS]	103577-45-3	EP 174726	Antiulcer	Ulcer, duodenal
lanthanum carbonate	Carbonic acid, lanthanum(3+) salt (3:2)[CAS]	587-26-8	US 5968976	Urological	Hyperphosphataemia
lapatinib	4-Quinazolinamine, N-[3-chloro-4-[[3-fluorobenzyl]methoxy]phenyl]-6-[5-[[2-(methylsulfonyl)ethyl]amino]methyl]furan-2-yl]	388082-78-8		Anticancer, other	Cancer, breast
laquinimod		248281-84-7		Multiple sclerosis treatment	Multiple sclerosis, general
lasofoxiene	2-Naphthalenol, 5,6,7,8-tetrahydro-6-phenyl-5-(4-(2-(1-pyrrolidinyl)ethoxy)phenyl)-(5R-cis)-, (S-(R*, R*)) 2,3-dihydroxybutanedioate [CAS]	190791-29-8	WO 9716434	Menopausal disorders	Hormone replacement therapy

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
latamoxef	5-Oxa-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[[carboxy(4-hydroxyphenyl)acetyl]amino]-7-methoxy-3-[[[(1-methyl-1H-tetrazol-5-yl)thio]methyl]-8-oxo- [CAS]	64952-97-2 64953-12-4	GB 1547351	Beta-lactam antibiotic	Infection, general
latanoprost	5-Heptenoic acid, 7-(3,5-dihydroxy-2-(3-hydroxy-5-phenylpentyl)cyclopentyl)-, 1-methylethyl ester, (1R-(1 α)(Z),2 β (R*),3 α),5 α)- [CAS]	130209-82-4	WO 9002553	Prostaglandin	Glaucoma
Lauroguadine		135-43-3			
Laurolinium Acetate		146-37-2			
Lawson		83-72-7			
LAX-111	1-(Z,Z,Z,Z- <i>eicosa</i> -5,8,11,14,17-pentaenyl)oxy)-3-(Z,Z,Z,Z- <i>eicosa</i> -5,8,11,14,17-pentaenyl)oxy)-propane			Neuroleptic	Schizophrenia
Lazabemide		103878-84-8			
	Benzenecarboximide acid, 4-[(2S)-3-(cyclopentylmethylamino)-2-[(2-naphthalenylsulfonyl)amino]-3-oxopropyl]-hydrazide [CAS]		WO 9749673	Antithrombotic	Thrombosis, venous
LB-30057					
<i>L-Cystine</i>					
Lefetamine		7262-75-1			
leflunomide	4-Isosazolecarboxamide, 5-methyl-N-[(4-(trifluoromethyl)phenyl)- [CAS]	75706-12-6	EP 13376	Antiarthritic, immunological	Arthritis, rheumatoid
leflunomide	4-Isosazolecarboxamide, 5-methyl-N-[(4-(trifluoromethyl)phenyl)- [CAS]	104981-93-3 75706-12-6	US 5610173	Anticancer, other	Cancer, ovarian
Leipyrrole		5633-16-9			
	4-Thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid, 6-[[aminophenylacetyl]amino]-3,3-dimethyl-7-oxo-, (5-methyl-2-oxo-1,3-dioxol-4-yl)methyl ester, [2S-[2 α],5 α]- [CAS]	80734-02-7 86273-18-9	EP 61206	Penicillin, oral	Infection, general
lenampicillin				Anticancer, immunological	Cancer, stomach
lentinan	Lentinan [CAS]	37339-90-5			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
<i>Lepirudin</i>					
	3,5-Pyridinedicarboxylic acid, 1,4-dihydro-2,6-dimethyl-4-(3-nitrophenyl)-, 2-[(3,3-diphenylpropyl)methylamino]-1,1-dimethylethyl methyl ester, hydrochloride [CAS]	100427-26-7 132866-11-6	US 4705797	Antihypertensive, other	Hypertension, general
lercanidipine	1H-Benzimidazole, 1-(phenylmethyl)-2-(1-piperazinyl)- [CAS]	143257-98-1	US 5256665	Antiemetic	Nausea and vomiting, general
Lesopitron		132449-46-8			
	Benzoic acid, 4-[(3-{1,6-dihydro-6-oxo-9H-purin-9-yl}-1-oxopropyl)amino]-, monopotassium salt [CAS]	138117-50-7	US 6338963	Antiparkinsonian	Parkinson's disease
leteprinin	4-Thiazolidinecarboxylic acid, 2-[2-[(2-ethoxy-2-oxoethyl)thio]ethyl]- [CAS]	53943-88-7	US 4032534	COPD treatment	Bronchitis, chronic
letosteine	Benzonitrile, 4,4'-(1H-1,2,4-triazol-1-ylmethylene)bis- [CAS]	112809-51-5	EP 236940	Anticancer, hormonal	Cancer, breast
letrozole		480-17-1			
Leucocyanidin		53714-56-0			
Leuprolide					
	Luteinizing hormone-releasing factor (pig), 6-D-leucine-9-(N-ethyl-L-prolinamide)-10-deglycinamide-, monoacetate (salt) [CAS]	53714-56-0 74381-53-6		Formulation, implant	Cancer, prostate
leuprolide acetate					
	Luteinizing hormone-releasing factor (pig), 6-D-leucine-9-(N-ethyl-L-prolinamide)-10-deglycinamide- [CAS]	53714-56-0		Formulation, implant	Cancer, prostate
Levallophan		152-02-3			
	Imidazo[2,1-b]thiazole, 2,3,5,6-tetrahydro-6-phenyl-, (S)- [CAS]	14769-73-4 16595-80-5	US 4584305	Anthelmintic	Infection, helminth, general
levamisole					
Levcromakalim		94535-50-9			
	1-Pyrrolidineacetamide, Alpha-ethyl-2-oxo-, (S)- [CAS]	102767-28-2	EP 162036	Antiepileptic	Epilepsy, general
levetiracetam					
	2-Propanol, 1-(4-(2-(cyclopropylmethoxy)ethyl)phenoxy)-3-(1-(methyl)ethyl)amino hydrochloride [CAS]	116209-55-3		Formulation, mucosal, topical	Glaucoma
levobetaxolol					

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
levobunolol	1-(2H)-Naphthalene, 5-[3-[(1,1-dimethylethyl)amino]-2-hydroxypropoxy]-3,4-dihydro-, (S)- [CAS]	27912-14-7 47141-42-4	US 3641152	Formulation, mucosal, topical	Glaucoma
levobupivacaine	2-Piperidinecarboxamide, 1-butyl-N-[2,6-dimethylphenyl]-, (S)- [CAS]	27262-47-1	WO 9510276	Anaesthetic, injectable	Anaesthesia
levocabastine	4-Piperidinecarboxylic acid, 1-[4-cyano-4-(4-fluorophenyl)cyclohexyl]-3-methyl-4-phenyl-, [3S-[1(cis),3Alpha,4B]]- [CAS]	79449-98-2 79516-68-0 79547-78-7	US 4369184	Antiallergic, non-asthma	Rhinitis, allergic, general
levocetirizine	Acetic acid, [2-(4-[(4-chlorophenyl)phenylmethyl]-1-piperazinyl)ethoxy]-, (R)- [CAS]	130018-77-8	WO 9406429	Antiallergic, non-asthma	Allergy, general
Levodopa		59-92-7			
levodropropizine	1,2-Propanediol, 3-(4-phenyl)-1-piperazinyl-, (S)- [CAS]	99291-25-5	EP 147847	Antitussive	Cough
levofloxacin	7H-Pyrido[1,2,3-de]-1,4-benzoxazine-6-carboxylic acid, 9-fluoro-2,3-dihydro-3-methyl-10-(4-methyl-1-piperazinyl)-7-oxo-, (S)- [CAS]	100986-85-4 138199-71-0	EP 206283	Quinolone antibacterial	Infection, respiratory tract, lower
Levomethadyl Acetate		1477-40-3			
levomoprolol	2-Propanol, 1-(2-methoxyphenoxy)-3-[(1-methylethyl)amino]-, (S)- [CAS]	27058-84-0 5741-22-0 77164-20-6	EP 15418	Antihypertensive, adrenergic	
levonorgestrel	18,19-Dinorpregn-4-en-20-yn-3-one, 13-ethyl-17-hydroxy-, (17Alpha)- [CAS]	797-63-7		Formulation, implant	Contraceptive, female
Levophacetoperane		24558-01-8			
Levopropoxyphene		2338-37-6			
Levorphanol		77-07-6			
levosimendan	Propanedinitrile, [[4-(1,4,5,6-tetrahydro-4-methyl-5-oxo-3-pyridazinyl)phenyl]hydrazono]-, (R)- [CAS]	131741-08-7 141505-33-1	EP 383449	Cardiotonic	Heart failure
levosulpiride	Benzamide, 5-(aminosulfonyl)-N-[(1-ethyl-2-pyrrolidinyl)methyl]-2-methoxy-, (S)- [CAS]	23672-07-3	GB 2014990	Antiemetic	Dyspepsia

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
<i>Levothyroxine</i>					
	1-β-L-ribofuranosyl-1,2,4-triazole-3-carboxamide				
levovirin				Antiviral, other	Infection, hepatitis-C virus
	L-Leucine, N-methyl-N-[[4-[(2-methyl-1H-imidazo[4,5-c]pyridin-1-yl)methyl]phenyl]sulfonyl]-, ethyl ester- [CAS]	139133-26-9	WO 9203423	Neurological	Dementia, AIDS-related
lexipafant			WO 9624579	Immunosuppressant	Lupus erythematosus, general
LF-15-0195					
	2-Pyrrolidinecarboxamide, N-[3-[[4-(aminiminomethyl)benzoyl]amino]propyl]-1-[[2,4-dichloro-3-[[[(2,4-dimethyl-8-quinolinyloxy)methyl]phenyl]sulfonyl]-, (2S)- [CAS]	209733-45-9	FR 2756562	Neuroprotective	Head trauma
LF-16-0687					
	2,4,6-Octatrienoic acid, 7-(3,5-bis(1,1-dimethylethyl)phenyl)-3-methyl- (2E,4E,6E)- [CAS]	178600-20-9		Anticancer, other	Cancer, cervical
LGD-1550					
LH		9002-67-9			
LH-RH		9034-40-6			
liarozole	1H-Benzimidazole, 5-[(3-chlorophenyl)-1H-imidazol-1-ylmethyl]- [CAS]	115575-11-6		Formulation, other	Psoriasis
	1H-Pyrrolizine-5-acetic acid, 6-(4-chlorophenyl)-2,3-dihydro-2,2-dimethyl-7-phenyl- [CAS]	156897-06-2		Antiarthritic, other	Arthritis, osteo
licofelone					
Licostinel		153504-81-5			
lidaronate	Phosphonic acid, [1-amino-3-(dimethylamino)propylidene]bis- [CAS]	63132-38-7	WO 9702827	Urological	Unspecified
Lidamide		66871-56-5			
lidocaine	Acetamide, 2-(diethylamino)-N-(2,6-dimethylphenyl)- [CAS]	137-58-6		Formulation, transdermal, patch	Pain, post-herpetic
Lidofenin		59160-29-1			
Lidoflazine		3416-26-0			
linaprost	Prosta-2,13-dien-1-oic acid, 11,15-dihydroxy-17,20-dimethyl-9-oxo-, (2E,11Alpha,13E,15S,17S)-, [CAS]	74397-12-9	GB 2041368	Prostaglandin	Buerger's syndrome

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Lincomycin		154-21-2			
Lindan		58-89-9			
linezolid	Acetamide, N-[(3-(3-fluoro-4-(4-morpholinyl)phenyl)-2-oxo-5-oxazolidinyl)methyl]-, (S)- [CAS]	165800-03-3	WO 9507271	Antibiotic, other	Infection, dermatological
Linoleic Acid		60-33-3			
Linolenic Acid		463-40-1			
Liothyronine		6893023			
Lipase		9001-62-1			
Lipo-dexamethasone palmitate	Pregna-1,4-diene-3,20-dione, 9-fluoro-11,17-dihydroxy-16-methyl-21-[(1-oxohexadecyloxy)-, (11S,16Apha)- [CAS]	14899-36-6		Formulation, optimized, microemulsion	Arthritis, rheumatoid
lipo-flurbiprofen	[1,1'-Biphenyl]-4-acetic acid, 2-fluoro-Alpha-methyl-, 1-(acetyloxy)ethyl ester [CAS]	91503-79-6	JP 60208910	Formulation, optimized, microemulsion	Pain, cancer
Lipogel HA			EP 525655	Formulation, optimized, liposomes	Unspecified
LiquiVent	perfluorooctylbromide	423-55-2	US 5437272	Lung Surfactant	Respiratory distress syndrome, adult
liranafate	Carbamothioic acid, (6-methoxy-2-pyridinyl)methyl-, O-(5,6,7,8-tetrahydro-2-naphthalenyl) ester [CAS]	88678-31-3	GB 2124617	Antifungal	Infection, dermatological
lisinopril	L-Proline, 1-[N2-(1-carboxy-3-phenylpropyl)-L-lysyl]-, (S)- [CAS]	76547-98-3 83915-83-7	EP 12401	Antihypertensive, renin system	Hypertension, general
Lisofyllin		100324-81-0			
lisuride	Urea, N'-[(8Alpha)-9,10-didehydro-6-methylergolin-8-yl]-N,N-diethyl-, [CAS]	19875-80-6 305-13-5 18016-80-3		Antiprolactin	Acromegaly
Lithium Citrate		919-16-4			
lithium	Carbonic acid, dilithium salt [CAS]	554-13-2		Formulation, modified-release, <=24hr	Depression, bipolar
lixivaptan	Benzamide, N-[3-chloro-4-(5H-pyrrolo[2,1-c][1,4]benzodiazepin-10(11H)-ylcarbonyl)phenyl]-5-fluoro-2-methyl- [CAS]	168079-32-1	US 5736540	Cardiovascular	Heart failure
LJP-1082			US 6207160	Immunosuppressant	Thrombosis, venous

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
ILLUApha	S-2,7,8-Trimethyl-6-(β -carboxyethyl)-6-hydroxychroman			Antihypertensive, other	Hypertension, general
LMP-160			US 5643893	Antiasthma	Asthma
LMP-420			US 5643893	Antiarthritic, other	Arthritis, rheumatoid
lobaplatin	Platinum, (1,2-cyclobutanedimethanamine-N,N')bis(2-hydroxypropanoato(2-)-O ₁ ,O ₂ '), [SP-4,3-(S),(trans)]-, [CAS]	135558-11-1	DE 4115559	Anticancer, alkylating	Cancer, lung, small cell
Lobeline		90-69-7			
Lobenzarit		63329-53-3			
Iodoxamide	2,2'-(2-chloro-5-cyano-1,3-phenylene)diimino)bis(2-oxoacetate) 2-amino-2-(hydroxymethyl)-1,3-propanediol (1:2)	63610-09-3 53882-12-5	US 4439445	Antiasthma	Asthma
Lofentanil	Etifanone, 1-(4-chlorophenyl)-2-[[3-(10,11-dihydro-5H-dibenz[b,f]azepin-5-yl)propyl]methylamino]-, [CAS]	61380-40-3			
lofepramine		23047-25-8 26786-32-3	GB 1177525	Antidepressant	
lofexidine	1H-Imidazole, 2-[1-(2,6-dichlorophenoxy)ethyl]-4,5-dihydro-, [CAS]	31036-80-3	GB 1181356	Antihypertensive, adrenergic	Hypertension, general
Lofluocarban		790-69-2			
lomefloxacin	3-Quinolonecarboxylic acid, 1-ethyl-6,8-difluoro-1,4-dihydro-7-(3-methyl-1-piperazinyl)-4-oxo-, [CAS]	98079-51-7 98079-52-8	EP 140116	Quinolone antibacterial	Infection, respiratory tract, lower
lomerizine	Piperazine, 1-[bis(4-fluorophenyl)methyl]-4-[[2,3,4-trimethoxyphenyl)methyl]-, [CAS]	101477-54-7 101477-55-8	EP 159566	Antimigraine	Migraine
lomyliline	7-(5-oxohexyl)theophylline	10226-54-7	DE 2207860	Neurological	
lomustine	Urea, N[2-chloroethyl]-N'-cyclohexyl-N-nitroso-, [CAS]	13010-47-4	JP 48075526	Anticancer, alkylating	
lonafarnib	1-Piperidinecarboxamide, 4-[2-[4-[(1R)-3,10-dibromo-8-chloro-6,11-dihydro-5H-benzo[5,6]cyclohepta[1,2-b]pyridin-11-yl]-1-piperidinyl]-2-oxoethyl]-, [CAS]	193275-84-2	US 5874442	Anticancer, other	Cancer, lung, non-small cell

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Lonapalene		91431-42-4			
Lonazolac		53808-88-1			
lonidamine	1H-Indazole-3-carboxylic acid, 1-[(2,4-dichlorophenyl)methyl]- [CAS]	50264-69-2	DE 2310031	Radio/chemosensitizer	Cancer, breast
loperamide	4-(p-chlorophenyl)-4-hydroxy-N,N-dimethyl-Alpha,Alpha-diphenyl-1-piperidine butyramide HCl	34552-83-5 53179-11-6	US 3714159	Antidiarrhoeal	Diarrhoea, general
loperamide oxide	1-Piperidinebutanamide, 4-(4-chlorophenyl)-4-hydroxy-N,N-dimethyl-Alpha,Alpha-diphenyl-, 1-oxide, trans- [CAS]	106900-12-3	EP 219898	Antidiarrhoeal	Diarrhoea, general
loprazolam	1H-Imidazo[1,2-a][1,4]benzodiazepin-1-one, 6-(2-chlorophenyl)-2,4-dihydro-2-[(4-methyl-1-piperazinyl)methylene]-8-nitro- [CAS]	61197-73-7 61197-93-1 70111-54-5	GB 1496426	Hypnotic/Sedative	
Loprinone		106730-54-5			
loracarbef	1-Azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[(aminophenylacetyl)amino]-3-chloro-8-oxo-, [6R-[6Alpha,7B(R*)]]- [CAS]	76470-66-1 121961-22-6	EP 14475	Cephalosporin, oral	Infection, respiratory tract, lower
Lorajmine		47562-08-3			
loratadine	1-Piperidinecarboxylic acid, 4-(8-chloro-5,6-dihydro-11H-benzof[5,6]cyclohepta[1,2-b]pyridin-11-ylidene)-, ethyl ester- [CAS]	79794-75-5	EP 42544	Antiallergic, non-asthma	Rhinitis, allergic, general
lorazepam	2H-1,4-Benzodiazepin-2-one, 7-chloro-5-(2-chlorophenyl)-1,3-dihydro-3-hydroxy-	846-49-1		Formulation, oral, orally-disintegrating	Epilepsy, general
lorcainide	Benzeneacetamide, N-(4-chlorophenyl)-N-[1-(1-methylethyl)-4-piperidinyl]-[CAS]	58934-46-6 59729-31-6	DE 2642856	Antiarrhythmic	
lormetazepam	2H-1,4-Benzodiazepin-2-one, 7-chloro-5-(2-chlorophenyl)-1,3-dihydro-3-hydroxy-1-methyl- [CAS]	848-75-9	US 3296249	Hypnotic/Sedative	Insomnia

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
lornox/cam	2H-Thieno[2,3-e]-1,2-thiazine-3-carboxamide, 6-chloro-4-hydroxy-2-methyl-N-2-pyridinyl-, 1,1-dioxide. [CAS]	70374-39-9	EP 313935	Analgescic, NSAID	Pain, post-operative
losartan	1H-Imidazole-5-methanol, 2-butyl-4-chloro-1-[[2'-(1H-tetrazol-5-yl)][1,1'-biphenyl]-4-yl]methyl]-. [CAS]	124750-99-8 114798-26-4	EP 253310	Antihypertensive, renin system	Hypertension, general
loteprednol	Androsta-1,4-diene-17-carboxylic acid, 17-[(ethoxycarbonyl)oxy]-11-hydroxy-3-oxo-, chloromethyl ester, (11β,17Alpha)- [CAS]	82034-46-6	GB 2079755	Anti-inflammatory, topical	Uveitis
Lotrafiban		171049-14-2			
Lovastatin		75330-75-5			
Loxapine		101021977			
loxiglumide	Pentanoic acid, 4-[(3,4-dichlorobenzoyl)amino]-5-[(3-methoxypropyl)pentylamino]-5-oxo-, (±)- [CAS]	107097-80-3	WO 8703869	GI inflammatory/bowel disorders	Pancreatitis
loxoprofen	Benzeneacetic acid, Alpha-methyl-4-[(2-oxocyclopentyl)methyl]-. [CAS]	68767-14-6 80382-23-6 87828-36-2	EP 55588	Anliarthritic, other	Arthritis, rheumatoid
Lu-35-138	1-[3][2-[5-chloro-1-(4-fluorophenyl)-3-1H-indolyl]ethyl][methylamino]propyl]-2-imidazolidinone hydrochloride		WO 9516684	Neuroleptic	Psychosis, general
Lubeluzole		144665-07-6			
	(-)-7-[(2R,4aR,5R,7aR)-2-(1,1-difluoropentyl)-2-hydroxy-6-oxooctahydrocyclopenta[b]pyran-5-yl]heptanoic acid	136790-76-6		Laxative	Constipation
lucanthone	Thioxanthene-9-one, 1-[(2-(diethylamino)ethyl)amino]-4-methyl- [CAS]	479-50-5		Radio/chemosensitizer	Cancer, brain
Lucanthone		548-57-2			
Lumefantrine		82186-77-4			
lumiracoxib	Benzeneacetic acid, 2-[(2-chloro-6-fluorophenyl)amino]-5-methyl- [CAS]	220991-20-8		Analgescic, NSAID	Pain, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Lutecan	11H-1,4-Dioxino[2,3-g]pyrano[3',4':6,7]indolino[1,2-b]quinoline 9,12[8H,14H]-dione, 8-ethyl-2,3-dihydro-8-hydroxy-15-[[4-methyl-1-piperazinyl]methyl]-, [CAS]	155773-58-3		Formulation, optimized, liposomes	Cancer, ovarian
	Lutetium, bis(acetato-O)[9,10-diethyl-20,21-bis-[2-[2-(2-methoxyethoxy)ethoxy]ethoxy]-4,15-dimethyl-8,11-imino-3,6:16,13-dinitrilo-1,18-benzodiazacycloicosine-5,14-dipropanolato-N1,N18,N23,N24,N25]-, (PB 7-11-233'24)- [CAS]	156436-90-7	WO 9906411	Radio/chemosensitizer	Atherosclerosis
Lutetium texaphyrin					
LV-216	Zinc[2-(2,6-dichloroanilino)phenyl]acetate			Anti-inflammatory	Arthritis, rheumatoid
LX-104	Hexadecanamide, N-[4-[[2-[2-[2-[O-(N-acetyl-Alpha-neuraminosyl)-(2-3)-O-β-D-galactopyranosyl-(1-4)-O-[6-deoxy-Alpha-L-galactopyranosyl-(1-3)]-β-D-glucopyranosyl]oxy]ethoxy]ethoxy]ethoxy]methyl]phenyl]-2-tetradecyl- [CAS]	158792-45-1		Cognition enhancer	Dementia, senile, general
	β-methyl-6-chloromelatonin		EP 655243	Hypnotic/Sedative	Sleep disorder, general
LY-156735					
LY-293111	Benzoic acid, 2-[3-[3-[5-ethyl-4'-fluoro-2-hydroxy[1,1'-biphenyl]-4-yloxy]propoxy]-2-propylphenoxy]- [CAS]	161172-51-6		Anticancer, other	Cancer, melanoma
	3-Isoquinolinecarboxylic acid, decahydro-6-[2-(1H-tetrazol-5-yl)ethyl]-, [3S-(3Alpha,4aAlpha,6S,8aAlpha)]- [CAS]	154652-83-2		Analgesic, other	Pain, neuropathic
LY-355703	1,4-Dioxo-8,11-diazacyclohexadec-13-ene-2,5,9,12-tetrono, 10-[(3-chloro-4-methoxyphenyl)methyl]-6,6-dimethyl-3-(2-methylpropyl)-16-[(1S)-1-[(2S,3R)-3-phenylloxiranyl]ethyl]-, (3S,10R,13E,16S)-[CAS]	18256-67-7	WO 9707798	Anticancer, other	Cancer, lung, non-small cell
Lyapolate		25053-27-4			
Lymecycline		992-21-2			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Lynestrenol		52-76-6			
Lypressin		50-57-7			
Lysine Acetylsalicylate		62952-06-1			
lysine salicylate	L-Lysine, 2-hydroxybenzoate [CAS]	59535-08-9	WO 9624331	Analgesic, NSAID	
lysophospholipids			WO 9843093	Diagnostic	Diagnosis, cancer
M-40403	Dichloro[(4aR,13aR,17aR,21aR)-1,2,3,4,4a,5,6,12,13,13a,14,15,16,17,17a,18,19,20,21,21a-eicosahydro-1,7-nitro-7H-dibenzo[b,h][1,4,7,10]tetraazacycloheptadecine-kappaN5,kappaN13,kappaN18,kappaN21,kappaN22]manganese		US 6180620	Anticancer, other	Unspecified
mabuprofen	Benzeneacetamide, N-(2-hydroxyethyl)-Alpha-methyl-4-(2-methylpropyl)-, (+)- [CAS]	82821-47-4	DE 3121595	Anti-inflammatory	
Mabuterol		56341-08-3			
Macrophage Colony-Stimulating Factor		81627-83-0			
MADU		840-50-6			
mafenide	Benzenesulfonamide, 4-(aminomethyl)-monoacetate [CAS]	13009-99-9 138-39-6		Vulnerary	Burns
mafosfamide	Ethanesulfonic acid, 2-[[2-bis(2-chloroethyl)amino]tetrahydro-2H-1,3,2-oxazaphosphorin-4-yl]thio]-, P-oxide, cis-(±)- [CAS]	88859-04-5 98845-64-8	EP 393575	Anticancer, alkylating	Cancer, renal
magaldrate	Aluminum magnesium hydroxide sulfate (Al5Mg10(OH)31(SO4)2), hydrate [CAS]	74978-16-8	US 2923660	Antacid/Antiflatulent	
Magenta I		632-99-5			
Magnesium Acetylsalicylate		132-49-0			
Magnesium Carbonate		39409-82-0			
Hydroxid magnesium chloride	Magnesium chloride (MgCl2) [CAS]	7786-30-3		Formulation, oral, enteric-coated	Nutrition

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Magnesium Citrate		3344-18-1			
magnesium gluconate	D-Gluconic acid, magnesium salt (2:1) [CAS]	3632-91-5		Formulation, other	Hypertension, general
Magnesium Lactate		18917-93-6			
Magnesium Salicylate		18917-89-0			
Malathion		121-75-5			
Malotilate		59937-28-9			
Mandelic Acid		90-64-2			
Mandelic Acid Isoamyl Ester		5421045			
Mangafodipir		118248-94-5 (free acid); 155319-91-8 (hexahydrogen)			
	3,5-Pyridinedicarboxylic acid, 1,4-dihydro- 2,6-dimethyl-4-(3-nitrophenyl)-, 2-[4- (diphenylmethyl)-1-piperazinyl]ethyl methyl ester [CAS]	89226-50-6 89226-75-5	EP 94159	Antihypertensive, other	Hypertension, general
Mannomustine		551-74-6			
mannose-6-phosphate	mannose-6-phosphate			Vulnerary	Wound healing
Maprotiline		10262-69-8			
maribavir	1H-Benzimidazol-2-amine, 5,6-dichloro-N- (1-methylethyl)-1-β-L-ribofuranosyl- [CAS]	176161-24-3		Antiviral, other	Infection, cytomegalovirus
marimastat	N-[2,2-Dimethyl-1(S)-(N- methylcarbamoyl)propyl]-N,3(S)-dihydroxy- 2(R)-isobutylsuccinamide	154039-60-8	WO 9402447	Anticancer, other	Cancer, pancreatic
maxacalcitol	1,3-Cyclohexanediol, 4-methylene-5-(2- octahydro-1-(1-(3-hydroxy-3- methylbutoxy)ethyl)-7a-methyl-4H-inden-4- ylidene)ethylidene)-, (1S- ylidene)ethylidene)-, (1S- (1Alpha(R*),3aβ,4E(1S*,3R*,5Z),7aAlpha))- [CAS]	103909-75-7	US 4891364	Hormone	Hyperparathyroidism

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
mazindol	3H-Imidazo[2,1-a]isindol-5-ol, 5-(4-chlorophenyl)-2,5-dihydro- [CAS]	2232-71-9	US 3763178	Anorectic/Antiobesity	Obesity
Mazipredone		13085-08-0			
MC-5723			US 6043259	Cardiovascular	Unspecified
MCC-478	(2-amino-6-(4-methoxyphenylthio)-9-[2-(phosphonomethoxy)ethyl]purine bis(2,2,2-trifluoroethyl) ester)				
				Antiviral, other	Infection, hepatitis-B virus
MCI-154	3(2H)-Pyridazinone, 4,5-dihydro-6-[4-(4-pyridinylamino)phenyl]-, monohydrochloride [CAS]	98326-32-0 98326-33-1	EP 145019	Cardio stimulant	Heart failure
m-Cresyl Acetate		122-46-3			
MDAM	Gamma-Methylene-10-deazaaminopterin			Anticancer, antimetabolite	Cancer, general
MDI-101			US 4885311	Antiacne	Acne
MDI-403		403849-94-5	US 4677120	Antiacne	Acne
MDL-100907	4-Piperidinemethanol, Alpha-(2,3-dimethoxyphenyl)-1-(2-(4-fluorophenyl)ethyl)-, (R)- [CAS]	139290-65-6		Hypnotic/Sedative	Sleep disorder, general
mebendazole	methyl-5-benzoylbenzimidazole-2-carbamate	31431-39-7	GB 1307306	Anthelmintic	
mebeverine	Benzoic acid, 3,4-dimethoxy-, 4-[ethyl(2-(4-methoxyphenyl)-1-methylethyl)amino]butyl ester [CAS]	3625-06-7		Antispasmodic	Irritable bowel syndrome
Mebhydroline		524-81-2			
Mebrofenin		78266-06-5			
Mebutamate		64-55-1			
mecamylamine	Bicyclo[2.2.1]heptan-2-amine, N,2,3,3-tetramethyl- [CAS]	60-40-2		Neurological	Unspecified
Mechlorethamine		51-75-2			
Mechlorethamine Oxide		302-70-5			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
imcilinam	4-Thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid, 6-[[[(hexahydro-1H-azepin-1-yl)methylene]amino]-3,3-dimethyl-7-oxo-, [2S-(2Alpha,5Alpha,6 beta.)]- [CAS]	32887-01-7 32887-03-9	GB 1293590	Penicillin, injectable	Infection, general
Mecizine		569-65-3			
Meclocycline		2013-58-3			
meclofenamate	Benzoic acid, 2-[(2,6-dichloro-3-methylphenyl)amino]-, monosodium salt [CAS]	6385-02-0 644-62-2		Antiarthritic, other	Arthritis, osteo
Meclofenamic Acid		644-62-2			
Meclofenoxate		51-68-3			
Mecloqualone		340-57-8			
Mecysteine		18598-63-5			
Medazepam		12/06/2898			
medifoxamine	Ethanamine, N,N-dimethyl-2,2-diphenoxy- [CAS]	32359-34-5	FR M5498	Antidepressant	
Medrogestone		977-79-7			
Medronic Acid		1984-15-2			
medroxyprogesterone	Pregn-4-ene-3,20-dione, 17-(acetyloxy)-6-methyl-, (6Alpha)	71-58-9 520-85-4		Formulation, fixed-dose combinations	Contraceptive, female
Medrysone		2668-66-8			
Mefenamic Acid		61-68-7			
Mefenorex		17243-57-1			
Mefexamide		1227-61-8			
mefloquine	4-Quinolinemethanol, Alpha-2-piperidinyl-2,8-bis(trifluoromethyl)-, (R*,S*)-(±)-[CAS]	51773-92-3 53230-10-7 69191-18-0	GB 1594282	Antimalarial	
Mefruside		7195-27-9			
Megestrol		595-33-5			
Meglumin		22154-43-4 131-49-7			
meglutol	2-Hydroxy-2-methyl-1,3-propanedicarboxylic acid	503-49-1	US 3629449	Hypoipaeamic/Antiatherosclerosis	Hyperlipidaemia, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
melagatran	Glycine, N-[(1R)-2-[(2S)-2-[[[4-(aminomethyl)phenyl]methyl]amino]carbonyl]-1-azetidinyl]-1-cyclohexyl-2-oxoethyl]- [CAS]	159776-70-2	WO 9616671	Antithrombotic	Thrombosis, general
melanocortin-4 agonist	N-[(3R)-1,2,3,4-Tetrahydroisoquinolinium-3-ylcarbonyl]-(1R)-1-(4-chlorobenzyl)-2-(4-cyclohexyl-4-(1H-1,2,4-triazol-1-ylmethyl)piperidin-1-yl]-2-oxoethylamine(1)			Anorectic/Antiobesity	Obesity
Melarsoprol		494-79-1			
Melengestrol		5633-18-1			
melevodopa	Alanine, 3-(3,4-dihydroxyphenyl)-methyl ester [CAS]	7101-51-1	EP 252290	Antiparkinsonian	Parkinson's disease
Melinamide		14417-88-0			
Melitracen		5118-29-6			
meloxicam	2H-1,2-Benzothiazine-3-carboxamide, 4-hydroxy-2-methyl-N-(5-methyl-2-thiazolyl)-, 1,1-dioxide- [CAS]	71125-38-7	US 4233299	Antiarthritic, other	Arthritis, rheumatoid
melperone	1-Butanone, 1-(4-fluorophenyl)-4-(4-methyl-1-piperidinyl)- [CAS]	1622-79-3 3575-80-2	BE 651144	Neuroleptic	
Melphalan		148-82-3			
meluadrine	Benzenemethanol, 2-chloro-Alpha-(((1,1-dimethylethyl)amino)methyl)-4-hydroxy-, (R)-, (R*)-2,3-dihydroxybutanedioate (1:1) (salt) [CAS]	134865-37-5	EP 420120	Labour inhibitor	Labour, preterm
memantine	Tricyclo[3.3.1.1 ^{3,7}]decan-1-amine, 3,5-dimethyl [CAS]	41100-52-1 19982-08-2	EP 392059	Cognition enhancer	Dementia, AIDS-related
MEN-10700	Acetamide, 2-[[[(5R,6S)-6-[(1R)-1-hydroxyethyl]-2-methyl-7-oxo-4-thia-1-azabicyclo[3.2.0]hept-2-en-3-yl]methyl]methylamino]- [CAS]	195874-55-6	WO 9406803	Beta-lactam antibiotic	Infection, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
MEN-10755	5,12-Naphthacenedione, 7-[[4-O-(3-amino-2,3,6-trideoxy-Alpha-L-lyxohexopyranosyl)-2,6-dideoxy-Alpha-L-lyxohexopyranosyl]oxy]-7,8,9,10-tetrahydro-6,9,11-trihydroxy-9-(hydroxyacetyl)-, hydrochloride, (7S,9S)- [CAS]	169317-77-5	WO 9509173	Anticancer, antibiotic	Cancer, breast
Menadiol		481-85-6			
Menadione		58-27-5			
Menadoxime		573-01-3			
Menbutone		3562-99-0			
Menogaril		71628-96-1			
MENT	7Alpha-Methyl-19-nortestosterone			Formulation, transdermal, systemic	Contraceptive, male
menthol	Cyclohexanol, 5-methyl-2-(1-methylethyl)- [CAS]	1490-04-6 89-78-1		Formulation, dermal, topical	Pruritus
Menthyl Valerate		89-47-4			
Meobentine		46464-11-3			
Meparfynol		77-75-8			
meparfyn	Patricin, methyl ester [CAS]	11121-32-7	US 3780173	Antifungal	Infection, Candida, general
Mepazine		60-89-9			
Mepenzolate Bromide		76-90-4			
Meperidine		57-42-1			
Mephenesin		59-47-2			
Mephenoxalone		70-07-5			
Mephentermine		100-92-5			
Mephenytoin		50-12-4			
Mephobarbital		115-36-8			
Mepindolol		23694-81-7			
Mepitiostane		21362-69-6			
mepivacaine	N-(2,6-Dimethylphenyl)-1-methyl-2-piperidinecarboxamide	96-88-8			
Mepixanox		17854-59-0		Formulation, modified-release, >24hr	Pain, post-operative

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Meprednisone		1247-42-3			
Meprobamate		57-53-4			
meproschlorin	Bufa-4,20,22-trienolide, 3-[(6-deoxy-4-O-methyl- α -L-mannopyranosyl)oxy]-14-hydroxy-, (3S)- [CAS]	33396-37-1	DE 1910207	Cardio stimulant	Heart failure
mepflazinol	Phenol, 3-(3-ethylhexahydro-1-methyl-1H-azepin-3-yl)- [CAS]	54340-58-8 59263-76-2	GB 1285025	Analgesic, other	Pain, general
mequitazine	10H-Phenothiazine, 10-(1-azabicyclo[2.2.2]oct-3-ylmethyl)- [CAS]	29216-28-2	GB 1250534	Antiallergic, non-asthma	
Meralein		4386-35-0			
Meralluride		8069-64-5			
Merbromin		129-16-8			
Mercaptopmerin		21259-76-7			
Mercumallylic Acid		86-36-2			
Mercuric Chloride, Ammoniated		10124-48-8			
Mercuric Oleate		1191-80-6			
Mercuric Oxycyanide		1335-31-5			
merimepodib	Carbamic acid, ((3-(((3-methoxy-4-(5-oxazolyl)phenyl)amino)carbonyl)amino)phenyl)methyl)- (3S)-tetrahydro-3-furanyl ester [CAS]	198821-22-6	US 5807876	Antiviral, other	Infection, hepatitis-C virus
meropenem	1-Azabicyclo[3.2.0]hept-2-ene-2-carboxylic acid, 3-[[5-[(dimethylamino)carbonyl]-3-pyrrolidinyl]thio]-6-(1-hydroxyethyl)-4-methyl-7-oxo-, [4R-[3(3S*,5S*),4 α pha,5 β ,6 α (R*)]]- [CAS]	96036-03-2	EP 126587	Beta-lactam antibiotic	Infection, respiratory tract, lower
Mersalyl		492-18-2			
Mesalamine		89-57-6			
mesalazine	Benzoic acid, 5-amino-2-hydroxy- [CAS]	89-57-6	WO 5541170	Formulation, oral, other	Colitis, ulcerative
Mesna		19767-45-4			
Mesoridazine		5588-33-0			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Mestanolone		521-11-9			
Mesterolone		1424-00-6			
Mestranol		72-33-3			
Mesulfen		135-58-0			
Metaclozapam		84031-17-4			
Metampicillin		6489-97-0			
Metapramine		21730-16-5			
Metaproterenol		586-06-1			
Metaraminol		54-49-9			
Metazocine		3734-52-9			
metergoline	Carbamic acid, [[(8β)-1,6-dimethylethyl-8-ylmethyl]-, phenylmethyl ester [CAS]	17692-51-2 21631-37-8 2706-42-5	GB 1401935	Antiprolactin	Amenorrhoea
metformin	Imidodicarbonimidic diamide, N,N-dimethyl [CAS]	657-24-9		Formulation, modified-release, <=24hr	Diabetes, Type II
Methacholine		62-51-1			
Methacycline		914-00-1			
Methadone		76-99-3			
Methatufyl ne		531-06-6			
Methamphetamine		537-46-2			
Methandriol		521-10-8			
Methandrostenolone		72-63-9			
Methantheleine		53-46-3			
Methapyrilene		91-80-5			
Methaqualone		72-44-6			
Metharbital		50-11-3			
Methazolamide		554-57-4			
Methdilazine		1982-37-2			
Methenamine		100-97-0			
Methenolone		153-00-4			
Methestrol		130-73-4			
Methetoin		5696-06-0			
Methicillin		132-92-3			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Methimazole		60-56-0			
Methiodal		126-31-8			
Methionnic Acid		503-40-2			
Methionine		63-68-3			
Methisazone		1910-68-5			
Methitural		467-43-6			
Methixene		02/02/4969			
Methocarbamol		532-03-6			
Methohexital		22151-68-4			
methotrexate	L-Glutamic acid, N-[4-[(2,4-diamino-6-pteridinyl)methyl]methylamino]benzoyl]-[CAS]	59-05-2	US 2512572	Anticancer, antimetabolite	Cancer, general
Methotrimeprazine		60-99-1			
Methoxamine		390-28-3			
Methoxsalen		298-81-7			
Methoxyflurane		76-38-0			
Methoxyphenamine		93-30-1			
Methoxypromazine		61-01-8			
Methscopolamine		155-41-9			
Methsuximide		77-41-8			
Methyclothiazide		135-07-9			
Methyl Blue		28983-56-4			
Methyl Nicotinate		93-60-7			
Methyl Propyl Ether		557-17-5			
Methyl Salicylate		119-36-8			
Methyl tert-Butyl Ether		1634-04-4			
Methylbenzethonium Chloride		25155-18-4			
Methylcobalamin		13422-55-4			
methyldopa	L-Tyrosine, 3-hydroxy-Alpha-methyl-[CAS]	555-30-6		Formulation, modified-release, <=24hr	Hypertension, general
Methylene Blue		61-73-4			
Methylergonovine		113-42-8			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Methylhexaneamine	2-Piperidineacetic acid, Alpha-phenyl-, methyl ester [CAS]	105-41-9			
methylphenidate		113-45-1 298-59-9		Formulation, modified-release, multi	Attention deficit disorder
Methylprednisolone		83-43-2			
methylprednisolone aceponate	Pregna-1,4-diene-3,20-dione, 21-(acetyloxy)-11-hydroxy-6-methyl-17-(1-oxopropoxy)-, (6Alpha, 11ß)- [CAS]	86401-95-8	EP 72547	Antipruritic/inflam, allergic	Pruritus
methylprednisolone suleptanate	Pregna-1,4-diene-3,20-dione, 11,17-dihydroxy-6-methyl-21-[8-[methyl(2-sulfoethyl)amino]-1,8-dioxocetyl]oxy]-, monosodium salt, (6Alpha, 11ß)- [CAS]	90350-40-6	JP 59137500	Antiasthma	Asthma
Methylthiouracil		56-04-2			
Methyltrienolone		965-93-5			
Methypyrlon		125-64-4			
Methysergide		361-37-5			
Metiazinic Acid		13993-65-2			
melipranolol	Phenol, 4-[2-hydroxy-3-[(1-methylethyl)amino]propoxy]-2,3,6-trimethyl-, 1-acetate [CAS]	22664-55-7	GB 1206148	Antihypertensive, adrenergic	
metolopramide	Benzamide, 4-amino-5-chloro-N-[2-(diethylamino)ethyl]-2-methoxy- [CAS]	364-62-5		Formulation, modified-release, <=24hr	Gastro-oesophageal reflux
Metocurine Iodide		7601-55-0			
Metofenazate		388-51-2			
metolazone	6-Quinazolinesulfonamide, 7-chloro-1,2,3,4-tetrahydro-2-methyl-3-(2-methylphenyl)-4-oxo- [CAS]	17560-51-9	US 4517179	Antihypertensive, diuretic	
Metopimazine		14008-44-7			
Metopon		143-52-2			
metoprolol	2-Propanol, 1-[4-(2-methoxyethyl)phenoxy]-3-[(1-methylethyl)amino]-, (+/-)- [CAS]	51384-51-1 56392-17-7 37350-56-6		Formulation, modified-release, other	Hypertension, general
Metralindole		54188-38-4			
Metrizamide		31112-62-6			
Metrizoic Acid		1949-45-7			
Metron S		13946-02-6			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Metyrapone		54-36-4			
Metyrosine		672-87-7			
Mexazolam		31868-18-5			
Mexenone		1641-17-4			
Mexiletine		31828-71-4			
	4-Thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid, 3,3-dimethyl-6-[[[3-(methylsulfonyl)-2-oxo-1-imidazolidinyl]carbonyl]amino]phenylacetyl	42057-22-7 51481-65-3 72539-76-5	GB 1301961	Penicillin, injectable	Infection, general
mezlocillin	[2Alpha,5Alpha,6S(S*)]-[CAS]				
MFH-244	Benzenecarboximidic acid, 3,4,5-trihydroxy-, ethyl ester, hydrochloride	95933-76-9	US 4623659	Cardiovascular	Reperfusion injury
mianserin	Dibenzolc, fpyrazino[1,2-a]azepine, 1,2,3,4,10,14b-hexahydro-2-methyl- [CAS]	21535-47-7 24219-97-4	GB 1173783	Antidepressant	Depression, general
Mibefradil		116644-53-2			
Miboplatin		103775-75-3			
Micafungin		235114-32-6			
miconazole	1H-Imidazole, 1-(2,4-dichlorophenyl)-2[2,4-dichlorophenyl]methoxy[ethyl]	22916-47-8		Formulation, modified-release, other	Infection, Candida, general
Micronomicin		52093-21-7			
midaxifylline	1H-Purine-2,6-dione, 8-(1-aminocyclopentyl)-3,7-dihydro-1,3-dipropyl- [CAS]	151159-23-8	US 5378844	Cardiovascular	Unspecified
midazolam	4H-Imidazo[1,5-a][1,4]benzodiazepine, 8-chloro-6-(2-fluorophenyl)-1-methyl-[CAS]	59467-70-8 59467-94-6	US 4280957	Anaesthetic, injectable	
midecamycin	Leucomycin V, 3,4B-dipropanoate [CAS]	35457-80-8	US 3761588	Macrolide antibiotic	Infection, general
midecamycin acetate	Leucomycin V, 3B,9-diacetate 3,4B-dipropanoate [CAS]	55881-07-7	JP 49124087	Macrolide antibiotic	Infection, general
midosteine	2-Thiophenecarboethioic acid, S-{[1-methyl-2-oxo-2-[(tetrahydro-2-oxo-3-thienyl)amino]ethyl] ester [CAS]	94149-41-4	EP 120534	COPD treatment	Emphysema, general

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
midodrine	Acetamide, 2-amino-N-[2-(2,5-dimethoxyphenyl)-2-hydroxyethyl]- [CAS]	42318-56-0 42794-76-3	EP 164571	Urological	Incontinence
	Benzamide, N-(2,3,10,11,12,13-hexahydro-10-methoxy-9-methyl-1-oxo-9,13-epoxy-1H,9H-diindolo[1,2,3-g'h:3',2',1'-lin]pyrrolo[3,4-j][1,7]benzodiazonin-11-yl)-N-methyl-, (9Alpha,10S,11S,13Alpha)- [CAS]	120685-11-2	EP 296110	Anticancer, other	Cancer, leukaemia, acute myelogenous
midostaurin	Estra-4,9-dien-3-one, 11-[4-(dimethylamino)phenyl]-17-hydroxy-17-(1-propynyl)-, (11S,17S)- [CAS]	84371-65-3	EP 57115	Abortifacient	Abortion
	3,4,5-Piperidine triol, 1-(2-hydroxyethyl)-2-(hydroxymethyl)-, [2R-(2Alpha,3S,4Alpha,5S)]- [CAS]	72432-03-2	EP 55431	Antidiabetic	Diabetes, Type I
	3,4,5-Piperidine triol, 1-butyl-2-(hydroxymethyl)-(2R-(2Alpha,3S,4Alpha,5S)) [CAS]	72599-27-0	DE 2758025	Metabolic and enzyme disorders	Gaucher's disease
midronate	Hydrazinium, 2-(2-carboxyethyl)-1,1,1-trimethyl-, inner salt- [CAS]	76144-81-5	WO 8001068	Cardio stimulant	Heart failure
	Cyclopropanecarboxamide, 2-(aminomethyl)-N,N-diethyl-1-phenyl-, cis-(+)-[CAS]	101152-94-7 92623-85-3	US 4478836	Antidepressant	Depression, general
Miloxacin	[3,4-Bipyridine]-5-carbonitrile, 1,6-dihydro-2-methyl-6-oxo- [CAS]	37065-29-5			
milrinone	Ethanaminium, 2-[[[hexadecyloxy]hydroxyphosphinyl]oxy]-N,N,N-trimethyl-, hydroxide, inner salt [CAS]	78415-72-2	US 4313951	Cardio stimulant	Heart failure
mitofosine	4-Morpholineethanamine, N-(4-methyl-6-phenyl-3-pyridazinyl)- [CAS]	53949-20-5 58066-85-6 25905-77-5 25953-17-7	EP 225608 GB 1345880	Anticancer, other Antidepressant	Cancer, skin, general Depression, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
minocycline	2-Naphthacene-carboxamide, 4,7-bis(dimethylamino)-1,4a,5,5a,6,11,12a-octahydro-3,10,12,12a-tetrahydroxy-1,11-dioxo-, [4S-(4 α),4 α Alfa.5 α alpha.,12 α Alfa)]-[CAS]	10118-90-8		Formulation, optimized, microparticles	Infection, oral
minodronic acid	Phosphonic acid, (1-hydroxy-2-imidazo(1,2-a)pyridin-3-ylethylidene)bis-, [CAS]	180064-38-4	EP 354806	Anticancer, other	Cancer, myeloma
minoxidil	2,4-Pyrimidinediamine, 6-(1-piperidinyl)-, 3-oxide [CAS]	38304-91-5	US 4139619	Vasodilator, peripheral	Hypertension, general
Miokamycin		55881-07-7			
mirtazapine	Pyrazino[2,1-a]pyrido[2,3-c][2]benzazepine, 1,2,3,4,10,14b-hexahydro-2-methyl-[CAS]	85650-52-6 61337-67-5	GB 1543171	Antidepressant	Depression, general
misoprostol	Prost-13-en-1-oic acid, 11,16-dihydroxy-16-methyl-9-oxo-, methyl ester, (11 α),13E)-(±)- [CAS]	59122-46-2 59122-48-4	US 4301146	Prostaglandin	Ulcer, gastric
mitomycin	Erythromycin, 8,9-didehydro-N-demethyl-9-deoxy-6,11-dideoxy-6,9-epoxy-12-O-methyl-N-(1-methylethyl)-11-oxo-, (2E)-2-butenedicate (2:1) [CAS]	154802-96-7	WO 9324509	Gastroprokinetic	Gastro-oesophageal reflux
mitigilide	Calcium (2S)-2-benzyl-3-(cis-hexahydro-2-isoindolinylcarbonyl)propionate, dihydrate-[CAS]	145525-41-3	EP 507534	Antidiabetic	Diabetes, Type II
Mitobronitol		488-41-5			
Mitoguazone		459-86-9			
mitolactol	Galactitol, 1,6-dibromo-1,6-dideoxy- [CAS]	10318-26-0	US 3993781	Anticancer, alkylating	Cancer, cervical

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
mitomycin	Azirino[2',3':3,4]pyrrolo[1,2-a]indole-4,7-dione, 6-amino-8-[[[(aminocarbonyloxy)methyl]-1,1a,2,8,8a,8b-hexahydro-8a-methoxy-5-methyl-, [1aS-(1aAlpha,8S,8aAlpha,8bAlpha)]]- [CAS]	50-07-7		Formulation, parenteral, other	Cancer, stomach
Mitotane		53-19-0			
mitoxantrone	9,10-Anthracenedione, 1,4-dihydroxy-5,8-bis[[2-[(2-hydroxyethyl)amino]ethyl]amino]-[CAS]	65271-80-9 70476-82-3	US 4197249	Anticancer, other	Cancer, breast
mitoxantrone	9,10-Anthracenedione, 1,4-dihydroxy-5,8-bis[[2-[(2-hydroxyethyl)amino]ethyl]amino]-[CAS]	65271-80-9 70476-82-9		Formulation, optimized, liposomes	Cancer, general
MIV-210	(3'-Fluoro-2'-3'-dideoxy guanosine)			Antiviral, other	Infection, hepatitis-B virus
mivacurium	Isoquinolinium, 2,2'-(1,8-dioxo-4-octene-1,8-diyl)bis(oxy-3,1-propanediyl)bis[1,2,3,4-tetrahydro-6,7-dimethoxy-2-methyl-1-[(3,4,5-trimethoxyphenyl)methyl], dichloride, [R*,R*(E)]]- [CAS]	106861-44-3	EP 181055	Muscle relaxant	Anaesthesia, adjunct
Mivazerol		125472-02-8			
mizolasine	4(1H)-Pyrimidinone, 2-[[1-[1-(4-fluorophenyl)methyl]-1H-benzimidazol-2-yl]-4-piperidinylmethylamino]- [CAS]	108612-45-9	EP 217700	Antiallergic, non-asthma	Rhinitis, allergic, general
Mizoribine		50924-49-7			
MKC-733	(R)-N-(3-quinuclidinyl)-7-oxo-4,7-dihydrothieno[3,2-b]pyridine-6-carboxamide hydrochloride	194093-42-0	JP 09216888	Gastroprokinetic	Gastro-oesophageal reflux
MLN-519	6-Oxa-2-azabicyclo[3,2,0]heptane-3,7-dione, 1-[(1S)-1-hydroxy-2-methylpropyl]-4-propyl-, (1R,4R,5S)- [CAS]	211866-70-5	WO 9915183	Neuroprotective	Ischaemia, cerebral
MLN-576	4-Methoxy-benzo[a]phenazine-11-carboxylic acid (2-(dimethylamino)-1-(R)-methyl-ethyl)-amide			Anticancer, other	Cancer, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
moclobemide	Benzamide, 4-chloro-N-[2-(4-morpholinyl)ethyl]- [CAS]	71320-77-9	EP 326023	Antidepressant	Depression, general
modafinil	Acetamide, 2-[(diphenylmethyl)sulfinyl]- [CAS]	68693-11-8	DE 2809625	Psychostimulant	Narcolepsy
moexipril	3-Isoquinolinecarboxylic acid, 2-[2-[(1-(ethoxycarbonyl)-3-phenylpropylamino]-1-oxopropyl)-1,2,3,4-tetrahydro-6,7-dimethoxy- (3S-(2(R*(R*),3R*)))- [CAS]	103775-10-6 103775-14-0	US 4344949	Antihypertensive, renin system	Hypertension, general
Mofarotene		125533-88-2			
Mofebutazone		2210-63-1			
Mofegiline		119386-96-8			
mofezolac	5-Isoxazoleacetic acid, 3,4-bis(4-methoxyphenyl)- [CAS]	78967-07-4	EP 26928	Analgesic, NSAID	Pain, post-operative
MOL-6131	N-[4-(aminomethyl)benzyl]-8(S)-[1-[4-[2-(4-aminophenyl)-acetamido]butyl]piperidin-4-yl]-2-(naphthalen-1-ylmethyl)-1,3-dioxo-2,3,5,8-tetrahydro-1H-[1,2,4]triazolo[1,2-a]pyridazine-5(R)-carboxamide			Antiasthma	Asthma
Molindone		7416-34-4			
molsidomine	Sydnone imine, N-(ethoxycarbonyl)-3-(4-morpholinyl)- [CAS]	25717-80-0	US 3769283	Vasodilator, coronary	
mometasone	Pregna-1,4-diene-3,20-dione, 9,21-dichloro-11,17-dihydroxy-16-methyl-, (11β,16Alpha)- [CAS]	105102-22-5 83919-23-7	EP 57401	Antipruritic/inflamm, allergic	Psoriasis
Monatepil		103377-41-9			
Monobenzene		103-16-2			
monolaurin	Dodecanoic acid, monoester with 1,2,3-propanetriol [CAS]	27215-38-9	US 4885282	Dermatological	Ichthyosis
montelukast	Cyclopropaneacetic acid, 1-[[[1-[3-[2-(7-Chloro-2-quinolinyl)ethenyl]phenyl]-3-[2-(1-hydroxy-1-methylethyl)phenyl]propyl]thio]methyl]-, [CAS]	151767-02-1 158966-92-8		Antiasthma	Asthma
Monteplase		122007-85-6			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Moperone		1050-79-9			
Mopidamol		13665-88-8			
Moprolol		5741-22-0			
moracizine	Carbamic acid, [10-[3-(4-morpholinyl)-1-oxopropyl]-10H-phenothiazin-2-yl]-, ethyl ester [CAS]	29560-58-5 31883-05-3	US 3864487	Antiarrhythmic	Tachycardia, ventricular
Morazone		6536-18-1			
Moricizine		31883-05-3			
Moroxydine		3731-59-7			
Morphazinamide		952-54-5			
		57-27-2			
morphine	Morphinan-3,6-diol, 7,8-didehydro-4,5-epoxy-17-methyl- (5 α ,6 α)-, [CAS]	6055-06-7 64-31-3		Formulation, parenteral, other	Pain, cancer
morphine-6-glucuronide	morphine-6-glucuronide			Formulation, inhalable, systemic	Pain, general
mosapramine	Spiro[imidazo[1,2-a]pyridine-3(2H),4'-piperidin]-2-one, 1-[3-(3-chloro-10,11-dihydro-5H-dibenz[b,f]azepin-5-yl)propyl]hexahydro-, (+/-)- [CAS]	89419-40-9 98043-60-8	US 4337260	Neuroleptic	
mosapride	Benzamide, 4-amino-5-chloro-2-ethoxy-N-((4-(4-fluorophenyl)methyl)-2-morpholinyl)methyl)- [CAS]	112885-41-3 112885-42-4	EP 243959	GI inflammatory/bowel disorders	Gastritis
motexafin gadolinium	Gadolinium, bis(acetato-kappaO)(9,10-diethyl-20,21-bis(2-(2-(2-methoxyethoxy)ethoxy)-4,15-dimethyl-8,11-imino-3,16,16,13-dinitro-1,18-benzodiazacycloicosine-5,14-dipropanolato-kappaN1, kappaN18, kappaN23, kappaN24, kappaN25), (PB-7-11-233'2'4) [CAS]	246252-06-2		Radiochemosensitizer	Cancer, brain
Motretinide		56281-36-8			
Movelitipril		85856-54-8			
Moxalactam		64952-97-2			
Moxastine		3572-74-5			
Moxaverine		10539-19-2			
Mox strol		34816-55-2			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
moxifloxacin	3-Quinolonecarboxylic acid, 1-cyclopropyl-6-fluoro-1,4-dihydro-8-methoxy-7-(octahydro-6H-pyrrolo[3,4-b]pyridin-6-yl)-4-oxo-, hydrochloride (4aS-cis)- [CAS]	186826-86-8 151096-09-2	DE 19546249	Quinolone antibacterial	Infection, respiratory tract, general
moxisylyte	Phenol, 4-[2-(dimethylamino)ethoxy]-2-methyl-5-(1-methylethyl)-, acetate (ester), [CAS]	964-52-3 54-32-0		Male sexual dysfunction	Impotence
moxonidine	5-Pyrimidinamine, 4-chloro-N-(4,5-dihydro-1H-imidazol-2-yl)-6-methoxy-2-methyl- [CAS]	75438-57-2	DE 2849537	Antihypertensive, other	Hypertension, general
M-PGA	(-)-(S)-2-Methyl-2-(1-oxo-2,3-dihydro-1H-isindol-2-yl)pentanedioic acid		US 5712291	Anticancer, other	Cancer, general
MPI-5010	Platinum diamminedichloro-, (SP-4-2) + (R)-4-[1-hydroxy-2-(methylamino)-ethyl]-1,2-benzenediol		US 6224883	Formulation, parenteral, other	Cancer, head and neck
MPI-5020	2,4-(1H,3H)-Pyrimidinedione, 5-fluoro- [CAS]	51-21-8	US 5750146	Formulation, parenteral, other	Cancer, breast
MPL		198076-81-2		Immunostimulant, other	Vaccine adjunct
MRS-1754			US 6060481	Antiasthma	Asthma
MS-209	1-Piperazineethanol, 4-(diphenylacetyl)-Alpha-[(5-quinolinyl)oxy)methyl]-, (2E)-2-butenedioate(2:3) (salt) [CAS]	158681-49-3		Radio/chemosensitizer	Cancer, breast
MS-275	N-(2-Aminophenyl)-4-[N-(pyridin-3-yl-methoxycarbonyl)aminomethyl]benzamide			Anticancer, antimetabolite	Cancer, lung, general
MS-325		201688-00-8			
MS-377			EP 839805	Neuroleptic	Schizophrenia
Mupirocin		12650-69-0			
Muscarin		300-54-9			
Muzolimine		55294-15-0			
MX-1013			US 6153551	Hepatoprotective	Unspecified

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
mycophenolate mofetil	4-Hexanoic acid, 6-(1,3-dihydro-4-hydroxy-6-methoxy-7-methyl-3-oxo-5-isobenzofuranyl)-4-methyl-, 2-(4-morpholinyl)ethyl ester, (E)- [CAS]	116680-01-4 128794-94-5	WO 9119498	Immunosuppressant	Transplant rejection, general
mycophenolic acid	4-hexanoic acid, 6-(1,3-dihydro-4-hydroxy-6-methoxy-7-methyl-3-oxo-5-isobenzofuranyl)-4-methyl-,	37415-62-6 24280-93-1		Formulation, oral, enteric-coated	Transplant rejection, general
Myrophine		467-18-5			
N-		3569-99-1			
(Hydroxymethyl)nicotina					
mid					
N,N,N',N'-		83-81-8			
Tetraethylphthalamide					
N₂-Formylsulfisomidine		795-13-1			
N₄-β-D-					
Glucosylsulfanilamide		53274-53-6			
N₄-		547-52-4			
Sulfanilsulfanilamide					
Nabilone		51022-71-0			
nabumetone	2-Butanone, 4-[6-methoxy-2-naphthalenyl] [CAS]	42924-53-8	GB 1476721	Anti-inflammatory	Arthritis, osteo
N-acetylcysteine	L-Cysteine, N-acetyl- [CAS]	616-91-1		Anticancer, other	Cancer, general
N-Acetylmethionine		65-82-7			
nadifloxacin	1H,5H-Benzo[<i>l</i>]quinoline-2-carboxylic acid, 9-fluoro-6,7-dihydro-8-(4-hydroxy-1-piperidinyl)-5-methyl-1-oxo-, (+/-)- [CAS]	124858-35-1	US 4399134	Quinolone antibacterial	Acne
nadolol	2,3-Naphthalenediol, 5-[3-[(1,1-dimethylethyl)amino]-2-hydroxypropoxy]-1,2,3,4-tetrahydro- [CAS]	42200-33-9	US 4346106	Antihypertensive, adrenergic	
Nadoxolol		54063-51-3			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
naloxonate	Benzoic acid, 4- [(aminominoethyl)amino], 6- (aminominoethyl)-2-naphthalenyl ester- [CAS]	80251-32-7 81525-10-2 82956-11-4	EP 450232	GI inflammatory/bowel disorders	Pancreatitis
nafarelin	Luteinizing hormone-releasing factor (pig), 6-[3-(2-naphthalenyl)-D-alanine]-[CAS]	76932-56-4 86220-42-0	EP 21234	Releasing hormones	Endometriosis
Nafcillin		147-52-4			
Nafronyl		31329-57-4			
naftidrofuryl	2-Furanpropanoic acid, tetrahydro- α - (1-naphthalenylmethyl)-, 2- (diethylamino)ethyl ester	31329-57-4		Formulation, modified-release, other	Unspecified
naftifine	1-Naphthalenemethanamine, N-methyl-N- (3-phenyl-2-propenyl)-, (E)- [CAS]	65472-88-0 65473-14-5	US 4282251	Antifungal	Infection, dermatological
naftopidil	1-Piperazineethanol, 4-(2-methoxyphenyl)- α -(1-naphthalenyl)oxy)methyl]- [CAS]	57149-07-2	US 3997666	Antihypertensive, adrenergic	Hypertension, general
nalbuphine	Morphinan-3,6,14-triol, 17- (cyclobutylmethyl)-4,5-epoxy-, (5 α)-[CAS]	20594-83-6 23277-43-2	US 3393197	Analgesic, other	Pain, general
Nalidixic Acid		389-08-2			
nalmeferone	Morphinan-3,14-diol, 17- (cyclopropylmethyl)-4,5-epoxy-6- methylene-, (5 α)-[CAS]	55096-26-9	JP 56167687	Dependence treatment	Poisoning, drug
Nalorphine		62-67-9			
naloxone	Morphinan-6-one, 17-allyl-4,5 α -epoxy- 3,14-dihydroxy-, hydrochloride [CAS]	357-08-4 465-65-6		Septic shock treatment	
naltraxone	Morphinan-6-one, 17-(cyclopropylmethyl)- 4,5-epoxy-3,14-dihydroxy-, (5 α)-[CAS]	16590-41-3 16676-29-2	US 3332950	Dependence treatment	Addiction, narcotic/opiate
NAMI	Imidazolium trans-(imidazole)(dimethylsulfoxide)tetrachloro- orothionate (III)			Anticancer, other	Cancer, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
minoxidil	Guanidine, N-cyano-N'-(4-cyanophenyl)-N'-[(1R)-1,2,2-trimethylpropyl][CAS]	220641-11-2		Dermatological	Alopecia, general
Nandrolone		434-22-0			
Naphazoline		835-31-4			
Naphthalene		91-20-3			
naproxen betainate	Methanaminium, 1-carboxy-N, N, N-trimethyl- salt with (R)-6-methoxy-Alpha-methyl-2-naphthaleneacetic acid (1:1), sodium salt [CAS]	104124-26-7	US 4672077	Antiarthritic, other	Arthritis, rheumatoid
naproxen	2-Naphthaleneacetic acid, 6-methoxy-Alpha-methyl-, [CAS]	26159-34-2 22204-53-1	GB 1211134	Analgesic, NSAID	Pain, general
naratriptan	1H-Indole-5-ethanesulfonamide, N-methyl-3-(1-methyl-4-piperidinyl)- [CAS]	121679-13-8	EP 303507	Antimigraine	Migraine
Narceine		131-28-2			
Narcobarbital		125-55-3			
Natamycin		7681-93-8			
nateglinide	D-phenylalanine, N-[(4-{1-methylethyl}cyclohexyl)carbonyl]-, trans-[CAS]	105816-04-4	EP 196222	Antidiabetic	Diabetes, Type II
N-Butyldoxynojirimycin		72599-27-0			
N-Butylscopolammonium Bromide		149-64-4			
NC-503			US 5643562	Anti-inflammatory	Amyloidosis
NC-531			US 5643562	Cognition enhancer	Alzheimer's disease
NCX-1000			WO 0061604	Hepatoprotective	Cirrhosis, hepatic
NCX-4016	Benzoic acid, 2-(acetyloxy)-, 2-((nitrooxy)methyl)phenyl ester [CAS]	175033-36-0	WO 9716405	Symptomatic antidiabetic	Insulin-related metabolic syndrome
NCX-456	Benzoic acid, 5-amino-2-hydroxy-, 4-(nitrooxy)butyl ester [CAS]	256499-26-0		GI inflammatory/bowel disorders	Inflammatory bowel disease

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
NCX-950	Alpha'-[(1,1-dimethylethyl)amino]methyl]-4-hydroxyl-1,3-benzenedimethanol nitrate			Antialsthma	Asihma
n-Docosanol		661-19-8			
NE-100	Benzeneethanamine, 4-methoxy-3-(2-phenylethoxy)-N,N-dipropyl-, hydrochloride [CAS]	149409-57-4	WO 9307113	Neuroleptic	Schizophrenia
N albarbital		561-83-1			
	2H-1-Benzopyran-2-methanol, Alpha,Alpha'-[iminobis(methylene)]bis[6-fluoro-3,4-dihydro]-, (2R'(R'(S'''))-(1+)-[CAS]	118457-14-0 99200-09-6	EP 145067	Antihypertensive, adrenergic	Hypertension, general
nebivolol	N1-(4,4-Dimethylcyclohexyl)-L-isoglutamine	163000-63-3	EP 0688312	Cognition enhancer	Unspecified
Nebracetam		97205-34-0			
nedaplatin	Platinum, diammine[hydroxyacetato(2-)-O1,O2]-, (SP-4-3)- [CAS]	95734-82-0	EP 216362	Anticancer, alkylating	
nedocromil	4H-Pyranol[3,2-g]quinoline-2,8-dicarboxylic acid, 9-ethyl-6,9-dihydro-4,6-dioxo-10-propyl-, [CAS]	69049-73-6 69049-74-7	EP 555718	Antialsthma, Ophthalmological	Rhinitis, allergic, general, Ocular disorder, general
nefazodone	3H-1,2,4-Triazol-3-one, 2-[3-[4-(3-chlorophenyl)-1-piperazinyl]propyl]-5-ethyl-2,4-dihydro-4-(2-phenoxyethyl)-, [CAS]	82752-99-6 83366-66-9	US 4338317	Antidepressant	Depression, general
nefracetam	1-Pyrrolidineacetamide, N-(2,6-dimethylphenyl)-2-oxo- [CAS]	77191-36-7	US 4341790	Cognition enhancer	Dementia, senile, general
nefopam	1H-2,5-Benzoxazocine, 3,4,5,6-tetrahydro-5-methyl-1-phenyl-, [CAS]	13869-70-0 23327-57-3	US 3487153	Analgesic, NSAID	
Negamycin		33404-78-3			
	3-Isoquinolinecarboxamide, N-(1,1-dimethylethyl)decahydro-2-(2-hydroxy-3-((3-hydroxy-2-methylbenzoyl)amino)-4-(phenylthio)butyl)-, (3S-(2(2S*,3S*),3Alpha,4alpha,8alpha))-, [CAS]	159989-65-8 159989-64-7		Antiviral, anti-HIV	Infection, HIV/AIDS
Nemonapride		75272-39-8			
Neostigmine		59-99-4			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
nepadulant	Cyclo[3-amino-L-alanyl-L-leucyl-N-[2-(acetylamino)-2-deoxy-β-D-glucopyranosyl]-L-asparaginy]-L-Alpha-aspartyl-L-tryptophyl-L-phenylalanyl], (4-1)-lactam [CAS]	183747-35-5	WO 9628467	Antiasthma	Asthma
neramexane	1,3,3,5,5-pentamethylcyclohexylamine	202807-80-5 219810-59-0		Dependence treatment	Addiction, alcohol
neridronic acid	Phosphonic acid, (6-amino-1-hydroxyhexylidene)bis- [CAS]	79778-41-9		Musculoskeletal	Osteogenesis imperfecta
Nerifolin		466-07-9			
N-Ethylamphetamine		457-87-4			
neticonazole	1H-Imidazole, 1-[2-(methylthio)-1-[2-(pentyloxy)phenyl]ethenyl]-, monohydrochloride, (E)- [CAS]	130773-02-3 130726-68-0	EP 445540	Antifungal	Infection, Candida, general
netilmicin	D-Streptamine, O-3-deoxy-4-C-methyl-3-(methylamino)-β-L-arabinopyranosyl-(1-6)-O-[2,6-diamino-2,3,4,6-tetra-deoxy-Alpha-D-glycero-hex-4-enopyranosyl-(1-4)]-2-deoxy-N1-ethyl- [CAS]	56391-56-1 56391-57-2	GB 1473733	Aminoglycoside antibiotic	Infection, general
nevirapine	6H-Diprido[3,2-b:2'3'-e][1,4]diazepin-6-one, 11-cyclopropyl-5,11-dihydro-4-methyl- [CAS]	129618-40-2	EP 429987	Antiviral, anti-HIV	Infection, HIV/AIDS
NGD-98-2			WO 9635689	Anxiolytic	Anxiety, general
Nialamide		51-12-7			
Niaprazine		27367-90-4			
Nicametate		3099-52-3			
nicaraven	3-Pyridinecarboxamide, N,N'-(1-methyl-1,2-ethanediyl)bis- [CAS]	79455-30-4	EP 29602	Neuroprotective	Haemorrhage, subarachnoid
nicardipine	3,5-Pyridinedicarboxylic acid, 1,4-dihydro-2,6-dimethyl-4-(3-nitrophenyl)-, methyl 2-[methyl(phenylmethyl)amino]ethyl ester [CAS]	54527-84-3 55985-32-5	US 3985758	Neuroprotective	Hypertension, general
nicergoline	Ergoline-8-methanol, 10-methoxy-1,6-dimethyl-, (8b)-, 5-bromo-3-pyridinecarboxylate(ester)	27848-84-6		Formulation, modified-release, other	Unspecified

Table IV

API Gen ric Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Niceritrol		588053			
Niclosamide		50-65-7			
Nicoclonate		10571-59-2			
Nicofuranose		15351-13-0			
Nicomol		27959-26-8			
Nicomorphine		639-48-5			
nicorandil	3-Pyridinecarboxamide, N-[2-(nitrooxy)ethyl]-, [CAS]	65141-46-0	US 4792554	Vasodilator, coronary	Hypertension, general
Nicotinamide		98-92-0			
nicotine	Pyridine, 3-(1-methyl-2-pyrrolidinyl)-, (S)-, [CAS]	54-11-5		Formulation, inhalable, other	Addiction, nicotine
Nicotinic Acid		59-67-6			
Nicotinic Acid Benzyl Ester		94-44-0			
Nicotinyl Alcohol		100-55-0			
nifedipine	4-(2-nitrophenyl)-2,6-dimethyl-3,5-dicarbomethoxy-1,4-dihydropyridine	21829-25-4	GB 1173862	Vasodilator, coronary	Hypertension, general
nifekalant	2,4-(1H,3H)-Pyrimidinedione, 6-[[2-(2-hydroxyethyl)]3-(4-nitrophenyl)propylamino]ethylamino]-1,3-dimethyl-, [CAS]	130636-43-0 130656-51-8	EP 369627	Antiarrhythmic	Arrhythmia, general
Nifenalol		7413-36-7			
Niflumic Acid		4394-00-7			
Nifuratel		4936-47-4			
Nifurfoline		3363-58-4			
Nifuroxazide		965-52-6			
Nifuroxime		6236051			
Nifurpirinol		13411-16-0			
Nifurpazine		1614-20-6			
Nifurtimox		23256-30-6			
Nifurtinol		1088-92-2			

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
nifurzide	2-Thiophenecarboxylic acid, 5-nitro-, [3-(5-nitro-2-furanyl)-2-propenyldene]hydrazide [CAS]	39978-42-2	US 3847911	Antidiarrhoeal	Infection, GI tract
NIK-254	Genamycin, sulfate (salt) [CAS]	1405-41-0		Formulation, other	Infection, general
Nikethamide		59-26-7			
nilotamide	2,4-Imidazolidinedione, 5,5-dimethyl-3-[4-nitro-3-(trifluoromethyl)phenyl]-[CAS]	63612-50-0	US 4472382	Anticancer, hormonal	Cancer, prostate
nilvadipine	3,5-Pyridinedicarboxylic acid, 2-cyano-1,4-dihydro-6-methyl-4-(3-nitrophenyl)-, 3-methyl 5-(1-methylethyl) ester [CAS]	75530-68-6	US 4338322	Antihypertensive, other	Hypertension, general
nimesulide	Methanesulfonamide, N-(4-nitro-2-phenoxyphenyl)- [CAS]	51803-78-2	US 3840597	Anti-inflammatory	Pain, general
Nimetazepam		2011-67-8			
nimodipine	3,5-Pyridinedicarboxylic acid, 1,4-dihydro-2,6-dimethyl-4-(3-nitrophenyl)-, 2-methoxyethyl 1-methylethyl ester [CAS]	66085-59-4	EP 533014	Neuroprotective	
Nimorazole		6506-37-2			
ninustine	Urea, N'-[(4-amino-2-methyl-5-pyrimidinyl)methyl]-N-(2-chloroethyl)-N-nitroso-[CAS]	103745-00-2 42471-28-3 55661-38-6	GB 1374344	Anticancer, alkylating	Cancer, brain
Ninopterin		2179-16-0			
NIP-142	N-[4(S)-(Cyclopropylamino)-3(R)-hydroxy-2,2-dimethyl-7-nitro-3,4-dihydro-2H-1-benzopyran-6-yl]-4-methoxybenzeneacetamide		WO 9804542	Antiarrhythmic	Fibrillation, atrial
NIP-531	N'-[3,5-Bis(trifluoromethyl)benzyl]-N-[3-[N-[1-(4-fluorobenzyl)benzimidazol-2-yl]-amino]propyl]-N-methylurea hydrochloride			Antipruritic/inflamm, allergic	Eczema, atopic
niperotidine	N-[2-[[5-[(dimethylamino)methyl]furfuryl]thio]ethyl]-2-nitro-N'-piperonyl-1,1-ethenediamine	84845-75-0	GB 2104071	Antilulcer	Ulcer, GI, general

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
nipradilol	2H-1-Benzopyran-3-ol, 3,4-dihydro-8-[2-hydroxy-3-[(1-methylethyl)amino]propoxy]-, 3-nitrate [CAS]	81486-22-8 86247-86-1	EP 42299	Formulation, mucosal, topical	Glaucoma
Niridazole		61-57-4			
nisoldipine	3,5-Pyridinedicarboxylic acid, 1,4-dihydro-2,6-dimethyl-4-(2-nitrophenyl)-, methyl 2-methylpropyl ester- [CAS]	63675-72-9	GB 1516793	Antihypertensive, other	Hypertension, general
nitazoxanide	Benzamide, 2-(acetyloxy)-N-(5-nitro-2-thiazolyl)- [CAS]	55981-09-4	US 5387598	Protozoacide	Infection, GI tract
nitisone	1,3-Cyclohexanedione, 2-[2-nitro-4-(trifluoromethyl)benzoyl]- [CAS]	104206-65-7	EP 186118	Metabolic and enzyme disorders	Cirrhosis, hepatic
nitracrine	1,3-Propanediamine, N,N-dimethyl-N'-(1-nitro-9-acridinyl)- [CAS]	4533-39-5 6514-85-8	FR 1458183	Anticancer, other	Cancer, ovarian
Nitrazepam		146-22-5			
nitrendipine	3,5-Pyridinedicarboxylic acid, 1,4-dihydro-2,6-dimethyl-4-(3-nitrophenyl)-, ethyl methyl ester- [CAS]	39562-70-4	GB 1358951	Antihypertensive, other	Hypertension, general
nitroflurbiprofen	(1,1'-Biphenyl)-4-acetic acid, 2-fluoro-Alpha-methyl-, 4-(nitrooxy)butyl ester [CAS]	158836-71-6	EP 670825	Urological	Incontinence
Nitrofurantoin		67-20-9			
Nitrofurazone		59-87-0			
nitroglycerin	1,2,3-Propanetriol, trinitrate [CAS]	55-63-0		Formulation, transdermal, patch	Angina, general
Nitromersol		133-58-4			
nitronaproxen	2-Naphthaleneacetic acid, 6-methoxy-Alpha-methyl 4-(nitrooxy)butyl ester (AlphaS)- [CAS]	163133-43-5	WO 9509831	Analgesic, NSAID	Pain, post-operative
nitroxazepine	Dibenz[b,f][1,4]oxazepin-11(10H)-one, 10-[3-(dimethylamino)propyl]-2-nitro-, monohydrochloride [CAS]	16398-39-3	NL 6608671	Antidepressant	
Nitroxoline		4008-48-4			
nizatidine	1,1-Ethenediamine, N-[2-[[[2-(dimethylamino)methyl]-4-thiazolyl]methyl]thio]ethyl]-N'-methyl-2-nitro- [CAS]	76963-41-2	EP 49618	Antilulcer	Ulcer, duodenal

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Nizofenone	3-(2-methylcarboxymethyl)-6-methoxy-8-hydroxy-isocoumarin	54533-85-6			
NM-3			JP 08176138	Anticancer, other	Cancer, general
NM-702	4-Bromo-5-(3-pyridylmethylamino)-6-[3-(4-chlorophenyl)propoxy]-3(2H)pyridazinone hydrochloride			Antithrombotic	Peripheral vascular disease
N-Methylephedrine		552-79-4			
N-Methylepinephrine		554-99-4			
N-Methylglucamine		6284-40-8			
NN-414	6-chloro-3-(1-methylcyclopropylamino)-4H-thieno[3,2-e][1,2,4]thiadiazine-1,1-dioxide			Antidiabetic	Diabetes, Type II
NNC-05-1869	(R)-1-(3-(10,11-dihydro-5H-dibenzo[a,d]cyclohepten-5-ylidene)-1-propyl)-3-piperidine carboxylic acid			Symptomatic antidiabetic	Neuropathy, diabetic
Nogalamycin		1404-15-5			
notatrexed	4(1H)-Quinazolinone, 2-amino-6-methyl-5-(4-pyridinylthio)-, [CAS]	152946-88-4 147149-76-6	WO 9320055	Anticancer, antimetabolite	Cancer, liver
nolomirole	Propanoic acid, 2-methyl-, 5,6,7,8-tetrahydro-6-(methylamino)-1,2-naphthalenediyl ester, hydrochloride, (+/-)-[CAS]			Cardio stimulant	Heart failure
	1-Azoniabicyclo[2.2.2]octane, 1-[2-[3-(4-dichlorophenyl)-1-[[3-(1-methylethoxy)phenyl]acetyl]-3-piperidinyl]ethyl]-4-phenyl-, chloride, (S)-[CAS]	138531-51-8	WO 9529147		
nolpitanium		153050-21-6	EP 591040	GI inflammatory/bowel disorders	Inflammatory bowel disease
nomegestrol	19-Norpregna-4,6-diene-3,20-dione, 17-(acetoxy)-6-methyl-, [CAS]	58652-20-3	DE 2522533	Menstruation disorders	Menstrual disorder, general
Nomifensine		24526-64-5			
Noprylsulfamide		576-97-6			
Norbolethone		1235-15-0			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Nordazepam		1088-11-5			
Nordefrin		6539-57-7 (unspecified); 74812-63-8 (R*, S*)-(±)- form			
Nordihydroguaiaretic Acid		27686-84-6 (meso-form); 500-38-9 (unspecified)			
Norelgestromin, Ethinyl Estradiol					
Norepinephrine		51-41-2			
Norethandrolone		52-78-8			
Norethindrone		68-22-4			
Norethynodrel		68-23-5			
Norfenefrine		536-21-0			
norfloxacin	3-Quinolonecarboxylic acid, 1-ethyl-6-fluoro- 1,4-dihydro-4-oxo-7-(1-piperazinyl)- [CAS]	68077-27-0 70458-96-7	US 4146719	Quinolone antibacterial	Infection, general
Norgesterone		13563-60-5			
Norgestimate		35189-28-7			
Norgestrel		6533-00-2			
Norgestrienone		848-21-5			
Norlevorphanol		1531-12-0			
Normethadone		467-85-6			
Normethandrone		514-61-4			
Normorphine		466-97-7			
Norphenazone		89-25-8			
Norpipanone		561-48-8			
Norpseudoephedrine		492-39-7			
Nortriptyline		72-69-5			
Norvinisterone		6795-60-4			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Noscapine		128-62-1			
Novembichin		1936-40-9			
Novobiocin		303-81-1			
Noxiptilin		3362-45-6			
Noxythiolin		15599-39-0			
NS-1209	Butanoic acid, 2-[[[5-[4-((dimethylamino)sulfonyl]phenyl)-1,2,6,7,8,9-hexahydro-8-methyl-2-oxo-3H-pyrrolo[3,2-h]isoquinolin-3-ylidene]amino]oxy]-3-hydroxy- [CAS]	254751-28-5	WO 9426747	Antiepileptic	Epilepsy, general
NS-1231	5-(4-chlorophenyl)-6,7,8,9-tetrahydro-1H-pyrrolo-(3,2-h)naphthalene-2,3-dione-3-oxime				
NS-126			US 5063222	Neuroprotective Antiallergic, non-asthma	Ischaemia, cerebral Rhinitis, allergic, general
NS-220	2-Methyl-5-[4-[5-methyl-2-(4-methylphenyl)-4-oxazoly]butyl]-1,3-dioxane-1,2-carboxylic acid				
NS-2330	NS 2330 [CAS]	402856-42-2		Hypolipaeamic/Antiatherosclerosis	Atherosclerosis
NS5A inhibitors			US 6030785	Cognition enhancer Antiviral, other	Alzheimer's disease Infection, hepatitis-C virus
NS-7	Pyrimidine, 4-(4-fluorophenyl)-2-methyl-6-[[[5-(1-piperidinyl)pentyl]oxy]-, monohydrochloride [CAS]	178429-67-9	WO 9607641	Neuroprotective	Ischaemia, cerebral
NS-8	2-Amino-5-(2-fluorophenyl)-4-methyl-1H-pyrrole-3-carbonitrile			Urological	Incontinence
NSC-330507	17-Allylaminogeldanamycin			Anticancer, antibiotic	Cancer, general
NSC-619534	2-chloroethyl phenyl selenone			Anticancer, alkylating	Cancer, general
NSC-697726	2,5-diazindinyl-3-[hydroxymethyl]6-methyl-1,4-benzoquinone	/		Anticancer, antibiotic	Cancer, general
N-Sulfamyl-3,4-xylamide		120-34-3			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
NU-6027	2,4-Pyrimidinediamine, 6-(cyclohexylmethoxy)-5-nitroso- [CAS]	220036-08-8		Anticancer, other	Cancer, general
NU-07	2,4,6-(1H,3H,5H)-Pyrimidinetrione, 5-ethyl-5-sec-pentyl-, 2-oxime [CAS]	53745-16-7	US 6455032	Antipruritic/inflamm, non-allergic	Keratosiis
NVP-SRA880	[(3R,4aR,10aR)-1,2,3,4,4a,5,10,10a-Octahydro-6-methoxy-1-methyl-benz[gl]quinoline-3-carboxylic acid-4-(4-nitrophenyl)piperazine amide, hydrogen maleate			Neurological	Unspecified
NW-1029	(S)-(+)-2-[4-(2-fluorobenzyloxy)benzylamino]propanamide methanesulfonate			Analgesic, other	Pain, general
NYX-059	CPI 22 [CAS]	168021-79-2	US 5780510	Neuroprotective	Ischaemia, cerebral
Nylidrin		447-41-6			
NZ-314	1-Imidazolidineacetic acid, 3-[(3-nitrophenyl)methyl]-2,4,5-trioxo- [CAS]	128043-99-2	EP 353198	Symptomatic antidiabetic	Neuropathy, diabetic
NZ-419	5-hydroxy-1-methylimidazolidine-2,4-dione		EP 412940	Urological	Renal failure
Obidoxime Chloride		114-90-9			
OC-108	OC 108 [CAS]	162602-62-2		Vasoprotective, topical	Venous insufficiency
ocinaplon	Methanone, 2-pyridinyl[7-(4-pyridinyl)pyrazolo[1,5-a]pyrimidin-3-yl]- [CAS]	96604-21-6	EP 129847	Anxiolytic	Generalized anxiety disorder
Octabenzone		1843-05-6			
Octacaine		13912-77-1			
Octamoxin		4684-87-1			
Octavirine		549-68-8			
octenidine	1-Octanamine, N,N'-(1,10-decanediyl-di-1(4H)-pyridinyl-4-ylidene)bis- [CAS]	70775-75-6 71251-02-0 86767-75-1	WO 8705501	Stomatological	Periodontitis
Octodrine		543-82-8			
Octopamine		104-14-3			
Octotiamine		137-86-0			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
octreotide	L-Cysteinamide, D-phenylalanyl-L-cysteinyl-L-phenylalanyl-D-tryptophyl-L-lysyl-L-threonyl-N-[2-hydroxy-1-(hydroxymethyl)propyl]-, cyclic (2-7)-disulfide, [R-(R*, R*)] [CAS]	83150-76-9		Formulation, fixed-dose combinations	Cancer, general
Octyl		5466-77-3			
Methoxycinnamate					
ofloxacin	7H-Pyrido[1,2,3-de]-1,4-benzoxazine-6-carboxylic acid, 9-fluoro-2,3-dihydro-3-methyl-10-(4-methyl-1-piperazinyl)-7-oxo-, (+/-) [CAS]	82419-36-1	EP 47005	Quinolone antibacterial	
o-Iodohippurate		133-17-5			
olanzapine	10H-Thieno(2,3-b)(1,5)benzodiazepine, 2-methyl-4-(4-methyl-1-piperazinyl)- [CAS]	132539-06-1	EP 454436	Neuroleptic	Schizophrenia
Oleandrin		465-16-7			
Oleic Acid		112-80-1			
olmesartan medoxomil	1H-Imidazole-5-carboxylic acid, 4-(1-hydroxy-1-methylethyl)-2-propyl-1-((2'-(1H-tetrazol-5-yl)(1,1'-biphenyl)-4-yl)methyl)-, (5-methyl-2-oxo-1,3-dioxol-4-yl) methyl ester [CAS]	14689-63-4	EP 503785	Antihypertensive, renin system	Hypertension, general
olopatadine	11-[(Z)-3-(Dimethylamino)propylidene]-6,11-dihydrodibenz[b,e]oxepin-2-acetic acid, monohydrochloride	113806-05-6 140462-76-6	EP 235796	Ophthalmological	Conjunctivitis
olpadronic acid	Monosodium 3-dimethylamino-1-(hydroxypropylidene)-1,1-bisphosphonate	63132-39-8	WO 9619998	Osteoporosis treatment	Osteoporosis
olsalazine	Benzoic acid, 3,3'-azobis[6-hydroxy- [CAS]	15722-48-2 53200-51-4	US 4559330	GI inflammatory/bowel disorders	Colitis, ulcerative
olipiraz	3H-1,2-Dithiole-3-thione, 4-methyl-5-pyrazinyl- [CAS]	64224-21-1	DE 2705641	Anticancer, other	Cancer, general

Table IV

API Gen. ric Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
OM-294DP	2-[3(R)-(Dodecanoyloxy)tetradecanamido]-N-[4-[3(R)-hydroxytetradecanamido]-5-(phosphonoxy)pentyl]-4-(phosphonoxy)butyramide			Anticancer, immunological	Unspecified
Omacor	ethyl (5Z,8Z,11Z,14Z,17Z)-eicosa-5,8,11,14,17-pentaenoate + ethyl (4Z,7Z,10Z,13Z,16Z,19Z)-docosa-4,7,10,13,16,19-hexaenoate	81926-94-5 86227-47-6		Hypolipaeic/Antiatherosclerosis	Hypertiglyceridaemia
omapatrilat	7H-Pyrido(2,1-b)(1,3)thiazepine-7-carboxylic acid, octahydro-4-((2-mercapto-1-oxo-3-phenylpropyl)amino)-5-oxo, (4S-(4Alpha(R*),7Alpha,10aS))- [CAS]	167305-00-2	US 5508272	Antihypertensive, renin system	Hypertension, general
omeprazole	1H-Benzimidazole, 5-methoxy-2-[(4-methoxy-3,5-dimethyl-2-pyridyl)methylsulfanyl]- [CAS]	73590-58-6	US 4255431	Antilulcer	Ulcer, GI, general
omiloxetine	Ethanone, 2-[(3R,4S)-3-[(1,3-benzodioxol-5-yloxy)methyl]-4-(4-fluorophenyl)-1-piperidinyl]-1-(4-fluorophenyl)-, rel- [CAS]	176894-09-0		Antidepressant	Depression, general
omoconazole	1H-Imidazole, 1-[2-[2-(4-chlorophenoxy)ethoxy]-2-(2,4-dichlorophenyl)-1-methylethenyl]-, (Z)- [CAS]	74512-12-2	EP 8804	Antifungal	Infection, dermatological
Onapristone		96346-61-1			
ondansetron	4H-Carbazol-4-one, 1,2,3,9-tetrahydro-9-methyl-3-[(2-methyl-1H-imidazol-1-yl)methyl]- [CAS]	99614-01-4 99614-02-5	US 4847281	Antiemetic	Chemotherapy-induced nausea and vomiting
ONO-3403	Benzoic acid, 4-[(1E)-3-[(2-ethoxy-2-oxoethyl)-2-propenylamino]-2-methyl-3-oxo-1-propenyl]-, 4-(aminoininomethyl)phenyl ester, monomethanesulfonate [CAS]	181586-07-2		GI inflammatory/bowel disorders	Unspecified

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
ONO-4128	1,4,9-Triazaspiro(5.5)undecane-2,5-dione, 1-butyl-3-(cyclohexylmethyl)-9-((2,3-dihydro-1,4-benzodioxin-6-yl)methyl)-[CAS]	342394-93-8		Antiviral, anti-HIV	Infection, HIV/AIDS
ONO-8815 Ly	L-lysine (Z)-7-((1R,2R,3R,5R)-5-chloro-3-hydroxy-2-((E)-4-(1-ethylcyclobutyl)-4-hydroxy-1-butenyl)cyclopentyl)-5-heptenoate				
ONT-093			US 5756527	Labour inhibitor Radio/chemosensitizer	Labour, preterm Cancer, general
OPC-14523	2-(1H)-Quinolone, 1-[3-[4-(3-chlorophenyl)-1-piperazinyl]propyl]-3,4-dihydro-5-methoxy- [CAS]	145969-30-8	EP 512525	Antidepressant	Depression, general
OPC-31260	Benzamide, N-[4-[[5-(dimethylamino)-2,3,4,5-tetrahydro-1H-1-benzazepin-1-yl]carbonyl]phenyl]-2-methyl-	137975-06-5	WO 9105549	Urological	Unspecified
OPC-51803	(5R)-2-[1-(2-chloro-4-(1-pyrolidinyl)benzoyl)-2,3,4,5-tetrahydro-1H-1-benzazepin-5-yl]-N-isopropylacetamide				
OPC-6535	2-Pyridinecarboxylic acid, 6-[2-(3,4-dithoxyphenyl)-4-thiazolyl]- [CAS]	145739-56-6	WO 9209586	GI inflammatory/bowel disorders	Inflammatory bowel disease
Opiniazide		2779-55-7			
opioid analgesics	2-(4-trifluoromethylphenyl)-N-methyl-[1-phenyl-2-(1-pyrolidinyl)ethyl]acetamide				
Opipramol		315-72-0			
Orazamide		2574-78-9			
orazipone	2,4-Pentanedione, 3-((4-methylsulfonyl)phenyl)methylene)- [CAS]	137109-78-5	EP 440324	Antiasthma	Unspecified
Org-12962	Piperazine, 1-[6-chloro-5-(trifluoromethyl)-2-pyridinyl]- monohydrochloride [CAS]	210821-63-9		Antidepressant	Depression, general
Org-24448			US 6166008	Neuroleptic	Schizophrenia

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
oritavancin	Vancomycin, 22-O-(3-amino-2,3,6-trideoxy-3-C-methyl- α -L-arabinohexopyranosyl)-N ³ ''-[(4'-chloro[1,1'-biphenyl]-4-yl)methyl]-, (4''R)- [CAS]	171099-57-3	US 5840684	Peptide antibiotic	Infection, dermatological
orlistat	L-Leucine, N-formyl-, 1-[(3-hexyl-4-oxo-2-oxetanyl)methyl]dodecyl ester, [2S-[2A]pha(R'),3S]]- [CAS]	96829-58-2	EP 129748	Anorectic/Antiobesity	Obesity
orneloxifene	Pyrrolidine, 1-[2-(p-(7-methoxy-2,2-dimethyl-3-phenyl-4-chroman-2-yl)phenoxy)ethyl]-, trans- [CAS]	31477-60-8	DE 2329201	Female contraceptive	Contraceptive, female
Ornidazole		16773-42-5			
Ornipressin		3397-23-7			
Ornithine		70-26-8			
ornoprostil	Prost-13-en-1-oic acid, 11,15-dihydroxy-17,20-dimethyl-6,9-dioxo-, methyl ester, (11A)pha,13E,15S,17S)- [CAS]	70667-26-4	US 4278688	Prostaglandin	Ulcer, gastric
Orotic Acid		65-86-1			
Orphenadrine		83-98-7			
Orthocaine		536-25-4			
Osalmid		526-18-1			
osanelant	Acetamide, N-[1-[3-[(3R)-1-benzoyl-3-(3,4-dichlorophenyl)-3-piperidinylpropyl]-4-phenyl-4-piperidinyl]-N-methyl]- [CAS]	160492-56-8	EP 673928	Neuroleptic	Schizophrenia
osaterone	2-Oxapregna-4,6-diene-3,20-dione, 17-(acetyloxy)-6-chloro- [CAS]	105149-00-6	EP 193871	Prostate disorders	Benign prostatic hyperplasia
oseltamivir	1-Cyclohexene-1-carboxylic acid, 4-(acetylamino)5-amino-3-(1-ethylpropoxy)-ethyl ester, (3R-(3A)pha,(4S,5A)pha))- [CAS]	196618-13-0	WO 9626933	Antiviral, other	Infection, influenza virus
OSI-7836	4'-Thio- β -D-arabinofuranosylcytosine			Anticancer, antimetabolite	Cancer, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
OSI-7904	Pentanedioic acid, 2-[5-[[[1,2-dihydro-3-methyl-1-oxobenzof[quinazolin-9-yl)methyl]amino]-1,3-dihydro-1-oxo-2H-isindol-2-yl]], (S)- [CAS]	139987-54-5	WO 9119700	Formulation, optimized, liposomes	Cancer, general
ospemifene	Ethanol, 2-[4-[(12)-4-chloro-1,2-diphenyl]-1-butenyl]phenoxy]- [CAS]	128607-22-7	WO 9607402	Menopausal disorders	Osteoporosis
otilonium bromide	Ethanaminium, N,N-diethyl-N-methyl-2-[[4-[[[2-(octyloxy)benzoyl]amino]benzoyl]oxy], bromide [CAS]	26095-59-0	GB 1181406	Antispasmodic	Irritable bowel syndrome
Quabain		630-60-4			
Oxaceprol		33996-33-7			
Oxacillin		66-79-5			
Oxafozane		26629-87-8			
oxaliplatin	Platinum, (1,2-cyclohexanediamine-N,N')[ethanedioato(2-)-O,O'], [SP-4-2-(1R,trans)]- [CAS]	61825-94-3	EP 393575	Anticancer, alkylating	Cancer, colorectal
Oxalyt-C	1,2,3-Propanetricarboxylic acid, 2-hydroxy-, potassium sodium salt [CAS]	28060-67-5	DE 2249274	Urological	
Oxamarin		15301-80-1			
Oxametacine		27035-30-9			
Oxamniquine		21738-42-1			
oxandrolone	2-Oxaandrostane-3-one, 17-hydroxy-17-methyl-, (5Alpha,17B)- [CAS]	53-39-4	US 3128283	Reproductive/gonadal, general	Sex-chromosome abnormality, Turner's syndrome
Oxantel		36531-26-7			
Oxapropanium		541-66-2			
oxaprozin	2-Oxazolepropanoic acid, 4,5-diphenyl- [CAS]	21256-18-8	GB 1206403	Antiarthritic, other	Arthritis, osteo
oxatomide	2H-Benzimidazol-2-one, 1-[3-[4-(diphenylmethyl)-1-piperazinylpropyl]-1,3-dihydro- [CAS]	60607-34-3	GB 1579365	Antiallergic, non-asthma	Rhinitis, allergic, general
oxazepam	7-Chloro-1,3-dihydro-3-hydroxy-5-phenyl-2H-1,4-benzodiazepin-2-one	604-75-1		Formulation, oral, orally-disintegrating	Anxiety, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
oxazolam	Oxazolol[3,2-d][1,4]benzodiazepin-6(5H)-one, 10-chloro-2,3,7,11b-tetrahydro-2-methyl-11b-phenyl- [CAS]	27167-30-2	US 3772371	Anxiolytic	
oxcarbazepine	5H-Dibenz[b,f]azepine-5-carboxamide, 10,11-dihydro-10-oxo- [CAS]	28721-07-5 29331-92-8	DE 2011087	Antiepileptic	Epilepsy, general
Oxeladin		468-61-1			
Oxendolone		33765-68-3			
Oxethazaine		126-27-2			
Oxetorone		26020-55-3			
oxiconazole	Ethanone, 1-(2,4-dichlorophenyl)-2-(1H-imidazol-1-yl)-, O-[(2,4-dichlorophenyl)methyl]oxime, (Z)- [CAS]	64211-45-6	GB 1514870	Antifungal	Infection, fungal, general
Oxidronic Acid		15468-10-7			
Oxiniacetic Acid		2398-81-4			
Oxiracetam		62613-82-5			
oxitropium	3-Oxa-9-azoniatricyclo[3.3.1.0 ^{2,4}]nonane, 9-ethyl-7-(3-hydroxy-1-oxo-2-phenylpropoxy)-9-methyl-, bromide, [7(S)-(1 α ,4 β ,5 α ,7 β)]- [CAS]	30286-75-0	GB 1178305	Antiasthma	
Oxolamin		959-14-8			
Oxolinic Acid		14698-29-4			
Oxophenarsine		538-03-4			
Oxprenolol		6452-71-7			
Oxybenzone		131-57-7			
oxybutynin	Benzeneacetic acid, Alpha-cyclohexyl-Alpha-hydroxy-, 4-(diethylamino)-2-butynyl ester- [CAS]	5633-20-5		Formulation, modified-release, other	Incontinence
Oxycinchophen		485-89-2			
oxycodone	Morphinan-6-one, 4,5-epoxy-14-hydroxy-3-methoxy-17-methyl-, (5 α)-	76-42-6		Formulation, transmucosal, nasal	Pain, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Oxyfedrine	Octane, 1-bromo-1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro- [CAS]	15687-41-9			
Oxygent		423-55-2		Haematological	Surgery adjunct
Oxymesterone		145-12-0			
Oxymetazoline		1491-59-4			
oxymetholone	Androstan-3-one, 17-hydroxy-2-(hydroxymethylene)-17-methyl-, (5 α)- [CAS]	434-07-1		Hormone	Anaemia, general
Oxymethurea	(5 α)-4,5-Epoxy-3,14-dihydroxy-17-methylmorphinan-6-one [CAS]	140-95-4			
oxymorphone		76-41-5		Formulation, modified-release, immediate	Pain, general
Oxypendyl		5585-93-3			
Oxypertine		153-87-7			
Oxyphenbutazone		129-20-4			
Oxyphencyclimine		125-53-1			
Oxyphenisatin		115-33-3			
Oxyphenonium		50-10-2			
Oxypinocamphone		10136-65-9			
oxypurinol	1H-Pyrazolo[3,4-d]pyrimidine-4,6,5H,7H)-dione [CAS]	2465-59-0		Antigout	Hyperuricaemia
Oxytetracycline		79-57-2			
ozagrel	2-Propenoic acid, 3-[4-(1H-imidazol-1-ylmethyl)phenyl]-, (E)- [CAS]	78712-43-3 82571-53-7	GB 2025946	Antithrombotic	Vasospasm, cerebral
p-(Benzylsulfonamido)benzoic Acid		536-95-8			
P-100					
P-1202	Penitamoic acid, 5-amino-4-oxo, methyl ester, hydrochloride [CAS]		US 6313177	Antiviral, anti-HIV	Infection, HIV/AIDS
P32/98	Di-(3N-[(2S,3S)-2-amino-3-methylpentanoyl]-1,3-thiazolidine)fumarate	79416-27-6	US 6034267	Dermatological	Keratosis
PA-824				Antidiabetic	Diabetes, Type II
			WO 9701562	Antimycobacterial	Infection, tuberculosis

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
PACAP 38	Pituitary adenylate cyclase-activating peptide-38 [CAS]	128606-20-2	US 5128242	Neuroprotective	Nerve injury, general
pacitaxel	5β,20-Epoxy-1,2Alpha,4,7β,10β,13Alpha-hexahydrotax-11-en-9-one-4,10-diacetate-2-benzoate-13-(Alpha-phenyl)hippurate)	33069-62-4			
PADRE			US 6413935	Formulation, optimized, nanoparticles	Cancer, breast
				Immunostimulant, other	Vaccine adjunct
pagoclone	1H-Isindol-1-one, 2-(7-chloro-1,8-naphthyridin-2-yl)-2,3-dihydro-3-(5-methyl-2-oxohexyl)- (R)- [CAS]	133737-32-3	US 4960779	Anxiolytic	Panic disorder
PAI Inhibits			WO 9404512	Antithrombotic	Thrombosis, venous
palindore	8H-1,4-dioxino[2,3-e]indol-8-one,2,3,7,9-tetrahydro-2-((phenylmethyl)amino)methyl)-, 2(S)-, (2E)-2-butendiolate (1:1)				
		189681-71-8		Neuroleptic	Schizophrenia
Palivizumab		188039-54-5			
	3aS-2-[(S)-1-Azabicyclo[2.2.2]oct-3-yl]-2,3,3a,4,5,6-hexahydro-1-oxo-1H-benz[de]isoquinoline hydrochloride				Chemotherapy-induced nausea and vomiting
palonosetron		135729-62-3	US 5202333	Antiemetic	
Pamabrom		606-04-2			
Pamaquine		491-92-9			
pamicrogel	1H-Pyrrole-1-acetic acid, 2-[4,5-bis(4-methoxyphenyl)-2-thiazolyl]-, ethyl ester [CAS]	101001-34-7	EP 159677	Antithrombotic	Thrombosis, cerebral
pamidronate	(3-Amino-1-hydroxypropylidene)diphosphonic acid- [CAS]	40391-99-9		Formulation, implant	Hypercalcaemia of malignancy
p-Aminobenzoic Acid		150-13-0			
p-Aminohippuric Acid		61-78-9			
p-Aminopropiophenone		70-69-9			
p-Aminosalicylic Acid		65-49-6			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Panavir	4,4'-isopropylidenedithiobis-2,6-di- <i>t</i> -butylphenol			Neuroprotective	Vasospasm, cerebral
Pancuronium		15500-66-0			
Panipenem		87726-17-8			
Pantethine		16816-67-4			
pantoprazole	1 <i>H</i> -Benzimidazole, 5-(difluoromethoxy)-2-[[[(3,4-dimethoxy-2-pyridinyl)methyl]sulfinyl]-[CAS]	102625-70-7	EP 166287	Antiulcer	Ulcer, duodenal
Pantothenic Acid <i>Papain</i>		79-83-4			
Papaverine		58-74-2			
paracetamol	Acetamide, N-(4-hydroxyphenyl)- [CAS]	103-90-2		Formulation, oral, other, modified-release	Pain, general
Paraflutizide		1580-83-2			
Paraldehyde		123-63-7			
Paramethadione		115-67-3			
Paramethasone		53-33-8			
Paranyline		1729-61-9			
Parathyroid Hormone		9002-64-6			
parecoxib	Propanamide, N-((4-(5-methyl-3-phenyl-4-isoxazolyl)phenyl)sulfonyl)-, sodium salt [CAS]	198470-85-8	WO 9738986	Analgesic, NSAID	Pain, post-operative
Parethoxycaine		94-23-5			
Pargyline		555-57-7			
paricalcitol	19-Nor-9,10-secoergosta-5,7,22-triene-1,3,25-triol, (1 <i>α</i>),3 <i>β</i> ,7 <i>E</i> ,22 <i>E</i>)- [CAS]	131918-61-1	EP 387077	Hormone	Hyperparathyroidism
paromomycin	O-2-Amino-2-deoxy- α -D-glucopyranosyl-(1-4)-O-[O-2,6-diamino-2,6-dideoxy- β -L-idopyranosyl-(1-3)- β -D-ribofuranosyl-(1-5)]-2-deoxy-D-streptamine	7542-37-2		Protozoacide	Infection, leishmaniasis
paroxetine	Piperidine, 3-[(1,3-benzodioxol-5-yloxy)methyl]-4-(4-fluorophenyl)-, (3 <i>S</i> -trans)- [CAS]	61869-08-7	EP 223403	Antidepressant, formulation, oral, orally-disintegrating	Depression, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Paroxypropione		70-70-2			
Parsalmide		30653-83-9			
PaTini-2	4-Bromophenylguanine			Radio/chemosensitizer	Cancer, melanoma
Pazinaclo		103255-66-9			
	7H-Pyrido[1,2,3-de]-1,4-benzoxazine-6-carboxylic acid, 10-(1'-aminocyclopropyl)-9-fluoro-2,3-dihydro-3-methyl-7-oxo-, (S)- [CAS]	127045-41-4 127046-45-1 136905-87-8	DE 3913245	Quinolone antibacterial	Infection, general
p-Bromoacetanilide		103-88-8			
PC-NSAIDs			US 4918063	Formulation, other	Arthritis, general
	6-(2,6-Dichlorophenyl)-2-[4-(diethylaminoethoxy)-phenylamino]-8-pyrido[2,3-D]pyrimidine-7-one			Anticancer, other	Cancer, general
PD-0166285					
Pecilocin		19504-77-9			
pefloxac	3-Quinolonecarboxylic acid, 1-ethyl-6-fluoro-1,4-dihydro-7-(4-methyl-1-piperazinyl)-4-oxo- [CAS]	70458-92-3	GB 1598915	Quinolone antibacterial	Infection, urinary tract
pegvisomant	Somatotropin (18-aspartic acid, 21-asparagine, 120-lysine, 167-asparagine, 168-alanine, 171-serine, 172-arginine, 174-serine, 179-threonine (human), pegylated [CAS]	218620-50-9		Somatostatin	Acromegaly
Pelletierine		4396-1-4			
	L-Glutamic acid, N-[4-[2-(2-amino-4,7-dihydro-4-oxo-1H-pyrrolo[2,3-d]pyrimidin-5-yl)ethylbenzoyl]-, disodium salt [CAS]	137281-23-3 150399-23-8	US 5248775	Anticancer, antimetabolite	Cancer, mesothelioma
pemetrexed	4H-Pyrido[1,2-a]pyrimidin-4-one, 9-methyl-3-(1H-tetrazol-5-yl)- [CAS]	100299-08-9 69372-19-6	US 4457932	Antiasthma	Asthma
Pemoline		2152-34-3			
Pempidine		79-55-0			
PEN-203			US 5955446	Antiviral, other	Infection, human papilloma virus
Penamecillin		983-85-7			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
penbutolol	2-Propanol, 1-(2-cyclopentylphenoxy)-3-[(1,1-dimethylethyl)amino]-, (S)-, sulfate (2:1) (salt) [CAS]	38363-32-5 38363-40-5	GB 1215751	Antihypertensive, adrenergic	
peniclovir	6H-Purin-6-one, 2-amino-1,9-dihydro-9-[4-hydroxy-3-(hydroxymethyl)butyl]- [CAS]	39809-25-1	JP 60058982	Antiviral, other	Infection, herpes simplex virus
Penethamate		808-71-9			
penfluridol	4-Piperidino, 1-[4,4-bis(4-fluorophenyl)butyl]-4-[4-chloro-3-(trifluoromethyl)phenyl]- [CAS]	26864-56-2	DE 2040231	Neuroleptic	
Penicillamine		52-67-5			
Penicillin G		61-33-6			
Penicillin G Benzathine		1538-09-6			
Penicillin G Procaine		6130-64-9			
Penicillin N		525-94-0			
Penicillin O		87-09-2			
Penicillin V		87-08-1			
Penimepicycline		4599-60-4			
Penituss			US 4221778	Formulation, modified-release, other	Rhinitis, allergic, general
Pentaerythritol Chloral		78-12-6			
Pentaerythritol		2209-86-1			
Dichlorohydrin		597-71-7			
Pentaerythritol		5534-95-2			
Pentagastrin		7001-56-1			
Pentagestrone		9005-27-0	US 5407428	Plasma substitute	Surgery adjunct
Pentalyle	Starch, 2-hydroxyethyl ether [CAS]	541-20-8			
Pentam thonium		100-33-4			Infection, Pneumocystis
pentamidine	Benzenecarboximidamide, 4,4'-[1,5-pentanediy]bis(oxy)]bis- [CAS]	359-83-1		Formulation, inhalable, systemic	Improved prophylaxis
Pentazocine		12111-24-9			
Pentetate		67-43-6			
Pentetic Acid					
Pentetreotide		138661-02-6			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Penthienate		60-44-6			
Pentifyllin		1028-33-7			
Pentigetide		62087-72-3			
Pentisomide		78833-03-1			
Pentobarbital		76-74-4			
Pentolinium		52-62-0			
Pentorex		434-43-5			
pentosan	Xylan, [CAS]	37319-17-8	US 5180715	Urological	Inflammation, urinary tract
pentostatin	Imidazo[4,5-d][1,3]diazepin-8-ol, 3-(2-deoxy-β-D-erythro-pentofuranosyl)-3,6,7,8-tetrahydro-, (R)- [CAS]	53910-25-1	US 3923785	Anticancer, antimetabolite	Cancer, leukaemia, hairy cell
pentoxifylline	1H-Purine-2,6-dione, 3,7-dihydro-3,7-dimethyl-1-(5-oxohexyl)- [CAS]			Neuroprotective	Amyotrophic lateral sclerosis
Pentoxyyl		147-61-5			
Pentritinol		1607-17-6			
Pentylene-tetrazole		54-95-5			
peplomycin	Bleomycinamide, N1-[3-(1-phenylethyl)amino]propyl]-, (S)- [CAS]	68247-85-8	US 4195018	Anticancer, antibiotic	
Perazine		84-97-9			
Perflubron		423-55-2			
Perfosfamide		62435-42-1; 39800-16-3 (unspecified)			
pergolide	Ergoline, 8-[(methylthio)methyl]-6-propyl-, (8S)-, monomethanesulfonate- [CAS]	66104-22-1 66104-23-2	US 4797405	Antiparkinsonian	Parkinson's disease
Perhexiline		6621-47-2			
Pericyazine		2622-26-6			
perifosine	Piperidinium, 4-[[[hydroxy(octadecyloxy)phosphinyl]oxy]-1,1-dimethyl-, inner salt [CAS]	157716-52-4	EP 594999	Anticancer, other	Cancer, prostate
perillyl alcohol	1-Cyclohexene-1-methanol, 4-(1-methylethenyl)- [CAS]	536-59-4	US 5110832	Anticancer, other	Cancer, breast
Perimethazine		13093-88-4			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
perindopril	1H-Indole-2-carboxylic acid, 1-[2-[[1-(ethoxycarbonyl)butyl]amino]-1-oxopropyl]octahydro-, [2S-[1[R*(R*)],2A]pha,3aa,7aδ]], compd. with 2-methyl-2-propanamine (1:1) [CAS]	107133-36-8 82834-16-0 95153-31-4	EP 49658	Antihypertensive, renin system	Hypertension, general
Perindyl		53586-99-5			
perisoxal	1-Piperidineethanol, Alpha-(5-phenyl-3-isoxazolyl)-, 2-hydroxy-1,2,3-propanetricarboxylate (2:1) (salt) [CAS]	2139-25-5 2055-44-9	JP 04217925	Anti-inflammatory	
Perlapipe		1977-11-3			
Permethrin		52645-53-1			
perospirone	1H-Isindole-1,3(2H)-dione, 2-[4-[4-(1,2-benzisothiazol-3-yl)-1-piperazinyl]butyl]hexahydro-, cis- [CAS]	129273-38-7 150915-41-6	CA 2167004	Neuroleptic	Schizophrenia
Perphenazine		58-39-9			
Petroleum Benzin		8030-30-6			
PH-10			US 6331286	Antipsoriasis	Psoriasis
Phanquinone		84-12-8			
Pharmaprojects No. 4994			WO 9638482	Immunological	Unspecified
Pharmaprojects No. 5325			WO 9703986	Neuroleptic	Schizophrenia
Pharmaprojects No. 5972			WO 0204426	Antiasthma	Asthma
Pharmaprojects No. 6362			US 6057346	Antiviral, anti-HIV	Infection, HIV/AIDS
	(R)-N-[4-[2-[2-Hydroxy-2-(3-pyridinyl)ethyl]amino]ethyl]phenyl]-4-[4-(4-(trifluoromethyl)phenyl)thiazol-2-yl]benzenesulfonamide				
Pharmaprojects No. 6446				Anorectic/Antiobesity	Obesity
Pharmaprojects No. 6590			WO 0206223	Psychostimulant	Attention deficit disorder
Pharmaprojects No. 6656			US 6455026	Genomics-based drug discovery	Cancer, brain
Pharmaprojects No. 6691			US 6299900	Formulation, other	Pain, general
Pharmaprojects No. 6743	3-(6-Aminopyridin-3-yl)-N-methyl-N-[(1-methyl-1H-indol-2-yl)methyl]acrylamide			Antibacterial, other	Infection, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Pharmaprojects No. 6748	1,2,3,4,10,14b-Hexahydro-6-methoxy-2-methylidibenzo[c, f]pyrazino[1,2-a]azepin			Antidepressant	Depression, general
Phenacaine		620-99-5			
Phenacetamide		63-98-9			
Phenacetin		62-44-2			
Phenadoxone		467-84-5			
Ph nallymal		115-43-5			
Phenamet		3819-34-9			
Phenazocine		127-35-5			
Phenazopyridine		136-40-3			
Phenbutamide		3149-00-6			
Phencyclidine		77-10-1			
Phendimetrazine		634-03-7			
Phenelzine		51-71-8			
Phenesterine		3546-10-9			
Phenetharbital		357-67-5			
Phenethicillin		132-93-4			
Pheneturide		90-49-3			
Phenformin		114-86-3			
Phenglutarimide		1156-05-4			
Phenindamine		82-88-2			
Phenindione		83-12-5			
Pheniprazine		55-52-7			
Pheniramine		86-21-5			
Phenmetrazine		134-49-6			
Phenobarbital		50-06-6			
Phenobutiodil		554-24-5			
Phenocoll		103-97-9			
Phenoctide		78-05-7			
Phenolphthalein		77-09-8			
Phenolphthalol		81-92-5			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Phenolsulfonphthalein		143-74-8			
Phenoltetrachlorophthal		639-44-1			
ein					
Phenoperidine		562-26-5			
Phenosulfazole		515-54-8			
Phenoxybenzamine		59-96-1			
Phenoxypropazine		3818-37-9			
Phenprobamate		673-31-4			
Phenprocoumon		435-97-2			
phenserine	Pyrrolo(2,3-b)indol-5-ol, 1,2,3,3a,8,8a-hexahydro-1,3a,8-trimethyl-, phenylcarbamate (ester), (3aS-cis)- [CAS]	101246-66-6		Cognition enhancer	Alzheimer's disease
Phensuximide		86-34-0			
Phentermine		122-09-8			
Phentetiothalein		18265-54-8			
phenolamine	Pheno, 3-(((4,5-dihydro-1H-imidazol-2-yl)methyl)(4-methylphenyl)amino)-, monomethanesulfonate (salt) [CAS]	65-28-1 50-60-2		Formulation, oral, other	Impotence
Phenyl Acetylsalicylate		134-55-4			
Phenyl Aminosalicylate		133-11-9			
Phenyl Salicylate		118-55-8			
Phenylbutazone		50-33-9			
Phenylephrine		61-76-7			
Phenylethanolamine		7568-93-6			
Phenylmercury		102-98-7			
Phenylmethylbarbituric Acid		76-94-8			
phenylpropanolamine	Benzenemethanol, Alpha-(1-aminoethyl)-, (R*,S*)-(+/-)- [CAS]	14838-15-4		Anorectic/Antiobesity, formulation, optimized, microparticles	
Phenylpropylmethylaniline		93-88-9			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Phenyltoloxamine		92-12-6			
Phenylamidol		553-69-5			
phenytoin	2,4-Imidazolidinedione, 5,5-diphenyl- [CAS]	57-41-0		Formulation, oral, other	Epilepsy, general
Phethenylate		510-34-9			
Phloroglucinol		108-73-6			
Pholcodine		509-67-1			
Pholedrine		370-14-9			
Phosphocreatine		67-07-2			
Phosphocysteamine		5746-40-7			
Phosphorylcholine		107-73-3			
Phthalylsulfacetamide		131-69-1			
Phthalylsulfathiazole		85-73-4			
p-Hydroxyephedrine		365-26-4			
Phylloquinone		84-80-0			
Physostigmine		57-47-6			
Phytic Acid		83-86-3			
PI-88	D-Mannose, O-6-O-phosphono-Alpha-D-mannopyranosyl-(1-3)-O-Alpha-D-mannopyranosyl-(1-3)-O-Alpha-D-mannopyranosyl-(1-3)-O-Alpha-D-mannopyranosyl-(1-2)-hydrogen sulphate [CAS]	185077-23-0		Anticancer, other	Cancer, melanoma
Piberaline		39640-15-8			
piboserod	2H-(1,3)Oxazino(3,2-a)indole-10-carboxamide, N-((1-butyl-4-piperidinyl)methyl)-3,4-dihydro- [CAS]	152811-62-6	WO 9318036	Antiarrhythmic	Fibrillation, atrial
Picilorex		62510-56-9			
Picloxydine		5636-92-0			
Picoperine		21755-66-8			
Picosulfate		10040-45-6			
Picotamide		32828-81-2			
Picumast		39577-19-0			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
pidotimod	4-Thiazolidinecarboxylic acid, 3-[(5-oxo-2-pyrrolidinyl)carbonyl]- [CAS]	121808-62-6	EP 276752	Immunomodulator, anti-infective	infection, respiratory tract, lower
Pifarnine		56208-01-6			
piketopifen	Benzeneacetamide, 3-benzoyl- α -phenyl-N-(4-methyl-2-pyridinyl)- [CAS]	60576-13-8	GB 1436502	Anti-inflammatory, topical	
Pildralazine		64000-73-3			
pilocarpine	2(3H)-Furanone, 3-ethylidihydro-4-[(1-methyl-1H-imidazol-5-yl)methyl]-, (3S-cis)- [CAS]	92-13-7		Formulation, implant, Stomatological	
	2-Propenoic acid, 2-methyl-, dodecyl ester, polymer with 2-propenoic acid, compd. with (3S-cis)-3-ethylidihydro-4-[(1-methyl-1H-imidazol-5-yl)methyl]-2(3H)-furanone [CAS]				
Piloplex	1H-Pyrrolizine-7 α (5H)-acetamide, N-(2,6-dimethylphenyl)tetrahydro-, monohydrochloride [CAS]	62783-28-2	DE 2636559	Formulation, mucosal, topical	Glaucoma
pilsicainide		88069-49-2 88069-67-4	US 4564624	Antiarrhythmic	Arrhythmia, general
Pimeclonone		534-84-9			
	15, 19-Epoxy-3H-pyrido(2, 1-c)(1, 4)oxaazacyclotricosine-1, 7, 20, 21(4H, 23H)-tetrone, 3-(2-(4-chloro-3-methoxycyclohexyl)-1-methylethenyl)-8-ethyl- 5, 6, 8, 11, 12, 13, 14, 15, 16, 17, 18, 19, 24, 25, 26, 26a-hexadecahydro-5, 19-dihydroxy-14, 16-dimethoxy-4, 10, 12, 18-tetramethyl-(3S-(3R*E(1S*, 3S*, 4R*)), 4S*, 5R*, 8S*, 9E*, 12R*, 14R*, 5S*, 16R*, 18S, 8, 19S*, 26aR*)))- [CAS]	137071-32-0	EP 626385	Antipruritic/inflamm, allergic	Eczema, atopic
Pimefylline		10001-43-1			
	Acetic acid, [2-[octahydro-5-hydroxy-6-(3-hydroxy-5-methyl-1-nonenyl)-2-pentalenyl]ethoxy]-, methyl ester, [2R-[2 α pha, 3 α pha, 4 α pha(1E, 3S*, 5S*), 5 β , 6 α Alpha]]- [CAS]	139403-31-9		Dermatological	Ulcer, general
pimilprost		13495-09-5			
Piminodine		74150-27-9			
Pimobendan					

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
pimozide	2H-Benzimidazol-2-one, 1-[1-(4,4-bis(4-fluorophenyl)butyl)-4-piperidinyl]-1,3-dihydro- [CAS]	2062-78-4	FR M3695	Neuroleptic	
Pinacidil		85371-64-8			
	Morpholinium, 4-[(2-bromo-4,5-dimethoxyphenyl)methyl]-4-[2-[2-(6,6-dimethylbicyclo[3.1.1]hept-2-yl)ethoxy]ethyl]-, [CAS]	53251-94-8 59995-65-2	EP 406743	Antispasmodic	Irritable bowel syndrome
pinazepam	2H-1,4-Benzodiazepin-2-one, 7-chloro-1,3-dihydro-5-phenyl-1-(2-propynyl)-[CAS]	52463-83-9	DE 2339790	Anxiolytic	
Pindolol		13523-86-9			
pioglitazone	2,4-Thiazolidinedione, 5-[[4-[2-(5-ethyl-2-pyridinyl)ethoxy]phenyl]methyl]-, monohydrochloride (+/-)- [CAS]	111025-46-8 112529-15-4	EP 193256	Antidiabetic	Diabetes, Type II
Pipacycline		1110-80-1			
Pipamazine		84-04-8			
Pipamperone		1893-33-0			
Pipazethate		2167-85-3			
Pipebuzone		27315-91-9			
Pipecurium		52212-02-9			
pipecuronium	Pipecurinium, 4,4'-[[[2(3,3Alpha,5Alpha,16beta,17beta)-3,17-bis(acetyloxy)androstane-2,16-diy]]bis[1,1'-dimethyl-, [CAS]	52212-02-9 68399-57-5	GB 1398050	Muscle relaxant	Anaesthesia, adjunct
pipemidic acid	Pyrido[2,3-d]pyrimidine-6-carboxylic acid, 8-ethyl-5,8-dihydro-5-oxo-2-(1-piperazinyl)- [CAS]	51940-44-4	GB 1451911	Antibacterial, other	Infection, urinary tract
Piperzolate Bromide		125-51-9			
Piperacetazine		3819-00-9			
piperacillin	4-Thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid, 6-[[[(4-ethyl-2,3-dioxo-1-piperazinyl)carbonyl]amino]phenylacetyl]amino]-3,3-dimethyl-7-oxo-, [2S-[2Alpha,5Alpha,6beta(S*)]]- [CAS]	59703-84-3 61477-96-1	GB 1508062	Penicillin, injectable	Infection, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Piprazine Adipate		142-88-1			
Piperidione		77-03-2			
Piperidolate		82-98-4			
Piperilate		4546-39-8			
piperine analogues			WO 002544	Dermatological	Vitiligo
Piprocaine		136-82-3			
Piperonal		120-57-0			
Piperoxan		59-39-2			
Piperylone		25 31-4-6			
Pipobroman		54-91-1			
Piposulfan		2608-24-4			
	Hexadecanoic acid, 2-[1-{3-[2-[(dimethylamino)sulfonyl]-10H-phenothiazin-10-yl]propyl}-4-piperidinylethyl ester [CAS]	37517-26-3 39860-99-6	US 4782077	Neuroleptic	
Pipoxolan		18174-58-8			
Pipradrol		467-60-7			
piprozolin	Acetic acid, [3-ethyl-4-oxo-5-(1-piperidinyl)-2-thiazolidinylidene]-, ethyl ester [CAS]	17243-64-0	US 3971794	GI inflammatory/bowel disorders	Motility dysfunction, GI, general
Piracetam		7491-74-9			
	5,12-Naphthacenedione, 10-[[3-amino-2,3,6-trideoxy-4-O-(tetrahydro-2H-pyran-2-yl)-Alpha-L-lyxo-hexopyranosyl]oxy]-7,8,9,10-tetrahydro-6,8,11-trihydroxy-8-(hydroxyacetyl)-1-methoxy-, [8S-[8Alpha,10Alpha(S*)]]- [CAS]	72496-41-4	US 4303785	Anticancer, antibiotic	Cancer, breast
Pirarubicin		71002-09-0			
Pirazolac	2,6-Pyridinedimethanol, Alpha6-[[[1,1-dimethylethylamino]methyl]-3-hydroxy-, monoacetate (salt) [CAS]	38029-10-6 38677-81-5 65652-44-0			
pirbuterol		1043-21-6	US 3786160	Antiasthma	Asthma
Pirenoxine					

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
pirenzepine	6H-Pyrido[2,3-b][1,4]benzodiazepin-6-one, 5,11-dihydro-11-[(4-methyl-1-piperazinyloxy)]- [CAS]	28797-61-7 29868-97-1	FR 1505795	Antitumor	
piretanide	Benzoic acid, 3-(aminosulfonyl)-4-phenoxy-5-(1-pyrrolidinyl)- [CAS]	55837-27-9	US 4010273	Antihypertensive, diuretic	Hypertension, general
pirfenidone	2(1H)-Pyridinone, 5-methyl-1-phenyl- [CAS]	53179-13-8		Respiratory	Fibrosis, pulmonary
piribedil	Pyrimidine, 2-[4-(1,3-benzodioxol-5-ylmethyl)-1-piperazinyl]- [CAS]	3605-01-4	US 3299067	Vasodilator, peripheral	Parkinson's disease
Piridocaine		87-21-8			
Pirifibrate		55285-45-5			
Piritramide		302-41-0			
Piritrexim		72732-56-0			
pirindole	1H-Pyrazino[3,2,1-jk]carbazole, 2,3,3a,4,5,6-hexahydro-8-methyl- [CAS]	16154-78-2 60762-57-4	SU 276060	Antidepressant	Depression, general
pirmenol	(2-Pyridinemethanol, Alpha-[3-(2,6-dimethyl-1-piperidinyl)propyl]-Alpha,phenyl-, cis-(+)- [CAS]	61477-94-9 68252-19-7	US 4112103	Antiarrhythmic	Tachycardia, supraventricular
Piroctone		50650-76-5			
Piroheptine		16378-21-5			
Piromidic Acid		19562-30-2			
piroxicam	2H-1,2-Benzothiazine-3-carboxamide, 4-hydroxy-2-methyl-N-2-pyridinyl-, 1,1-dioxide [CAS]	36322-90-4	US 3862319	Anti-inflammatory	
piroxicam betadex	β -Cyclodextrin, compd. with 4-hydroxy-2-methyl-N-2-pyridinyl-2H-1,2-benzothiazine-3-carboxamide 1,1-dioxide- [CAS]	121696-62-6 95684-39-8	EP 153998	Formulation, other	Pain, musculoskeletal
piroxicam cinnamate	2-Propenoic acid, 3-phenyl-, 2-methyl-3-[(2-pyridinylamino)carbonyl]-2H-1,2-benzothiazin-4-yl ester, S,S-dioxide [CAS]	87234-24-0	EP 79639	Antiarrhythmic, other	Inflammation, general
Pirozadil		54110-25-7			
Pirprofen		31793-07-4			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
pivastatin	6-Heptenoic acid, 7-[2-cyclopropyl-4-(4-fluorophenyl)-3-quinolinyl]-3,5-dihydroxy-, calcium salt (2:1), [S-(R*, S*-(E))]- [CAS]	147526-32-7	EP 304063	Hypolipaeamic/Antiatherosclerosis	Hyperlipidaemia, general
pivagabine	N-trimethylacetyl-4-aminobutyric acid	69542-93-4		Neurological	Anxiety, general
pivaloxymethyl	Bulanoic acid, [2,2-dimethyl-1-oxopropoxy)methyl ester [CAS]	122110-53-6	EP 302349	Anticancer, other	Cancer, lung, non-small cell
Pivalylbenzhydrazine		306-19-4			
Pivampicillin		33817-20-8			
pivampicillin/pivmedcllinam		98445-47-7		Penicillin, oral	Infection, general
Pivcefalexin		63836-75-9			
pivmecillinam	4-Thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid, 6-[[[hexahydro-1H-azepin-1-yl)methylene]amino]-3,3-dimethyl-7-oxo-, (2,2-dimethyl-1-oxopropoxy)methyl ester, [2S-(2Alpha,5Alpha,6S)]- [CAS]	32886-97-8	GB 1293590	Penicillin, oral	Infection, general
pixantone	Benz[gl]isoquinoline-5,10-dione, 6,9-bis[(2-aminoethyl)amino]-, (2Z)-2-butenedicarboxylate (1:2) [CAS]	144675-97-8	EP 503537	Anticancer, other	Cancer, lymphoma, non-Hodgkin's
pizotifen	4-(9,10-dihydro-4H-benzo[4,5]cyclohepta[1,2-b]thien-4-ylidene)-1-methylpiperidine	15574-96-6	DE 2346747	Antimigraine	
Pizotyline		15574-96-6			
PKI-166	Phenol, 4-(4-((1R)-1-phenylethyl)amino)-1H-pyrrolo[2,3-d]pyrimidin-6-yl)- [CAS]	187724-61-4		Anticancer, other	Cancer, general
p-Lactoph netide		539-08-2			
Plafibride		63394-05-8			
plasminogen activator	Plasminogen activator [CAS]	105913-11-9	EP 151996	Fibrinolytic	Infarction, myocardial
Plasmocid		551-01-9			
Platonin		3571-88-8			
Plaunotol		64218-02-6			
PLD-118	Cyclopentanecarboxylic acid, 2-amino-4-methylene-, (1R,2S)- [CAS]	198022-65-0	EP 805145	Antifungal	Infection, Candida, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
PLD-147	(OC-6-43)-Bis(acetato)(1-adamantylamine)amine-dichloro-platinum (IV)			Anticancer, alkylating	Cancer, general
pleconaril	1,2,4-Oxadiazole, 3-(3,5-dimethyl-4-(3-(3-methyl-5-isoxazolyl)propoxy)phenyl)-5-(trifluoromethyl)- [CAS]	153168-05-9	US 5464848	Antiviral, other	Infection, respiratory tract, general
Plicamycin		18378-89-7			
p-Methyldiphenhydramine		19804-27-4			
PMS-601			WO 0001677	Antiviral, anti-HIV	Infection, HIV/AIDS
<i>Pneumococcal Vaccine, Diphtheria Conjugate</i>					
<i>Pneumococcal Vaccine, Polyvalent</i>					
PNU-288034	N-[[[(5s)-3{4[(1,1-dioxido-4-thiomorpholinyl)3,5-difluorophenyl]-2-oxo-5-oxazolidinyl)methyl]acetamide]			Antibiotic, other	Infection, general
Podophyllotoxin		518-28-5			
polaprezinc	Zinc, bis(N-β-alanyl-L-histidinato-N3,OAlpha)-, (T-4)- [CAS]	107667-60-7	EP 303380	Antitumor	Ulcer, duodenal
Poldine Methylsulfate		545-80-2			
Poliresulen		9011-2-3			
Polidexide		9064-92-0			
polidocanol	Polyethylene glycol monododecyl ether	3055-99-0 9002-92-0		Vasoprotective, systemic	Venous insufficiency
<i>Poliovirus Vaccine Inactivated</i>					

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
poly-ADPRT inhibitors			WO 9845253	Anticancer, other	Cancer, general
Polyestradiol Phosphate		28014-46-2			
Polyphenon E	Polyphenon E [CAS]	188265-33-0			infection, human papilloma virus
Polythiazide		346-18-9		Antiviral, other	
porfimer	Photofrin [CAS]	87806-31-3	US 4882234	Anticancer, other	Cancer, lung, non-small cell
P rfiomycin		801-52-5			
posaconazole	D-threo-Pentitol, 2,5-anhydro-1,3,4-trideoxy-2-C-(2,4-difluorophenyl)-4-((4-(4-(1(S,2S)-1-ethyl-2-hydroxypropyl)-1,5-dihydro-5-oxo-4H-1,2,4-triazol-4-yl)phenyl)-1-piperazinyl)phenoxy)methyl)-1-(1H-1,2,4-triazol-1-yl)- [CAS]	171228-49-2	US 5714490	Antifungal	Infection, fungal, general
Posatirelin		78664-73-0			
potassium chloride	Potassium chloride (KCl) [CAS]	7447-40-7		Formulation, oral, enteric-coated	
Potassium Gluconate		299-27-4			
Potassium		1321-14-8			
Guaiacolsulfonate					
Potassium p-		138-84-1			
Aminobenzoate					
Potassium		7722-64-7			
Permanganate					
Povidone		9003-39-8			
Povidone-Iodine		25655-41-8			
PP-117	3-Pyridinemethanol, hydrofluoride [CAS]	62756-44-9	DE 2633028	Formulation, oral, other	Unspecified
PR-2699	(-)-(E)-[4-(2,4-dichlorophenyl)-1,3-dithiolan-2-ylidene]-1-imidazolylacetonitrile			Antifungal	Infection, fungal, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
PR-608	(S)-(-)-1-[4,4-bis(4-fluorophenyl)butyl]-4-(2-hydroxy-3-phenylaminopropyl)piperazine trihydrochloride			Antiparkinsonian	Parkinson's disease
Practolol		6673-35-4			
Praimaline		35080-11-6			
Pralidoxime		51-15-0			
pralnacasan	6H-Pyridazino(1,2-a)(1,2)diazepine-1-carboxamide, N-[(2R,3S)-2-ethoxytetrahydro-5-oxo-3-furanyl]octahydro-9-[(1-isouquinolinylcarbonyl)amino]-6,10-dioxo-, (1S,9S)- [CAS]	192755-52-5		Antiarthritic, immunological	Arthritis, rheumatoid
pramipexole	2,6-Benzo[thiazolo]diazepine, 4,5,6,7-tetrahydro-N6-propyl-, (S)- [CAS]	104632-26-0	EP 186087	Antiparkinsonian	Parkinson's disease
pramiracetam	1-Pyrrolidineacetamide, N-[2-bis(1-methylethyl)aminoethyl]-2-oxo-, monohydrochloride [CAS]	68497-62-1 72869-16-0 75733-50-5	US 4145347	Cognition enhancer	Amnesia
Pramiv rin		14334-40-8			
pramlintide	1,2-Dithia-5,8,11,14,17-pentaazacycloicosane, cyclic peptide deriv. [CAS]	151126-32-8	US 5124314	Antidiabetic	Diabetes, Type I
Pramoxine		140-65-8			
pranidipine	3,5-Pyridinedicarboxylic acid, 1,4-dihydro-2,6-dimethyl-4-(3-nitrophenyl)-, methyl 3-phenyl-2-propenyl ester, (E)- [CAS]	99522-79-9	EP 173126	Antihypertensive, other	Hypertension, general
Pranlukast		103177-37-3			
pranoprofen	5H-[1]Benzopyrano[2,3-b]pyridine-7-acetic acid, Alpha-methyl- [CAS]	52549-17-4		Formulation, mucosal, topical	Ocular disorder, general
prasterone	Androst-5-en-17-one, 3-hydroxy-, (3S)- [CAS]	53-43-0		Labour inducer	
prazosin	4-(3H)-Cycloheptimidazolone, 5,6,7,8-tetrahydro-2-propyl-3-[[2-(1H-tetrazol-5-yl)](1,1'-biphenyl)-4-yl]methyl- [CAS]	153804-05-8	US 5409947	Antihypertensive, renin system	Hypertension, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
pravastatin	1-Naphthalenetetranoic acid, 1,2,6,7,8,8a-hexahydro- β ,delta,6-trihydroxy-2-methyl-8-(2-methyl-1-oxobutoxy)-, monosodium salt, [1S-[1 α pha(8S*,deltaS*),2 α pha,6 α pha,8 β (R*),8 α pha]- [CAS]	81093-37-0 81131-70-6	US 4346227	Hypolipaeic/Antiatherosclerosis	Atherosclerosis
Pravapam		2955-38-6			
praziquantel	4H-Pyrazino[2,1-a]isoquinolin-4-one, 2-(cyclohexylcarbonyl)-1,2,3,6,7,11b-hexahydro- [CAS]	55268-74-1	US 4001411	Schistosomicide	
prazosin	Piperazine, 1-(4-amino-6,7-dimethoxy-2-quinazolinyl)-4-(2-furanylcarbonyl)-[CAS]	19216-56-9 19237-84-4	US 4092315	Antihypertensive, adrenergic	Hypertension, general
Prednicarbate		73771-04-7			
prednimustine	Pregna-1,4-diene-3,20-dione, 21-[4-[4-(bis(2-chloroethyl)amino)phenyl]-1-oxobutoxy]-11,17-dihydroxy-, (11 β)- [CAS]	29069-24-7	GB 1272841	Anticancer, alkylating	
Prednisolone		50-24-8			
Prednisolone 21-Diethylaminoacetate		5626-34-6			
prednisolone farnesil	Pregna-1,4-diene-3,20-dione, 11,17-dihydroxy-21-[(3,7,11-trimethyl-1-oxo-2,6,10-dodecatrienyloxy)]-, [11 β ,21(2E,6E)- [CAS]	118244-44-3	EP 332143	Antiartritic, other	Arthritis, rheumatoid
Prednisolone Sodium Phosphate		125-02-0			
Prednisone		53-03-2			
Prednival		15180-00-4			
Pr dnylidene		599-33-7			
pregabalin	Hexanoic acid, 3-(aminomethyl)-5-methyl-, (S)- [CAS]	148553-50-8		Antiepileptic	Epilepsy, general
Pregnan-3α-ol-20-one		128-20-1			
Premarin + trimegestone	Estra-4,9-dien-3-one, 17-(2-hydroxy-1-oxopropyl)-17-methyl-, [17 β (S)]- [CAS]	74513-62-5		Menopausal disorders	Hormone replacement therapy

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
prenalterol	Phenol, 4-[2-hydroxy-3-[(1-methylethyl)amino]propoxy]-, hydrochloride, (S)-[CAS]	57526-81-5 61260-05-7	GB 1470039	Cardio stimulant	
Prenoxdiazine		982-43-4			
Prenylamine		390-64-7			
prezaltide	Cuprate(1-), (N2-(N-glycyl-L-histidyl)-L-lysinate)(N2-(N-glycyl-L-histidyl)-L-lysinate(2-)), hydrogen, [CAS]	130120-57-9		Vulnerary	Wound healing
Pridinol		511-45-5			
Prifinium		4630-95-9			
Prilocaine		721-50-6			
Primaquine		90-34-6			
Primidone		125-33-7			
Prinomastat		192329-42-3			
PRO-2000			US 5614599	Antiviral, anti-HIV	Infection, HIV prophylaxis
Probenecid		57-66-9			
Probuticol		23288-49-5			
procainamide	Benzamide, 4-amino-N-[2-(diethylamino)ethyl]- [CAS]	51-06-9 614-39-1		Formulation, other	Arrhythmia, general
Procaine		59-46-1			
Procarbazine		671-16-9			
procatrol	2(1H)-Quinolone, 8-hydroxy-5-[1-hydroxy-2-[(1-methylethyl)amino]butyl]-, monohydrochloride [CAS]	59828-07-8 60443-17-6 72332-33-3	GB 1496766	Antisthma	
prochlorperazine	10H-Phenothiazine, 2-chloro-10-[3-(4-methyl-1-piperazinyl)propyl]-, (Z)-2-butenedioate	58-38-8 84-02-6		Formulation, oral, other	Nausea and vomiting, general
procodazol	1H-Benzimidazole-2-propanoic acid [CAS]	23249-97-0	ES 407882	Anticancer, immunological	Cancer, general
Procyclidine		77-37-2			
Procymate		13931-64-1			
Prodipine		31314-38-2			
Proflavine		92-62-6			
Progabide		62666-20-0			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
progesterone	Pregn-4-ene-3,20-dione [CAS]	57-83-0		Formulation, transmucosal, systemic	Amenorrhoea
proglumetacin	1H-Indole-3-acetic acid, 1-(4-chlorobenzoyl)-5-methoxy-2-methyl-, 2-(4-(3-((4-(benzoylamino)-5-(dipropylamino)-1,5-dioxopentyl)oxy)propyl)-1-piperazinyl)ethyl ester, (+/-) [CAS]	57132-53-3 59209-40-4	GB 1467568	Anti-inflammatory	Inflammation, general
proglumide	Penitamic acid, 4-(benzoylamino)-5-(dipropylamino)-5-oxo-, (+/-) [CAS]	6620-60-6	DE 1518125	Anticancer	Ulcer, gastric
Proheptazine		77-14-5			
Prolactin		9002-62-4			
Prolintane		493-92-5			
Prolonium		123-47-7			
Promazine		58-40-2			
Promedol		64-39-1			
Promegestone		34184-77-5			
promestriene	Estra-1,3,5(10)-triene, 17-methoxy-3-propoxy-, (17 β)- [CAS]	39219-28-8	GB 1337198	Reproductive/gonadal, general	Acne
Promethazine		60-87-7			
Pronethalol		54-80-8			
propacetamol	Glycine, N,N-diethyl-, 4-(acetylamino)phenyl ester [CAS]	66532-85-2 66532-86-3	US 4127671	Formulation, parenteral, other	
propafenone	1-Propanone, 1-[2-[2-hydroxy-3-(propylamino)propoxy]phenyl]-3-phenyl- [CAS]				Fibrillation, ventricular
Propagermanium		54063-53-5	GB 1307455	Antiarrhythmic	
Propallylonal		12758-40-6			
Propamidine		545-93-7			
propane-1,2-diol		104-32-5			
Propanidid	1,2-propanediol	57-55-6		Formulation, dermal, topical	Infection, fungal, general
Propantheline		1421-14-3			
Proparacaine		50-34-0			
Propatyl		499-67-2			
propenidazole	ethyl trans-Alpha-acetyl-1-methyl-5-nitroimidazole-2-acrylate	2921-92-8			
		76448-31-2		Antifungal	Infection, trichomoniasis

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
propentofylline	1H-Purine-2,6-dione, 3,7-dihydro-3-methyl-1-(5-oxohexyl)-7-propyl- [CAS]	55242-55-2	GB 1470220	Neuroprotective	Ischaemia, cerebral
Propicillin		551-27-9			
Proptomazine		362-29-8			
Propionic Acid		79-09-4			
propionyl L-carnitine	1-Propanaminium, 3-carboxy-N,N,N-trimethyl-2-(1-oxopropoxy)-, chloride, (R)- [CAS]	119793-66-7 20084-19-1	GB 2008578	Vasodilator, peripheral	Peripheral vascular disease
Propipocaine		3670-68-6			
Propiram		15686-91-6			
propiverine	2,2-diphenyl-2-(1-propoxy)acetic acid (1-methylpiperid-4-yl) ester hydrochloride	54556-98-8 60569-19-9		Urological	Incontinence
Propizepine		10321-12-7			
propofol	Phenol, 2,6-bis(1-methylethyl)- [CAS]	2078-54-8	US 4056635	Anaesthetic, injectable	Anaesthesia
Propoxycaine		550-83-4			
Propoxyphene		469-62-5			
propranolol	2-Propanol, 1-[(1-methylethyl)amino]-3-(1-naphthalenyloxy)- [CAS]	318-98-9 525-66-6		Formulation, modified-release, <=24hr	Hypertension, general
Propylhexedrine		101-40-6			
Propylidone		587-61-1			
Propylthiouracil		51-52-5			
Propyphenazone		479-92-5			
Proquazone		22760-18-5			
Proscillaridin		466-06-8			
Prostacyclin		35121-78-9			
Prostaglandin E₁		745-65-3			
Prostaglandin E₂		363-24-6			
Prostaglandin F_{2α}		551-11-1			
Prositiamine		59-58-5			
Protein C		60202-16-6			
Protheobromine		50-39-5			
Prothipendyl		303-69-5			
Protiofate		58416-00-5			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Protonamide		14222-60-7			
protizinc acid	10H-Phenothiazine-2-acetic acid, 7-methoxy-Alpha, 10-dimethyl-, (+/-)- [CAS]	13799-03-6	US 3450698	Anti-inflammatory	
Protoanemonin		108-28-1			
Protokylol		136-70-9			
Protoporphyrin IX		553-12-8			
Protriptyline		438-60-8			
Pro-Urokinase		82657-92-9			
Proxazole		5696-9-3			
Proxibarbal		2537-29-3			
proxigeranium	Propanoic acid, 3,3'-(1,3-dioxo-1,3-digermoxanediyl)bis- [CAS]	12758-40-6	FR 2005110	Antiviral, other	Infection, hepatitis-B virus
Proxiphylline		603-00-9			
Prozapine		3426-8-2			
Prucalopride		179474-81-8			
	1H,4H-[1,3]Thiazeto[3,2-a]quinoline-3-carboxylic acid, 6-fluoro-1-methyl-7-[4-[(5-methyl-2-oxo-1,3-dioxol-4-yl)methyl]-1-piperazinyl]-4-oxo- [CAS]			Quinolone antibacterial	Infection, respiratory tract, general
prullifloxacin		123447-62-1	EP 315828		
Pseudococaine		478-73-9			
	Benzenemethanol, Alpha-[1-(methylamino)ethyl]-, hydrochloride, [S-(R* R*)]-, mixt. with (E)-2-[1-(4-methylphenyl)-3-(1-pyrrolidinyl)-1-propenyl]pyridine monohydrochloride [CAS]				
pseudoephedrine + triprolidine	Benzenemethanol, Alpha-[1-(methylamino)ethyl]-, [S-(R* R*)]- [CAS]	90-82-4, 8054-27-1, 345-78-8		Formulation, modified-release, other	Rhinitis, allergic, general
pseudoephedrine		520-52-5		Formulation, oral, other	Infection, respiratory tract, general
Psilocybin					
	Benzonitrile, 4-[3-(4-hydroxybutyl)-4,4-dimethyl-2,5-dioxo-1-imidazolidinyl]-2-(trifluoromethyl)- [CAS]				
PSK-3841		154992-24-2		Dermatological	Alopecia, general
p-Sulfanilylbenzylamine		4393-19-5			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
PT-141			US 6051555	Male sexual dysfunction	Impotence
Pteropterin		89-38-3			
Puromycin		53-79-2			
PX-12	1-Methylpropyl 2-mercaptoimidazolyl disulfide				
Pyrantel		15686-83-6		Anticancer, other	Cancer, general
Pyrazinamide		98-96-4			
Pyridinol Carbamate		1882-26-4			
Pyridostigmine Bromide		101-26-8			
Pyridoxal 5-Phosphate		54-47-7			
Pyridoxine		58-56-0			
Pyrilamine		91-84-9			
Pyrimethamine		58-14-0			
Pyrinoline		1740-22-3			
Pyrisuccideanol		33605-94-6			
Pyrrithione		1121-30-8			
Pyrrithyldione		77-04-3			
Pyrritolol		1098-97-1			
Pyrocatechol		120-80-9			
Pyrogallol		87-66-1			
Pyronaridine		74847-35-1			
Pyrovalerone		3563-49-3			
Pyroxylin		9004-70-0			
Pyrrbutamine		91-82-7			
Pyrocaine		2210-77-7			
Pyrronitritin		1018-71-9			
Pyrrinium Pamoate		3546-41-6			
quazepam	2H-1,4-Benzodiazepine-2-thione, 7-chloro-5-(2-fluorophenyl)-1,3-dihydro-1-(2,2,2-trifluoroethyl)- [CAS]	36735-22-5	US 3845039	Hypnotic/Sedative	Insomnia
Quercetin		117-39-5			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
quetiapine	Ethanol, 2-[2-(4-dibenzo[b,f][1,4]thiazepin-11-yl-1-piperazinyl)ethoxy]-, (E)-2-butenedioate (2:1) (salt) [CAS]	111974-69-7 111974-72-2	EP 240228	Neuroleptic	Schizophrenia
Quinacillin		1596-63-0			
	N-(6-Chloro-2-methoxy-9-acridinyl)-N,N-diethyl-1,4-pentanediamine + 10H-Phenothiazine-10-propanamine, 2-chloro-N,N-dimethyl	83-89-6			
quinacrine				Neurological	Creutzfeldt-Jakob disease
quinagolide	Sulfamide, N,N-diethyl-N'-(1,2,3,4,4a,5,10,10a-octahydro-6-hydroxy-1-propylbenzo[g]quinolin-3-yl)-, (3Apha,4aAlpha,10a3)- (+/-)- [CAS]	87056-78-8 94424-50-7 97805-49-7	EP 77754	Antiprolactin	Hyperprolactinaemia
quinapril	3-Isoquinolinecarboxylic acid, 2-[2-[(1-(ethoxycarbonyl)-3-phenylpropylamino)-1-oxopropyl]-1,2,3,4-tetrahydro-, [3S-[2(R*(R*),3R*)]- [CAS]	82586-55-8 85441-61-8 90243-99-5	EP 49605	Antihypertensive, renin system	Hypertension, general
quinaprilat	3-Isoquinolinecarboxylic acid, 2-[2-[(1-carboxy-3-phenylpropylamino)-1-oxopropyl]-1,2,3,4-tetrahydro-, [3S-[2(R*(R*),3R*)]- [CAS]	82768-85-2	EP 46953	Antihypertensive, renin system	Hypertension, general
Quinapyramine		20493-41-8			
Quinbolone		2487-63-0			
Quinestradiol		1169-79-5			
Quinestrol		152-43-2			
Quinethazone		73-49-4			
quinfamide	2-Furancarboxylic acid, 1-(dichloroacetyl)-1,2,3,4-tetrahydro-6-quinolinyl ester [CAS]	62265-68-3	US 3997542	Amoebicide	
quinidine	Cinchonan-9-ol, 6'-methoxy-, (9S)-, sulfate (1:1) (salt) [CAS]	747-45-5 56-54-2		Formulation, modified-release, other	Arrhythmia, general
Quinine		130-95-0			
Quinocide		525-61-1			
Quinupramine		31721-17-2			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Quinupristin		120138-50-3			
	cis-2,3,3a,8-tetrahydro-N,N-dimethylidibenz[c,f]isoxazolo[2,3-a]azepine-2-methanamine				
R-107500			WO 9614320	Anxiolytic	Anxiety, general
R-667			WO 0204439	COPD treatment	Emphysema, general
	1H-Benzimidazole, 2-[[[4-(3-methoxypropoxy)-3-methyl-2-pyridinyl]methyl]sulfanyl]-, sodium salt- [CAS]	117976-89-3 117976-90-6			
rabeprazole			EP 268956	Antilulcer	Ulcer, gastric
	Glycine, N-[2-[(acetylthio)methyl]-1-oxo-3-phenylpropyl]-, phenylmethyl ester, (+/-)- [CAS]	112573-72-5 81110-73-8			
racecadotril			EP 38758	Antidiarrhoeal	Diarrhoea, general
Racemethorphan		510-53-2			
	Methanone, [6-hydroxy-2-(4-hydroxyphenyl)benzo[b]thien-3-yl][4-[2-(1-piperidinyl)ethoxy]phenyl]-, hydrochloride [CAS]	82640-04-8 84449-90-1			
raloxifene			EP 62503	Osteoporosis treatment	Osteoporosis
	L-glutamic acid, N-[[5-[[[(1,4-dihydro-2-methyl-4-oxo-6-quinazolinyl)methyl]methylamino]-2-thienyl]carbonyl]- [CAS]				
ralitrexed		112887-68-0	EP 239362	Anticancer, antimetabolite	Cancer, colorectal
	9H-Carbazole-9-propanoic acid, 3-[[[4-(fluorophenyl)sulfonylamino]-1,2,3,4-tetrahydro-, (R)-] [CAS]	116649-85-5	EP 242518	Antiallergic, non-asthma	Rhinitis, allergic, perennial
Ramifenazone		3615-24-5			
	Cyclopenta[b]pyrrole-2-carboxylic acid, 1-[2-[[[1-(ethoxycarbonyl)-3-phenylpropyl]amino]-1-oxopropyl]octahydro-, [2S-[1[1R*(R*)],2Alpha,3aß,6aß]]-[CAS]	87269-97-4 87333-19-5			
ramipril			EP 79022	Antihypertensive, renin system	Heart failure
	Methanone, ((1-methyl-1H-indol-3-yl)/(4,5,6,7-tetrahydro-1H-benzimidazol-5-yl)-, monohydrochloride, (R)- [CAS]	132907-72-3 132036-88-5			
ramosetron			EP 381422	Antiemetic	Nausea and vomiting, general
Ramot project No. 1097			US 5730992	Dermatological	Unspecified
Ranimustine		58994-96-0			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
ranitidine	1,1-Ethenediamine, N-[2-[[[5-[[dimethyl(amino)methyl]-2-furanyl]methyl]thio]ethyl]-N'-methyl-2-nitro- [CAS]	66357-35-5	US 4128658	Antilulcer	Ulcer, duodenal
ranitidine bismuth citrate	1,2,3-Propanetricarboxylic acid, 2-hydroxy-bismuth(3+) salt (1:1), compd. with N-(2-[[[5-[[dimethyl(amino)methyl]-2-furanyl]methyl]thio]ethyl)-N'-methyl-2-nitro-ethenediamine (1:1)- [CAS]	128345-62-0	EP 533281	Antilulcer	Ulcer, duodenal
ranolazine	1-Piperazineacetamide, N-(2,6-dimethylphenyl)-4-[2-hydroxy-3-(2-methoxyphenoxy)propyl]-, (+/-)- [CAS]	95635-55-5 95635-56-6	EP 126449	Antianginal	Angina, general
Ranpirnase		133737-96-9			
Rapacuronium		156137-99-4			
rasagiline	1H-Inden-1-amine, 2,3-dihydro-N-2-propynyl-, (R)-, [CAS]	161735-79-1	US 5457133	Antiparkinsonian	Parkinson's disease
Raubasine		483-04-5			
ravuconazole	Benzonitrile, 4-[2-[(1R,2R)-2-(2,4-difluorophenyl)-2-hydroxy-1-methyl-3-(1H-1,2,4-triazol-1-yl)propyl]-4-thiazolyl]- [CAS]	182760-06-1		Antifungal	Infection, meningitis, general
raxofelast	2-Benzofuranacetic acid, 5-(acetyloxy)-2,3-dihydro-4,6,7-trimethyl-, (+)- [CAS]	128232-14-4	US 4999350	Symptomatic antidiabetic	Nephropathy, diabetic
razoxane	2,6-Piperazinedione, 4,4'-(1-methyl-1,2-ethanedyl)bis- [CAS]	21416-67-1, 21416-87-5	GB 1234935	Anticancer, other	Cancer, general
RC-529	Tetradecanoic acid (1R)-1-(2-[(2-deoxy-3-O-[(3R)-1-oxo-3-(1-oxotetradecyl)oxy]tetradecyl)amino-4-O-phosphono-β-D-glucopyranosyl)oxy]ethyl)amino)-2-oxoethyl)dodecyl ester, compd. with N,N-diethylethanamine (1:1) [CAS]	216014-46-9		Immunostimulant, other	Vaccine adjunct
rebamipide	4-Quinolonepropanoic acid, Alpha-[(4-chlorobenzoyl)amino]-1,2-dihydro-2-oxo- [CAS]	90098-04-7	DE 3324034	Antilulcer	

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
rebimastat	L-Valinamide, N-(2S)-2-mercapto-1-oxo-4-(3,4,4-trimethyl-2,5-dioxo-1-imidazolidinyl)butyl-L-leucyl-N,3-dimethyl-[CAS]	259188-38-0		Anticancer, other	Cancer, lung, non-small cell
reboxetine	Morpholine, 2-[(2-ethoxyphenoxy)phenylmethyl]-, (R* S*)-[CAS]	71620-89-8, 98769-81-4	US 4229449	Antidepressant	Depression, general
Remacemide		128298-28-2			
remifentanyl	1-Piperidinepropanoic acid, 4-(methoxycarbonyl)-4-[(1-oxopropyl)phenylamino]-methyl ester-[CAS]	132539-07-2, 132875-61-7	EP 383579	Analgesic, other	Pain, general
remintant	Tricyclo[3.3.1.1 ^{3,7}]decane-2-carboxylic acid, 2-[[[1-(7-chloro-4-quinolinyl)-5-(2,6-dimethoxyphenyl)-1H-pyrazol-3-yl]carbonyl]amino]- [CAS]	146362-70-1	EP 699438	Neuroleptic	Schizophrenia
Remoxipride		80125-14-0			
renzapride	Benzamide, 4-amino-N-1-azabicyclo[3.3.1]non-4-yl-5-chloro-2-methoxy- [CAS]	109872-41-5, 88721-77-1	JP 58188885	Gastroprokinetic	Irritable bowel syndrome
repaglinide	Benzoic acid, 2-ethoxy-4-[2-[[3-methyl-1-(2-(1-piperidinyl)phenyl]butyl]amino]-2-oxoethyl]-, (S)- [CAS]	135062-02-1	WO 9300337	Antidiabetic	Diabetes, Type II
reperixin L-lysine salt	2(R)-4-Isobutylphenylpropionyl methanesulfonamide L-lysine salt		WO 0024710	Cardiovascular	Reperfusion injury
repinotan	1,2-Benzisothiazol-3(2H)-one, 2-(4-((3,4-dihydro-2H-1-benzopyran-2-yl)methyl)amino)butyl-, 1,1-dioxide, monohydrochloride [CAS]	144980-29-0, 144980-77-8	US 5137901	Neuroprotective	Ischaemia, cerebral
repinast	4H-Pyranol[3,2-c]quinoline-2-carboxylic acid, 5,6-dihydro-7,8-dimethyl-4,5-dioxo-, 3-methylbutyl ester [CAS]	73080-51-0	US 4298610	Antiasthma	
Reposal		3625-25-0			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
reproterol	1H-Purine-2,6-dione, 7-[3-[[2-(3,5-dihydroxyphenyl)-2-hydroxyethyl]amino]propyl]-3,7-dihydro-1,3-dimethyl- [CAS]	13055-82-8 54063-54-6	FR M5969	Antiasthma	Asthma
Rescimetol		73573-42-9			
Rescinnamine		24815-24-5			
Reserpiline		131-02-2			
Reserpine		50-55-5			
Resibufogenin		465-39-4			
resiquimod	1H-Imidazo(4,5-c)quinoline-1-ethanol(ethoxymethyl)-Alpha, Alpha-dimethyl- [CAS]	144875-48-9	US 5389640	Antiviral, other	Infection, hepatitis-C virus
Resorcinol		108-46-3			
Retepase		133652-38-7			
retigabine	Carbamic acid, (2-amino-4-(((4-fluorophenyl)methyl)amino)phenyl)-, ethyl ester [CAS]	150812-12-7	DE 4200259	Antiepileptic	Epilepsy, general
retinoic acid	Retinoic acid [CAS]	302-79-4		Formulation, parenteral, other	Cancer, leukaemia, acute myelogenous
Revimid			US 6281230	Anticancer, other	Cancer, myeloma
R-flurbiprofen	[1,1'-Biphenyl]-4-acetic acid, 2-fluoro-Alpha-methyl	5104-49-4		Anticancer, other	Cancer, prostate
<i>Rho (D) Immune Globulin (Human)</i>					
Rho-kinase inhibitors			WO 0156988	Antiasthma	Unspecified
ribavirin	1H-1,2,4-Triazole-3-carboxamide, 1-β-D-ribofuranosyl- [CAS]	36791-04-5	US 4211771	Antiviral, other	Infection, haemorrhagic fever
Riboflavin		146-17-8			
ribostamycin	D-Streptamine, O-2,6-diamino-2,6-dideoxy-Alpha-D-glucopyranosyl-(1-4)-O-[β-D-ribofuranosyl-(1-5)]-2-deoxy- [CAS]	25546-65-0	GB 1254883	Aminoglycoside antibiotic	Infection, general
Ricinoleic Acid		141-22-0			
Ridogrel		110140-89-1			

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
rifabutin	Rifamycin XIV, 1',4'-didehydro-1'-deoxy-1,4'-dihydro-5'-(2-methylpropyl)-1-oxo-[CAS]	72559-06-9	US 4219478	Antimycobacterial	Infection, Mycobacterium avium complex
rifalazil	Rifamycin VIII, 1',4'-didehydro-1'-deoxy-1,4'-dihydro-3'-hydroxy-5'-[4-(2-methylpropyl)-1-piperazinyl]-1-oxo-[CAS]	129791-92-0 129791-94-2 133633-12-2	EP 366914	Antimycobacterial	Infection, tuberculosis
rifametane	Rifamycin, 3-[[[1-(diethylamino)ethylidene]hydrazono]methyl]-[CAS]	94168-98-6	EP 119571	Antimycobacterial	Infection, general
Rifamide		2750-76-7			
rifampicin + trimethoprim	Rifamycin, 3-[[[4-methyl-1-piperazinyl]imino]methyl]-, mixt. with 5-[[3,4,5-trimethoxyphenyl]methyl]-2,4-pyrimidinediamine [CAS]	61498-94-0		Formulation, fixed-dose combinations	Infection, general
Rifampin		13292-46-1			
Rifamycin SV		6998-60-3			
rifapentine	Rifamycin, 3-[[[4-cyclopentyl-1-piperazinyl]imino]methyl]- [CAS]	61379-65-5	DE 2608218	Antibiotic, other	Infection, tuberculosis
rifaximin	Epoxy-pentadeca[1,11,13]trienimino]benzofuro[4,5-e]-pyrido[1,2-a]benzimidazole-1,15(2H)-dione, 25-(acetyloxy)-5,6,21,23-tetrahydroxy-27-methoxy-2,4,11,15,20,22,24,26-octamethyl-, [2S-(2R*,16Z,18E,20R*,22S*,23S*,24S*,25R*,26S*,27R*,28E)]	80621-81-4	GB 2079270	Antibiotic, other	Infection, GI tract
rifaximine cream	4-deoxy-4'-methylpyrido[1',2'-1,2]imidazo[5,4-c]rifamycin SV	80621-81-4	BE 888895	Formulation, dermal, topical	Infection, dermatological
Rilmazafone		99593-25-6			
rilmidenine	2-Oxazolamine, N-(dicyclopropylmethyl)-4,5-dihydro- [CAS]	54187-04-1 54249-57-9	DE 2362754	Antihypertensive, adrenergic	Hypertension, general
riluzole	2-Benzothiazolamine, 6-(trifluoromethoxy)-[CAS]	1744-22-5	EP 50551	Neuroprotective	Amyotrophic lateral sclerosis
Rimantadine		13392-28-4			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
rimazolium	4H-Pyrido[1,2-a]pyrimidin-3-(ethoxycarbonyl)-6,7,8,9-tetrahydro-1,6-dimethyl-4-oxo-, [CAS]	28610-84-6 35615-72-6	DE 2461349	Analgescic, NSAID	
rimexolone	Androsta-1,4-dien-3-one, 11-hydroxy-16,17-dimethyl-17-(1-oxopropyl)-, (11S, 16Apha, 17S)- [CAS]	49697-38-3	DE 2301317	Ophthalmological	Inflammation, ocular
Rimiterol		32953-89-2			
rimonabant	1H-Pyrazole-3-carboxamide, 5-(4-chlorophenyl)-1-(2,4-dichlorophenyl)-4-methyl-N-1-piperidinyl-, monohydrochloride [CAS]	158681-13-1	US 5624941	Anorectic/Antiobesity	Obesity
ritodrol	1,3-Benzenediol, 2,4,6-triiodo- [CAS]	19403-92-0	US 3755251	Antiviral, other	
Rioprostil		77287-05-9			
risedronate	Phosphonic acid, (1-hydroxy-2-(3-pyridinyl)ethylidene)bis-, monosodium salt	115436-72-1	EP 304961	Osteoporosis treatment	Paget's disease
Risedronic Acid		105462-24-6			
risperidone	4H-Pyrido[1,2-a]pyrimidin-4-one, 3-[2-(4-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]ethyl]-6,7,8,9-tetrahydro-2-methyl- [CAS]	106266-06-2	EP 196132	Neuroleptic, formulation, optimized, microencapsulate	Schizophrenia
Ritanserin		87051-43-2			
Ritipenem		84845-57-8			
ritodrine	Benzenemethanol, 4-hydroxy-Alpha-[1-[(2-(4-hydroxyphenyl)ethyl)amino]ethyl]-, (R*, S*)-, [CAS]	23239-51-2 26652-09-5	US 3410944	Labour inhibitor	Labour, preterm
ritonavir	2,4,7,12-Tetraazatridecan-13-oic acid, 10-hydroxy-2-methyl-5-(1-methylethyl)-1-(2-(1-methylethyl)-4-thiazolyl)-3,6-dioxo-8,11-bis(phenylmethyl)-, 5-thiazolyl-methyl ester, (5S-(5R*, 8R*, 10R*, 11R*))-, [CAS]	155213-67-5	WO 9414436	Antiviral, anti-HIV	Infection, HIV/AIDS
Rituximab		174722-31-7			
rivastigmine	Carbamic acid, ethylmethyl-, 3-[1-(dimethylamino)ethyl]phenyl ester, (S)- [CAS]	123441-03-2 129101-54-8	DE 3805744	Cognition enhancer	Alzheimer's disease

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
rizatriptan	1H-Indole-3-ethanamine, N,N-dimethyl-5-(1H-1,2,4-triazol-1-ylmethyl)-, [CAS]	145202-66-0	EP 497512	Antimigraine	Migraine
		159776-67-7			
		144034-80-0			
RJR-2403	3-Buten-1-amine, N-methyl-4-(3-pyridinyl)-, (3E)-, (2E)-2-butenedioate (1:1) [CAS]	183288-99-5		Cognition enhancer	Alzheimer's disease
RNA Stealth Nucleosides	5-Formyluridine			Antiviral, other	Infection, hepatitis-C virus
Ro-0094889	2',3'-DFO-acetyl-5'-vinylcytidine			Anticancer, antimetabolite	Cancer, general
Ro-61-1790	2-Pyridinesulfonamide, N-[6-(2-hydroxyethoxy)-5-(2-methoxyphenoxy)-2-[2-(1H-tetrazol-5-yl)-4-pyridinyl]-4-pyrimidinyl]-5-methyl- [CAS]		WO 9619459	Cardiovascular	Haemorrhage, subarachnoid
		180384-56-9			
		53716-44-2			
Rociverine	Pyrrolidinium, 1-[(2β,3Alpha 5Alpha,16β,17β)-17-(acetyloxy)-3-hydroxy-2-(4-morpholinyl)androstan-16-yl]-1-(2-propenyl)-, bromide- [CAS]		EP 287150	Muscle relaxant	Muscle spasm, general
		104855-17-6			
		104884-91-5			
		119302-91-9			
rocuronium		143558-00-3			
rofecoxib	2-(5H)-Furanone, 4-(4-(methylsulfonyl)phenyl)-3-phenyl-, [CAS]	162011-90-7	US 5474995	Analgesic, NSAID	Arthritis, osteo
roflumilast	Benzamide, 3-(cyclopropylmethoxy)-N-(3,5-dichloro-4-pyridinyl)-4-(difluoromethoxy)-, [CAS]	162401-32-3	WO 9501338	COPD treatment	Chronic obstructive pulmonary disease
rokitamycin	Leucomycin V, 4B-bulanoate 3B-propanoate [CAS]	74014-51-0	US 4242504	Macrolide antibiotic	Infection, general
Rolipram		61413-54-5			
Rolitetracycline		751-97-3			
Romurtide		78113-36-7			
Ronifibrate		42597-57-9			
ropinirole	2H-Indol-2-one, 4-[2-(dipropylamino)ethyl]-1,3-dihydro-, monohydrochloride-, [CAS]	91374-20-8 91374-21-9	EP 266033	Antiparkinsonian	Parkinson's disease

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
ropivacaine	2-Piperidinecarboxamide, N-(2,6-dimethylphenyl)-1-propyl-, (S)- [CAS]	84057-95-4 98717-15-8	EP 239710	Anaesthetic, local	Anaesthesia
Roquinimex		84088-42-6			
rosaprosolol	Cyclopentaneneheptanoic acid, 2-hexyl-5-hydroxy- [CAS]	56695-65-9	GB 1523355	Prostaglandin	
Rosaramicin		35834-26-5			
Rose Bengal		632-68-8			
rosiglitazone	2,4-Thiazolidinedione, 5-((4-(2-(methyl-2-pyridinylamino)ethoxy)phenyl)methyl)-, (Z)-2-butenedioate (1:1) [CAS]	122320-73-4 155141-29-0	US 5002953	Antidiabetic	Diabetes, Type II
rosoxacin	3-Quinolonecarboxylic acid, 1-ethyl-1,4-dihydro-4-oxo-7-(4-pyridinyl)- [CAS]	40034-42-2	US 3753993	Quinolone antibacterial	Infection, gonorrhoea
rostaporphin	Tin, dichloro[ethyl 3,4,20,21-tetradehydro-4,9,14,19-tetraethyl-18,19-dihydro-3,8,13,18-tetramethyl-20-phorbinecarboxylato(2-)-kappaN23,kappaN24,kappaN25,kappaN26]-, (OC-6-13)- [CAS]	114494-17-6		Ophthalmological	Macular degeneration
rosuvastatin	6-Heptenoic acid, 7-(4-(4-fluorophenyl)-6-(1-methylethyl)-2-(methyl(methylsulfonyl)amino)-5-pyrimidinyl)-3,5-dihydroxy- (S-(R*, S*(E))) [CAS]	147098-20-2	JP 2648897	Hypolipaeamic/Antiatherosclerosis	Hyperlipidaemia, general
rotigotine	1-Naphthalenol, 5,6,7,8-tetrahydro-6-[propyl[2-(2-thienyl)ethyl]amino]-, (S)- [CAS]	99755-59-6	US 4564628	Antiparkinsonian	Parkinson's disease
Rotraxate		92071-51-7			
Roxarsone		121-19-7			
roxatidine	Acetamide, 2-(acetyloxy)-N-[3-(1-piperidinylmethyl)phenoxy]propyl-, [CAS]	78628-28-1 93793-83-0	EP 24510	Antilulcer	Ulcer, gastric
roxifiban	L-Alanine, 3-(((3-(4-(aminoininomethyl)phenyl)-4,5-dihydro-5-isoxazolyl)acetyl)amino)-N-(butoxycarbonyl)-, methyl ester, (R)-, [CAS]	176022-59-6	US 5849736	Antithrombotic	Thrombosis, general
Roxindol		112192-04-8			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
roxithromycin	Erythromycin, 9-[O-[(2-methoxyethoxy)methyl]oxime] [CAS]	80214-83-1 80214-86-4	EP 33255	Macrolide antibiotic	Infection, general
RPR-109881A	Benzenepropanoic acid, β-(((1,1-dimethylethoxy)carbonyl)amino)-Alpha-hydroxy-(1S,2S,4S,7R,8aR,9aS,10aR,12aS,12bR)-7,12a-bis(acetyloxy)-1-(benzyloxy)-1,3,4,7,8,9,9a,10,10a,12,12a,12b-dodecahydro-2-hydroxy-5,13,13-trimethyl-8-oxo-2,6-methano-2H-cyclodeca(3,4)cyclopropa (4,5) benz (1,2-b) oxet-4-yl ester, dihydrate Alpha R, betaS [CAS]	192573-38-9		Anticancer, other	Cancer, lung, general
RPR-130401	4,9-Ethano-3aH-benz[flisoindole-3a-carboxylic acid, 1,2,3,4,9,9a-hexahydro-2-[2-(2-methoxyphenyl)-1-oxo-2-propenyl]-9-(4-methylphenyl)-, (3aR,4S,9S,9aR)-rel- [CAS]	210282-69-2	WO 9829390	Anticancer, other	Cancer, general
R-roscovitine	N,N'-bis(3-hydroxyphenyl)pyridazine-3,6-diamine		US 6316456	Anticancer, other	Cancer, lung, non-small cell
RS-0406				Neuroprotective	Alzheimer's disease
RSR-13		131179-95-8			
Rubijervine		79-58-3			
rubitecan	1H-Pyrano(3',4':6,7)indolizino(1,2-b)quinoline-3,14(4H,12H)-dione, 4-ethyl-4-hydroxy-10-nitro-, (S)- [CAS]	91421-42-0	US 6485514	Anticancer, other	Cancer, pancreatic
ruboxistaurin	9H,18H-5,21:12,17-Dimethenodibenzo(e,k)pyrrolo(3,4-h)(1,4,13)oxadiazacyclohexadecine-18,20(19H)-dione,9-((dimethylamino)methyl)-6,7,10,11-tetrahydro-, (S)- [CAS]	169939-94-0		Symptomatic antidiabetic	Retinopathy, diabetic
Rufinamide		106308-44-5			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
rufloxacin	7H-Pyrido[1,2,3-de]-1,4-benzothiazine-6-carboxylic acid, 9-fluoro-2,3-dihydro-10-(4-methyl-1-piperazinyl)-7-oxo- [CAS]	101363-10-4 102052-47-1 106017-08-7	EP 165375	Quinolone antibacterial	Infection, general
rupatadine	5H-Benzo[5,6]cyclohepta[1,2-b]pyridine, 8-chloro-6,11-dihydro-11-[1-[(5-methyl-3-pyridinyl)methyl]-4-piperidinylidene]-, [trihydrochloride- [CAS]	156611-76-6	EP 0577957	Antiallergic, non-asthma	Rhinitis, allergic, seasonal
Rutin		153-18-4			
RWJ-54428	5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[[[(2Z)-(2-amino-5-chloro-4-thiazolyl)(hydroxymino)acetyl]amino]-3-[[3-[(2-aminoethyl)thio]methyl]-4-pyridinyl]thio]-8-oxo-, (6R,7R)- [CAS]	189448-35-9	WO 9713772	Cephalosporin, injectable	Infection, beta-lactamase resistant
S-0139	Olean-12-en-28-oic acid, 27-[[3-[5-hydroxy-2-[(4-methoxy-1,4-dioxo-2-butenyl)amino]phenyl]-1-oxo-2-propenyl]oxy]-3-oxo- [CAS]	193969-54-9	WO 9727314	Cardiovascular	Ischaemia, cerebral
S-15535	Piperazine, 1-(2,3-dihydro-1,4-benzodioxin-5-yl)-4-(2,3-dihydro-1H-inden-2-yl)- [CAS]	146998-34-7		Cognition enhancer	Cognitive disorder, general
S-18886	1-Naphthalenepropanoic acid, 6-(((4-chlorophenyl)sulfonyl)amino)-5,6,7,8-tetrahydro-2-methyl [CAS]	165537-73-5		Antithrombotic	Thrombosis, general
S-34730	7-chloro-6-sulfamoyl-2-(1H)-quinoline-3-phosphonic acid			Neuroprotective	Unspecified
S-3578	7β-[2-(5-amino-1,2,4-thiadiazol-3-yl)-2(Z)-ethoxyiminoacetamido]-3-(1-(N-methylaminopropyl)-1H-imidazo[4,5-b]pyridinium-4-methyl-3-cephem-4-carboxylate monosulfate			Cephalosporin, injectable	Infection, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
S-36496	2-[N-(4-(4-Chlorophenylsulfonylamino)butyl)-N-(3-((4-isopropylthiazol-2-yl)methoxy)benzyl)sulfamoyl]benzoic acid			Antiasthma	Asthma
S-36527	2-[N-(4-(4-Chlorophenylsulfonylamino)butyl)-N-(3-((2-(4-cyclobutylthiazol-2-yl)ethyl)benzyl)sulfamoyl]benzoic acid			Antiasthma	Asthma
S-5751	(1R,2R,3S,5S)-7-[2-(5-Hydroxybenzothioiphen-3-ylcarboxamido)-6,6-dimethylbicyclo[3.1.1]hept-3-yl]-5(Z)-heptenoic acid				
S-8510	Imidazo[4,5-d]pyrano[4,3-b]pyridine, 1,6,7,9-tetrahydro-2-(3-isoxazolyl)-, phosphate (1:1) [CAS]	151466-23-8	EP 556008	Antiallergic, non-asthma	Allergy, general
S-8921	2-Naphthalenecarboxylic acid, 1-(3,4-dimethoxyphenyl)-3-(3-ethyl-1-oxopentyl)-4-hydroxy-6,7,8-trimethoxy-, methyl ester [CAS]	151165-96-7	WO 9308155	Hypolipaeamic/Antiatherosclerosis	Hypercholesterolaemia
Sabcomeline		159912-53-5			
Sabeluzole		104383-17-7			
S-Adenosylmethionine		29908-03-0			
salinamide	(S)-(+)-2-[4-(3-fluorobenzoyloxy)benzylamino]propanamide methansulfonate	133865-89-1	AU 711309	Antiepileptic	Epilepsy, general
Salacetamide		487-48-9			
Salazosulfadimidine		2315-8-4			
salbutamol	1,3-Benzenedimethanol, Alpha-1-[[[(1,1-dimethylethyl)amino]methyl]-4-hydroxy-[CAS]	18559-94-9	EP 451745	Formulation, inhalable, topical, dry powder	Asthma
Salicin		138-52-3			
Salicyl Alcohol		90-01-7			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Salicylamide		65-45-2			
Salicylamide O-Acetic Acid		25395-22-6			
Salicylanilide		87-17-2			
Salicylic Acid		69-72-7			
Salicylsulfuric Acid		89-45-2			
Salinazid		495-84-1			
salmeterol	1,3-Benzenedimethanol, 4-hydroxy-Alpha1 [[[6-(4-phenylbutoxy)hexylamino]methyl]-, (±)-1-hydroxy-2-naphthalenecarboxylate [CAS]	89365-50-4 94749-08-3	WO 9006775	Antiasthma	Asthma
Salsalate		552-94-3			
Salverine		6376-26-7			
Samarium ¹⁵³ Sm Lexidronam		154427-83-5			
sampatrilat	L-Tyrosine, N2-(methylsulfonyl)-L-lysyl-1- [(2S)-3-amino-2- carboxypropyl]cyclopentanecarbonyl- [CAS]	129981-36-8	EP 358398	Antihypertensive, renin system	Hypertension, general
Sancycline		808-26-4			
Saperconazole		110588-57-3			
sapropterin	4(1H)-Pteridinone, 2-amino-6-(1,2- dihydroxypropyl)-5,6,7,8-tetrahydro-, dihydrochloride, [6R-[6R*(1R*,2S*)]- [CAS]	69056-38-8 62989- 33-7	EP 191335	Antidepressant	Hyperphenylalaninaemia
saquinavir	Butanediamide, N1-[3-{3-[[[1,1- dimethylethyl]amino]carbonyl]octahydro- 2(1H)-isoquinolinyl]-2-hydroxy-1- (phenylmethyl)propyl]-2-[(2- quinolinylcarbonyl)amino]-, [3S- [2[1R*(R*),2S*],3Alpha,4as,8ab]]- [CAS]	127779-20-8	EP 432695	Antiviral, anti-HIV	Infection, HIV/AIDS
Saralasin		34273-10-4			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
sareculant	Benzamide, N-[4-(4-(acetylamino)-4-phenyl-1-piperidinyl)-2-(3,4-dichlorophenyl)butyl]-N-methyl-, (S)- [CAS]	142001-63-6	EP 474561	Asthma	Asthma
sarizotan	3-Pyridinemethanamine, N-((3,4-dihydro-2H-1-benzopyran-2-yl)methyl)-5-(4-fluorophenyl)- [CAS]	177975-08-5		Antiparkinsonian	Parkinson's disease
sarpogrelate	Butanedioic acid, mono[2-(dimethylamino)-1-[2-[2-(3-methoxyphenyl)ethyl]phenoxy]methyl]ethyl ester [CAS]	125926-17-2	EP 398326	Antithrombotic	
Satigrel		111753-73-2			
satraplatin	Platinum, bis(acetato-O)amminedichloro(cyclohexanamine)-, (OC-6-43)- [CAS]	129580-63-8	EP 328274	Anticancer, alkylating	Cancer, prostate
Satumomab		144058-40-2			
SB-237376	N-[3-[[2-(3,4-dimethoxyphenyl)ethyl]amino]propyl]-4-nitrobenzamide, HCl			Antiarrhythmic	Fibrillation, atrial
SB-238039	(5-(2-phenylamino-4-pyrimidinyl)-4-yl)-4-fluorophenyl)-1-(4-piperidinyl)imidazole			Anticancer, other	Cancer, general
SB-277011	trans-N-[4-[2-(6-Cyano-1,2,3,4-tetrahydroisoquinolin-2-yl)ethyl]cyclohexyl]-4-quinolinecarboxamide			Neuroleptic	Schizophrenia
Scarlet Red		85-83-6			
SCH-00013	Benzonitrile, 4-[2-[3,6-dihydro-4-(1,4,5,6-tetrahydro-6-oxo-3-pyridazinyl)-1(2H)-pyridinyl]-1-hydroxyethyl]- [CAS]	217963-18-3	EP 618204	Cardio stimulant	Heart failure
Sch-23863	(2-[10,11-Dihydro-5-ethoxy-5H-dibenzo[a,d]cyclohepten-5-yl]-N, N-dimethylethanamine			Immunosuppressant	Inflammation, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Sch-57790	1-Piperazineacetoneitrile, 4-cyclohexyl-alpha-[4-((S)-(4-methoxyphenyl)sulfinyl)phenyl]- [CAS]	221660-80-6		Cognition enhancer	Alzheimer's disease
Sch-53390	7H-Pyrazolo[4,3-e][1,2,4]triazolo[1,5-c]pyrimidin-5-amine, 2-(2-furanyl)-7-(3-phenylpropyl)- [CAS]	174648-45-4		Antiparkinsonian	Parkinson's disease
Scillarenin		465-22-5			
Scopolamine		51-34-3			
Scopolamine N-Oxide		97-75-6			
scopolamine	Benzeneacetic acid, Alpha-(hydroxymethyl)-, 9-methyl-3-oxa-9-azatricyclo[3.3.1.0 ^{2,4}]non-7-yl ester, [7(S)-(1Alpha,2β,4β,5Alpha,7β)]- [CAS]	51-34-3	US 4262003	Formulation, transdermal, other	Nausea and vomiting, general
SCS technology			US 6046188	Antiasthma	Unspecified
secalciferol	9,10-Secosterolesta-5,7,10(19)-triene-3,24,25-triol, (3β,5Z,7E,24R)- [CAS]	55721-11-4	EP 301167	Osteoporosis treatment	Osteodystrophy
secnidazole	1H-Imidazole-1-ethanol, Alpha,2-dimethyl-5-nitro- [CAS]	3366-95-8	FR M3270	Protozoacide	Infection, Trichomoniasis
Secobarbital		309-43-3			
selegiline	Benzeneethanamine, N,Alpha-dimethyl-N-2-propynyl-, (R)- [CAS]	14611-51-9	GB 1153578	Antiparkinsonian	
Selenomethionine		1464-42-2			
Sematilide		101526-83-4			
Semotiadil		116476-13-2			
seocalciol	1,3-Cyclohexanediol, 5-((1-(6-ethyl-6-hydroxy-1-methyl-2,4-octadienyl)octahydro-7a-methyl-4H-inden-4-ylidene)ethylidene)-4-methylene-, (1R-(1Alpha(1R*,2E,4E),3aβ,4E(1R*,3S*,5Z),7aAlpha))- [CAS]	134404-52-7	WO 9100855	Anticancer, other	Cancer, liver
Sepimostat		103926-64-3			
seratrodist	Benzeneheptanoic acid, zeta-(2,4,5-trimethyl-3,6-dioxo-1,4-cyclohexadien-1-yl)-, (+/-)- [CAS]	103187-07-1 112665-43-7	EP 232089	Antiasthma	Asthma

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
sertaconazole	1H-imidazole, 1-[2-[(7-chlorobenzo[b]thien-3-yl)methoxy]-2-(2,4-dichlorophenyl)ethyl]- [CAS]	99592-32-2	EP 151477	Antifungal	Infection, dermatological
sertindole	2-Imidazolidinone, 1-[2-[4-[5-chloro-1-(4-fluorophenyl)-1H-indol-3-yl]-1-piperidinyl]ethyl]- [CAS]	106516-24-9	EP 392959	Neuroleptic	Schizophrenia
serttraline	1-Naphthalenamine, 4-(3,4-dichlorophenyl)-1,2,3,4-tetrahydro-N-methyl-, (1S-cis)- [CAS]	79559-97-0 79617-96-2 79617-97-3	EP 30081	Antidepressant	Depression, general
Setastine		64294-95-7			
sevelamer	2-Propen-1-amine polymer with (chloromethyl)oxirane, hydrochloride [CAS]	152751-57-0 52757-95-6	US 5496545	Urological	Renal failure
sevoflurane	Propane, 1,1,1,3,3,3-hexafluoro-2-(fluoromethoxy)- [CAS]	28523-86-6	DE 1954268	Anaesthetic, inhalation	Anaesthesia
SG-210	2H-1,4-Benzothiazine-2-acetic acid, 3,4-dihydro-3-oxo-4-[(4,5,7-trifluoro-2-benzothiazolyl)methyl]- [CAS]	143162-65-6		Symptomatic antidiabetic	Neuropathy, diabetic
sibutramine	Cyclobutanemethanamine, 1-(4-chlorophenyl)-N,N-dimethyl-Alpha-(2-methylpropyl)- [CAS]	106650-56-0 84485-00-7	GB 2098602	Anorectic/Antiobesity	Obesity
siccanin	(4aS-(4aAlpha,6aAlpha,11bAlpha,13aR*,13bAlp ha))-1,2,3,4,4a,5,6a,11b,13b-decahydro-4,4,6a,9-tetramethyl-13H-benzo[a]furo[2,3,4-mn]xanthen-11-ol	22733-60-4	JP 37003548	Antifungal	
sildenafil	Piperazine, 1-[(3-(4,7-dihydro-1-methyl-7-oxo-3-propyl-1H-pyrazolo[4,3-o]pyrimidin-5-yl)-4-ethoxyphenyl)sulfonyl]-4-methyl-2-hydroxy-1,2,3-propanetricarboxylate- (1:1) [CAS]	171599-83-0 139755-83-2	WO 9428902	Male sexual dysfunction	Impotence
siodosin	1H-Indole-7-carboxamide, 2,3-dihydro-1-(3-hydroxypropyl)-5-[(2R)-2-[[2-[2-(2,2,2-trifluoroethoxy)phenoxy]ethyl]amino]propyl]- [CAS]	160970-54-7	EP 600675	Urological	Dysuria
Silver Lactate		128-00-7			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Silver Picrate		146-84-9			
silver sulfadiazine	N'-2-pyrimidinylsulfanilamide monosilver salt	22195-08-2 66-35-9		Anti-infective, other	Infection, general
Simetride		154-82-5			
Simfibrate		14929-11-4			
simvastatin	Butanoic acid, 2,2-dimethyl-, 1,2,3,7,8,8a-hexahydro-3,7-dimethyl-8[2-(tetrahydro-4-hydroxy-6-oxo-2H-pyran-2-yl)ethyl]-1-naphthalenyl ester, [1S-[1 α ,3 α ,7 β ,8 β (2S*,4S*),8a β]]-[CAS]	79902-63-9	US 4444784	Hypolipemic/Antiatherosclerosis	Hyperlipidaemia, general
Sincalide		25126-32-3			
Sintropium Bromide		79467-19-9			
Sisomicin		32385-11-8			
sitafloxacin	3-Quinolincarboxylic acid, 7-(7-amino-5-azaspiro[2.4]hept-5-yl)-8-chloro-6-fluoro-1-(2-fluorocyclopropyl)-1,4-dihydro-4-oxo-, [1R-[1 α ph(S*),2 α ph]]-, hydrate	127254-12-0	EP 341493	Quinolone antibacterial	Infection, general
sitamaquine	1,6-Hexanediamine, N,N-diethyl-N'-(6-methoxy-4-methyl-8-quinolyl)-, [CAS]	5330-29-0 57695-04-2		Protozoacide	Infection, leishmaniasis
sitaxsentan	N-(4-Chloro-3-methyl-5-isoxazolyl)-2-[[4,5-(methylenedioxy)-o-tolyl]acetyl]-3-thiophenesulfonamide	184036-34-8	US 5464853	Antihypertensive, other	Hypertension, pulmonary
sivelestat	Glycine, N-[2-[[[4-(2,2-dimethyl-1-oxopropoxy)phenyl]sulfonyl]amino]benzoyl]-, [CAS]	127373-66-4	EP 347168	Respiratory	Systemic inflammatory response syndrome
SJA-6017	Butanamide, 2-[[[4-(fluorophenyl)sulfonyl]amino]-N-[(1S)-1-formyl-3-methylbutyl]-3-methyl-, (2S)-, [CAS]	190274-53-4	EP 771565	Ophthalmological	Cataract
SL-65-1498	6-Fluoro-9-methyl-2-phenyl-4-pyridin-1-ylcarbonyl)-2,9-dihydro-1H-pyrido[3,4-b]indole-1-one		EP 607076	Anxiolytic	Anxiety, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
SLV-306	(3S,2R)-3-[(1-{2'-(Ethoxycarbonyl)-4'-phenyl-butyl}-cyclopentan-1-carboxylamino)-2,3,4,5-tetrahydro-2-oxo-1H-benzapin-1-acetic acid			Antihypertensive, diuretic	Hypertension, general
SLV-308	2-(3H)-Benzoxazolone, 7-(4-methyl-1-piperazinyl)-, monohydrochloride	269718-83-4		Antiparkinsonian	Parkinson's disease
Sm153 leixidronam	Samarate(5-)-153Sm, (((1,2-ethanediy)bis(nitrolobis(methylene)))tetraakis(phosphonato))((8-)-N,N',OP,OP',OP'',OP'''), pentasodium, (OC-6-21)- [CAS]	160369-78-8		Analgesic, other	Pain, cancer
S-Methylmethionine		4727-40-6			
SMP-300	N-(Aminoininomethyl)-11-chloro-5,6,7,8-tetrahydro-8-oxo-4H-pyrrolo[3,2,1-kl][1]benzazocine-2-carboxamide monomethanesulfonate monohydrate			Antianginal	Angina, general
SN-38	(4S)-4,7,11-triethyl-3,4,12,14-tetrahydro-4,10-dihydroxy-3,14-dioxo-1H-pyrano[3,4':6,7]indolizin[1,2-b]quindine-9-yl	100286-90-6		Formulation, optimized, liposomes	Cancer, colorectal
SNAP-7941	((+)-methyl (4S)-3-(((3-(4-[3-(acetylamino)phenyl]-1-piperidinyl)propyl)amino) carbonyl)-4-(3,4-difluorophenyl)-6-(methoxymethyl)-2-oxo-1,2,3,4-tetrahydro-5-pyrimidinecarboxylate hydrochloride)			Anxiolytic	Anxiety, general
SOA-132	2-Naphthalenecarboxamide, N-[2-[4-(diphenylmethoxy)-1-piperidinyl]ethyl]-3-hydroxy-5-(3-pyridinylmethoxy)- [CAS]	143964-80-1		Formulation, inhalable, topical	Asthma

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
soblidotin	L-valinamide, N,N-dimethyl-L-valyl-N-[2-methoxy-4-[2-[(1-methoxy-2-methyl-3-oxo-3-[(2-phenylethyl)amino]propyl]-1-pyrrolidinyl]-1-(2-methylpropyl)-4-oxobutyl]-N-methyl-, [2S-[1[1R*(R*),2S*],2R*(1S*,2S*)]]- [CAS]	149606-27-9	WO 9303054	Anticancer, other	Cancer, lung, non-small cell
Sobrerol		498-71-5			
sobuzoxane	Carbonic acid, 1,2-ethanediylbis(2,6-dioxo-4,1-piperazinediyl)methylene]bis(2-methylpropyl) ester [CAS]	98631-95-9	EP 140327	Anticancer, other	Cancer, lymphoma, T-cell
Sodium Arsanilate		127-85-5			
Sodium Arshenamine		1936-28-3			
<i>Sodium Chloride</i>					
Sodium Dibunate		14992-59-7			
Sodium Folate		6484-89-5			
Sodium Formaldehydesulfoxylate		149-44-0			
Sodium Glycerophosphate		1334-74-3			
<i>Sodium Hyaluronate</i>					
Sodium Iodomethamate		519-26-6			
Sodium Nitrite		7632-00-0			
Sodium Nitroprusside		14402-89-2			
sodium oxybate	Butyric acid, 4-hydroxy monosodium salt [CAS]	502-85-2		Psychostimulant	Narcolepsy
Sodium Ph nolsulfonate		1300-51-2			
sodium phenylbutyrate	Butyric acid, 4-phenyl-, sodium salt- [CAS]	1716-12-7		Formulation, other	Hyperammonaemia

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
sodium phosphate	Sodium phosphate monobasic monohydrate + sodium phosphate dibasic anhydrous		US 6162464	Formulation, oral, other	Surgery adjunct
sodium prasterone sulfate	3β-hydroxy-5-androsten-17-one(sodium sulfate dihydrate)		EP 380036	Formulation, mucosal, topical	Labour, induction
Sodium Propionate		137-40-6			
sodium salicylate	Benzoic acid, 2-hydroxy-, monosodium salt [CAS]	54-21-7		Formulation, oral, solubility-enhanced	Pain, general
Sodium Tetradecyl Sulfate		139-88-8			
sofalcone	Acetic acid, [5-[(3-methyl-2-butenyl)oxy]-2-[3-[4-[(3-methyl-2-butenyl)oxy]phenyl]-1-oxo-2-propenyl]phenoxy]- [CAS]	64506-49-6	GB 1523241	Antulcer	
Solasulfone		133-65-3			
solifenacin	Butanedioic acid compd with (1S)-(3R)-1-azabicyclo(2.2.2)oct-3-yl 3,4-dihydro-1-phenyl-2(1H)-isoquinolinecarboxylate (1:1) [CAS]	242478-38-2		Urological	Overactive bladder
Sorbinic acid	D-Glucitol, hexa-3-pyridinecarboxylate [CAS]	6184-06-1	BE 883352	Hypolipaeic/Antiatherosclerosis	
Sorbitol		50-70-4			
Sorivudine		77181-69-2			
sotalol	Methanesulfonamide, N-[4-[1-hydroxy-2-[(1-methylethyl)amino]ethyl]phenyl]- [CAS]	3930-20-9 959-24-0		Antiarrhythmic	
Soterenol		13642-52-9			
Sozoiodolic Acid		554-71-2			
spargluric acid	L-Glutamic acid, N-(N-acetyl-L-Alpha-aspartyl)- [CAS]	3106-85-2 80619-64-3		Formulation, mucosal, topical	Conjunctivitis
sparfloxacin	3-Quinolonecarboxylic acid, 5-amino-1-cyclopropyl-7-(3,5-dimethyl-1-piperazinyl)-6,8-difluoro-1,4-dihydro-4-oxo-, cis- [CAS]	110871-86-8	EP 221463	Quinolone antibacterial	Infection, respiratory tract, general
Sparteine		90-39-1			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
SPA-S-843	Candicin D, 18-decarboxy-40-demethyl-3,7-dideoxo-N3'-((dimethylamino)acetyl)-18-(((2-(dimethylamino)ethyl)amino)carbonyl)-3,7-dihydroxy-N47-methyl-5-oxo cyclic 15, 19-hemiacetal, comp with L-ascorbic acid (1:2) [CAS]	202748-83-2	US 5298495	Antifungal	Infection, fungal, general
Spasmolytol		25333-96-4			
SPD-754	2(1H)-Pyrimidinone, 4-amino-1-(2-(hydroxymethyl)-1,3-oxathiolan-4-yl)- (2R-cis)-	160707-69-7	US 6228860	Antiviral, anti-HIV	Infection, HIV/AIDS
Spectinomycin		1695-77-8			
SPI-339	4-[3-(4-Oxo-4,5,6,7-tetrahydroindol-yl)propionylamino]benzoic acid ethyl ester			Cognition enhancer	Alzheimer's disease
Spiperone		749-02-0			
spirapril	1,4-Dithia-7-azaspiro[4.4]nonane-8-carboxylic acid, 7-[2-[1-(ethoxycarbonyl)-3-phenylpropylamino]-1-oxopropyl]-, [8S-[7(R*(R*)),8R*]]- [CAS]	83647-97-6	EP 50800	Antihypertensive, renin system	Hypertension, general
Spirogermanium		41992-23-8			
spironolactone	Pregn-4-ene-21-carboxylic acid, 7-(acetylthio)-17-hydroxy-3-oxo-Gamma-lactone.(7Alpha,17Alpha)- [CAS]	52-01-7	EP 124147	Formulation, dermal, topical	Acne
SR-121463	Benzamide, N-(1,1-dimethylethyl)-4-[[cis-5-ethoxy-4-[2-(4-morpholinylethoxy)-2-oxospiro[cyclohexane-1,3'-[3H]indol]-1'(2'H)-yl]sulfonyl]-3-methoxy- [CAS]	185913-78-4	WO 9715556	Cardiosimulant	Heart failure
SR-144190	Morpholine, 4-benzoyl-2-(3,4-difluorophenyl)-2-[2-[4-[[[(dimethylamino)carbonyl]amino]-4-phenyl]-1-piperidinyl]ethyl]-, (2R)- [CAS]	201152-86-5	WO 9623787	Anxiolytic	Anxiety, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
SR-146131	1H-indole-1-acetic acid, 2-[[[4-(4-chloro-2,5-dimethoxyphenyl)-5-(2-cyclohexylethyl)-2-thiazolyl]amino]carbonyl]-5,7-dimethyl-[CAS]	221671-61-0	WO 9915525	Anorectic/Antiobesity	Obesity
SR-271425	N-[1-[2-(diethylamino)ethylamino]-7-methoxy-9-oxo-9H-thioxanthene-4-ylmethyl]formamide			Anticancer, alkylating	Cancer, general
SR-27897	1H-indole-1-acetic acid, 2-[[[4-(2-chlorophenyl)-2-thiazolyl]amino]carbonyl]-[CAS]	136381-85-6	EP 432040	Anticancer, other	Cancer, pancreatic
SR-31747	Cyclohexanamine, N-(3-(3-chloro-4-cyclohexylphenyl)-2-propenyl)-N-ethyl-, hydrochloride, (Z)- [CAS]	132173-07-0	EP 376850	Anticancer, other	Cancer, myeloma
SR-58611	Acetic acid, [[(7S)-7-[[[(2R)-2-(3-chlorophenyl)-2-hydroxyethyl]amino]-5,6,7,8-tetrahydro-2-naphthalenyl]oxy]-ethyl ester, hydrochloride [CAS]	121524-09-2	EP 303546	GI inflammatory/bowel disorders	Irritable bowel syndrome
SS732	(R)-(-)-2-(2,4-difluorophenyl)-1-(ethylsulfonyl)-1,1-difluoro-3-(1H-1,2,4-triazol-1-yl)-2-propanol		US 5385900	Formulation, mucosal, topical	Infection, ocular
SS-750	Propanamide, N, N'(dithiodi-2,1-ethanedyl)bis(3-amino)- [CAS]	646-08-2	US 6083968	Antifungal	Infection, fungal, general
β-alethine	(2S,4R)-1-[5-chloro-1-[(2,4-dimethoxyphenyl)sulfonyl]-3-(2-methoxyphenyl)-2-oxo-2,3-dihydro-1H-indol-3-yl]-4-hydroxy-N,N-dimethyl-2-pyrrolidine carboxamide			Anticancer, immunological	Cancer, myeloma
SSR-149415	2-(7-chloro-5-methyl-4-oxo-3-phenyl-4,5-dihydro-3H-pyridazin-4,5,6-indol-1-yl)-N,N-dimethylacetamide		WO 0155130	Antidepressant	Depression, general
SSR-180575				Neuroprotective	Unspecified

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
SSR-181507	(3-Exo)-8-benzoyl-N-[[2(S)-7-chloro-2,3-dihydro-1,4-benzodioxin-2-yl]methyl]-8-azabicyclo[3.2.1]octane-3-methanamine HCl		US 6221879	Neuroleptic	Schizophrenia
SSR-591813	(5aS,8S,10aR)-5a,6,9,10-tetrahydro, 7H,11H-8,10a-methanopyrido[2',3':5,6]pyrano[2,3-d]azepine			Dependence treatment	Addiction, nicotine
SST-101	D-Glucitol, 1,4:3,6-dianhydro-, dinitrate [CAS]	87-33-2		Formulation, transdermal, other	Angina, general
SSY-726	(-)-(R)-3-Methyl-3-(methylsulfonyl)-1-(1,2,4-triazol-1-yl)-2-[4-(trifluoromethyl)phenyl]-2-butanol		US 5147886	Antifungal	Infection, fungal, general
ST-200	1-Propanaminium, 2-(acetyloxy)-3-carboxy N,N,N-trimethyl-, chloride, (R)- [CAS]	5080-50-2	DE 3015635	Cognition enhancer	Dementia, senile, general
stachylin			WO 9711947	Antiviral, other	Infection, influenza virus
Stallimycin		636-47-5			
Stampidine			US 6350736	Antiviral, anti-HIV	Infection, HIV/AIDS
Stannous		15578-26-4			
Pyrophosphate	(OC-6-13)-Dihydrogen dichloro[7,12-diethyl-3,8,13,17-tetramethyl-21H,23H-porphine-2,18-dipropionate(4-)-N21,N22,N23,N24]stannate(2-)	106344-20-1		Hepatoprotective	Hyperbilirubinaemia
stannosporfin					
Stanolone		521-18-6			
Stanozolol		10418-03-8 (2'H form); 302-96-5 (1'H form)			
Staph aureus ther			US 6376652	Genomics-based drug discovery	Infection, MRSA
STAT4 inhibitors			WO 9629341	Immunosuppressant	Unspecified

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
stavudine	Thymidine, 2',3'-dideoxy-3'-deoxy- [CAS]	3056-17-5	EP 501511	Antiviral, anti-HIV	Infection, HIV/AIDS
Stenbolone		5197-58-0			
streptonin	Glycine, N-[1-oxo-2-[(2-thienylcarbonyl)thio]propyl]- [CAS]	72324-18-6	US 4242354	Antitussive	Cough
Stibocaptate		27279-76-1			
Stibophen		15489-16-4			
Stilbamidine		122-06-5			
stiripentol	1-Penten-3-ol, 1-[(1,3-benzodioxol-5-yl)-4,4-dimethyl- [CAS]	49763-96-4		Antiepileptic	Epilepsy, general
Streptodornase		37340-82-2			
Streptomycin		57-92-1			
Streptonicozid		5667-71-0			
Streptonigrin		3930-19-6			
Streptozocin		18883-66-4			
strontium ranelate	3-Thiopheneacetic acid, 5-[bis(carboxymethyl)amino]-2-carboxy-4-cyano-, strontium salt (1:2)- [CAS]	135459-87-9	EP 415850	Osteoporosis treatment	Osteoporosis
strontium-89 chloride	Strontium chloride (89SrCl2) [CAS]	38270-90-5		Analgesic, other	Pain, cancer
Succimer		304-55-2			
Succinimide		123-56-8			
Succinylcholine		55-94-7			
Succinylcholine		71-27-2			
Succinylsulfathiazole		116-43-8			
Succisulfone		5934-14-5			
Suclofenide		30279-49-3			
sucralate	Aluminium, hexadeca-μ-hydroxytetraacosahydroxy(μ8-(1,3,4,6-tetra-O-sulfo-β-D-fructofuranosyl-Alpha-D-glucopyranoside tetrakis(hydrogen sulfato)(8-)))hexadeca- [CAS]	54182-58-0	JP 58208233	Antulcer, Formulation, oral, other	Ulcer, general
sulentanil	Propanamide, N-[4-(methoxymethyl)-1-[2-(2-thienyl)ethyl]-4-piperidinyl]-N-phenyl- [CAS]	56030-54-7	US 3998834	Analgesic, other, formulation implant	Pain, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
sulbactam	4-Thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid, 3,3-dimethyl-7-oxo-, 4,4-dioxide, (2S-cis)- [CAS]	68373-14-8	GB 2000138	Antibiotic, other	Infection, general
sulbactam + ampicillin		117060-71-6	US 4234579	Antibiotic, other	Infection, general
	4-Thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid, 3,3-dimethyl-7-oxo-6-[[phenylsulfoacetyl]amino]-, [2S-[2 α pha,5 α pha,6 β s(S*)]]- [CAS]	28002-18-8 41744-40-5			
Sulbentine		350-12-9			
	Propanoic acid, 2-methyl-, dithiobis[3-[1-[[[(4-amino-2-methyl-5-pyrimidinyl)methyl]formylamino]ethylidene]-3,1-propanediyl] ester [CAS]	3286-46-2 67-16-3		Neurological	Unspecified
sulbutamine					
sulconazole	1H-imidazole, 1-[2-[[[(4-chlorophenyl)methyl]thio]-2-(2,4-dichlorophenyl)ethyl]-, (+/-)- [CAS]	61318-90-9 61318-91-0	US 4055652	Antifungal	Infection, fungal, general
Sulesomab		167747-19-5			
Sulfabenzamide		127-71-9			
Sulfacetamide		144-80-9			
Sulfachlorpyridazine		80-32-0			
Sulfachrysoidine		485-41-6			
Sulfacytine		17784-12-2			
Sulfadiazine		68-35-9			
Sulfadiazine		115-68-4			
Sulfadimethoxine		122-11-2			
Sulfadoxine		2447-57-6			
Sulfaethidole		94-19-9			
Sulfaguanidine		57-67-0			
Sulfaguanole		27031-08-9			
Sulfalene		152-47-6			
Sulfaloxic Acid		14376-16-0			
Sulfamerazine		127-79-7			
Sulfameter		651-06-9			
Sulfamethazine		57-68-1			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Sulfamethizole		144-82-1			
Sulfamethomidine		3772-76-7			
Sulfamethoxazole		723-46-6			
Sulfamethoxypyridazine		80-35-3			
Sulfametrole		32909-92-5			
Sulfamidochrysoidine		103-12-8			
Sulfamoxole		729-99-7			
Sulfanilamide		63-74-1			
Sulfanilic Acid		121-57-3			
Sulfanilylurea		547-44-4			
Sulfaperine		599-88-2			
Sulfaphenazole		526-08-9			
Sulfaproxyline		116-42-7			
Sulfapyrazine		116-44-9			
Sulfapyridine		144-83-2			
Sulfarside		1134-98-1			
Sulfarsphenamine		618-82-6			
sulfasalazine	Benzoic acid, 2-hydroxy-5-[[4-[(2-pyridinylamino)sulfonyl]phenyl]azo]- [CAS]	599-79-1		Formulation, oral, enteric-coated	Arthritis, rheumatoid
Sulfasomizole		632-00-8			
Sulfasymazine		1984-94-7			
Sulfathiazole		72-14-0			
Sulfathiourea		515-49-1			
Sulfinalol		66264-77-5			
Sulfipyrazone		57-96-5			
Sulfiram		95-05-6			
Sulfisomidine		515-64-0			
Sulfisoxazole		127-69-5			
Sulfobromophthalein		71-67-0			
Sulfonethylnethane		76-20-0			
Sulfoniazide		3691-81-4			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Sulfonmethane		115-24-2			
Sulforidazine		14759-06-9			
Sulfoxone		144-75-2			
sulindac	cis-5-fluoro-2-methyl-1-[(p-methylsulfinyl)benzylidene]indene-3-acetic acid	38194-50-2	US 3725548	Anti-inflammatory	Inflammation, general
Sulisatin		54935-03-4			
Sulisobenzone		4065-45-6			
Sulmarin		29334-07-4			
Sulmazole		73384-60-8			
Suloctidil		54063-56-8			
Sulphan Blue		129-17-9			
sulpiride	Benzamide, 5-(aminosulfonyl)-N-[(1-ethyl-2-pyrrolidinyl)methyl]-2-methoxy-[CAS]	15676-16-1		Alimentary/Metabolic, other	
sulprostone	5-Heptenamide, 7-[3-hydroxy-2-(3-hydroxy-4-phenoxy-1-butenyl)-5-oxocyclopentyl]-N-(methylsulfonyl)-, [1R-[1Alpha(Z),2R(1E,3R*),3Alpha]]- [CAS]	60325-46-4	US 4024179	Prostaglandin	Abortion
sultamicillin	4-Thia-1-azabicyclo(3.2.0)heptane-2-carboxylic acid, 6-((aminophenylacetyl)amino)-3,3-dimethyl-7-oxo-, (((3,3-dimethyl-7-oxo-4-thia-1-azabicyclo(3.2.0)hept-2-yl)carbonyl)oxy)methyl ester, S, S-dioxide, (2S-(2 alpha (2R*,5S*),5.alpha.,6.beta.(S*))-[CAS]	117060-71-6 76497-13-7	GB 2044255	Penicillin, oral	Infection, general
Sulthiame		61-56-3			
sultopride	Benzamide, N-[(1-ethyl-2-pyrrolidinyl)methyl]-5-(ethylsulfonyl)-2-methoxy-[CAS]	53583-79-2	FR M5916	Neuroleptic	Psychosis, general
Sultosilic Acid		57775-26-5			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
sumanirole	4H-Imidazo[4,5,1-i]quinolin-2(1H)-one, 5,6-dihydro-5-(methylamino)-, (5R)-, (2Z)-2-butanedioate (1:1) [CAS]	179386-44-8	WO 9514020	Antiparkinsonian	Parkinson's disease
sumatriptan	1H-Indole-5-methanesulfonamide, 3-[2-(dimethylamino)ethyl]-N-methyl-, butanedioate (1:1)- [CAS]	103628-46-2 103628-48-4	EP 147107	Antimigraine	Migraine
SUN-N8075	1-(4-amino-2,3,5-trimethylphenoxy)-3-{4-[4-(4-fluorobenzyl)phenyl]piperazin-1-yl}propan-2(s)-ol dimethanesulfonate			Neuroprotective	Infarction, cerebral
suplatast	Sulfonium, [3-[[4-(3-ethoxy-2-hydroxypropoxy)phenyl]amino]-3-oxopropyl]dimethyl-, [CAS]	94055-76-2	JP 59167564	Antiasthma	Asthma
Suprofen		40828-46-4			
Suramin		129-46-4			
surfactant TA	Beractant [CAS]	108778-82-1	WO 9117766	Lung Surfactant	Respiratory distress syndrome, general
Suriclone		53813-83-5			
Suxibuzone		27470-51-5			
SYM-1010			US 5830998	Antiepileptic	Epilepsy, general
SYM-2081	L-Glutamic acid, 4-methyl-, (4R)- [CAS]	31137-74-3		Analgesic, other	Pain, general
SYM-2207	4-(Aminophenyl)-1-methyl-6,7-(methylenedioxy)-N-butyl-1,2-dihydrophthalazine-2-carboxamide			Neuroprotective	Ischaemia, cerebral
Symclosene		87-90-1			
Syn-1253	1-cyclopropyl-6-fluoro-8-methoxy-7-[3-(4-methyl-1,2,3-triazol-1-yl)pyrrolidin-1-yl]-4-oxo-1,4-dihydroquinoline 3-carboxylic acid			Quinolone antibacterial	Infection, peritoneum
Syn-2190	1-Azetidinesulfonic acid, 3-[[[(2E)-[[[1,4-dihydro-1,5-dihydroxy-4-oxo-2-pyridinyl)methoxy]imino]-2-thienylacetyl]amino]-2-methyl-4-oxo, (2S,3S)- [CAS]	214963-75-4	WO 9847895	Antibacterial, other	Infection, general

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Syn-2869	3H-1,2,4-Triazol-3-one, 4-(4-((1R,2R)-2-(2,4-difluorophenyl)-2-hydroxy-1-methyl-3-(1H-1,2,4-triazol-1-yl)propyl)-1-piperazinyl)phenyl)-2,4-dihydro-2((4-(trifluoromethoxy)phenyl)methyl)- [CAS]	210562-98-4	US 6153616	Antifungal	Infection, Aspergillus
Synephrine		94-07-5			
Syrosingopine		84-36-6			
T-1095	1-Propanone, 3-(5-benzofuran-1-yl)-2-hydroxy-6-((6-O-methoxycarbonyl)-β-D-glucopyranosyl)oxy)-4-methylphenyl- [CAS]	209746-59-8	EP 850948	Antidiabetic	Diabetes, general
T-1249	L-Phenylalaninamide, N-acetyl-L-tryptophyl-L-glutamyl-L-Alpha-glutamyl-L-tryptophyl-L-Alpha-glutamyl-L-glutamyl-L-lysyl-L-isoleucyl-L-threonyl-L-alanyl-L-leucyl-L-leucyl-L-Alpha-glutamyl-L-glutamyl-L-alanyl-L-glutamyl-L-isoleucyl-L-glutamyl-L-glutamyl-L-Alpha-glutamyl-L-lysyl-L-Alpha-glutamyl-asparagyl-L-tyrosyl-L-Alpha-glutamyl-L-leucyl-L-glutamyl-L-lysyl-L-leucyl-L-Alpha-aspartyl-L-lysyl-L-tryptophyl-L-ananyl-L-seryl-L-leucyl-L-tryptophyl-L-Alpha-glutamyl-L-tryptophyl- [CAS]	251562-00-2	WO 9959615	Antiviral, anti-HIV	Infection, HIV/AIDS
T-3912	1-cyclopropyl-8-methyl-7-[5-methyl-6-(methylamino)-3-pyridinyl]-4-oxo-1,4-dihydro-3-quinolinecarboxylic acid			Quinolone antibacterial	Infection, dermatological
T-588	Benzo(b)thiophene-5-methanol, Alpha-(2-(diethylamino)ethoxy)methyl-, hydrochloride, (R)- [CAS]	142935-03-3	EP 565965	Cognition enhancer	Alzheimer's disease
T-67	Benzenesulfonamide, 2,3,4,5,6-pentafluoro-N-(3-fluoro-4-methoxyphenyl)- [CAS]	195533-53-0		Anticancer, other	Cancer, liver
T-82			US 5190951	Cognition enhancer	Alzheimer's disease

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
TA-2005	2-(1H)-Quinolone, 8-hydroxy-5-[1-hydroxy-2-[[2-(4-methoxyphenyl)-1-methylethyl]amino]ethyl]-, monohydrochloride, [R-(R*,R*)], [CAS]	137888-11-0	US 4579854	Antiasthma	Asthma
TA-2005	2-(1H)-Quinolone, 8-hydroxy-5-[1-hydroxy-2-[[2-(4-methoxyphenyl)-1-methylethyl]amino]ethyl]-, monohydrochloride, [R-(R*,R*)], [CAS]		WO 189480	Formulation, inhalable, solution	Asthma
TA-993	1,5-Benzothiazepin-4(5H)-one, 3-(acetyloxy)-5-[2-(dimethylamino)ethyl]-2,3-dihydro-8-methyl-2-(4-methylphenyl)-, (2R,3R)-rel(-)-, (2Z)-2-butenedioate [CAS]	122024-98-0	JP 01045376	Antithrombotic	Peripheral vascular disease
tabimorelin	(R)-Alpha-[(E)-5-Amino-N,5-dimethyl-2-hexenamido]-N-methyl-N-[(R)-Alpha-(methylcarbamoyl)phenethyl]-2-naphthalenepropionamide	170851-70-4 193079-69-5		Releasing hormones	Growth hormone deficiency
tacalcitol	9,10-Secosterolesta-5,7,10(19)-triene-1,3,24-triol, (1Alpha,3B,5Z,7E,24R), [CAS]	57333-96-7 93129-94-3	EP 129003	Antipsoriasis	Keratosis
tacedinaline	Benzamide, 4-(acetylamino)-N-(2-aminophenyl)- [CAS]	112522-64-2	DE 3613571	Anticancer, other	Cancer, pancreatic
tacrine	9-Acridinamine, 1,2,3,4-tetrahydro- [CAS]	1684-40-8 321-64-2	EP 332147	Cognition enhancer	Alzheimer's disease
Tacrolimus		104987-11-3			
tadalafil	Pyrazino(1',2':1,6)pyrido(3,4-b)indole 1,4-dione, 6-(1,3-benzodioxol-5-yl)-2,3,6,7,12,12a-hexahydro-2-methyl-, (6R-trans) [CAS]	171596-29-5	US 6143746	Male sexual dysfunction	Impotence
tafenoquine	1,4-Pentanediamine, N4-[2,6-dimethoxy-4-methyl-5-[3-(trifluoromethyl)phenoxy]-8-quinolinyl]- [CAS]	106635-80-7 106635-81-8 80065-55-0	US 4617394	Antimalarial	Infection, malaria
tafluposide	(S)-N-[2-(1,6,7,8-Tetrahydro-2H-indeno-[5,4-b]furan-8-yl)]propionamide	179067-42-6	WO 9612727	Anticancer, other	Cancer, general
TAK-375				Hypnotic/Sedative	Insomnia

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
TAK-427	2-[(6-[3-[4-(Diphenylmethoxy)-piperidin-1-yl]-2-pyridazin-2-yl]-2-methylpropionic acid dihydrate			Antipruritic/inflamm, allergic	Eczema, atopic
TAK-559	(E)-4-[4-[5-Methyl-2-phenyl-1,3-oxazol-4-yl)methoxy]benzoylimino]-4-phenylbutyric acid			Antidiabetic	Diabetes, general
Taka-Diastase		9001-19-8			
talampanel	7H-1,3-Dioxolo[4,5-h][2,3]benzodiazepine, 7-acetyl-5-(4-aminophenyl)-8,9-dihydro-8-methyl-, (8R)- [CAS]	161832-65-1	US 5639751	Antiepileptic	Epilepsy, general
Talampicillin		47747-56-8			
talaporfin	N-[(2S,3S)-18-Carboxy-2-(2-carboxy-ethyl)-13-ethyl-2,3-dihydro-3,7,12,17-tetramethyl-8-vinyl porphyrin-20-yl)acetyl]-L-aspartic acid	220201-34-3		Radio/chemosensitizer	Cancer, lung, general
Talastine		16188-61-7			
Talbutal		115-44-6			
Talinolol		57460-41-0			
talipexole	4H-Thiazolo[4,5-d]azepin-2-amine, 5,6,7,8-tetrahydro-6-(2-propenyl)- [CAS]	101626-70-4 36085-73-1	DE 3503963	Antiparkinsonian	Schizophrenia
talnetant	4-Quinolincarboxamide, 3-hydroxy-2-phenyl-N-[(1S)-1-phenylpropyl]- [CAS]	174636-32-9	WO 9532948	GI inflammatory/bowel disorders	Irritable bowel syndrome
talniflumate	3-Pyridinecarboxylic acid, 2-[[3-(trifluoromethyl)phenyl]amino]-, 1,3-dihydro-3-oxo-1-isobenzofuran-1-yl ester [CAS]	66898-62-2	BE 858864	Anti-inflammatory	Inflammation, ocular
talitrelin	L-Prolinamide, N-[(hexahydro-1-methyl-2,6-dioxo-4-pyrimidinyl)carbonyl]-L-histidyl-, (S)- [CAS]	103300-74-9	JP 61033197	Neurological	Dyskinesia, general
tamoxifen	Ethanamine, 2-[4-(1,2-diphenyl-1-butenyl)phenoxy]-N,N-dimethyl-, (Z)- [CAS]	10540-29-1	US 4536516	Anticancer, hormonal	

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
tamsulosin	Benzenesulfonamide, 5-[2-[(2-(2-ethoxyphenoxy)ethyl)amino]propyl]-2-methoxy-, (R)- [CAS]	106133-20-4 80223-99-0	EP 34432	Prostate disorders	Benign prostatic hyperplasia
lansopirone	4,7-Methano-1H-isindole-1,3(2H)-dione, hexahydro-2-[4-(4-(2-pyrimidinyl)-1-piperazinyl)butyl]-, (3aAlpha,4b,7b,7aAlpha)-, 2-hydroxy- [CAS]	112457-95-1 87760-53-0	EP 82402	Anxiolytic	Anxiety, general
Tannoform	1,2,3-propanetricarboxylate (1:1) [CAS]	9010-29-1			
Taprostene	3-Quinolonecarboxamide, N-[2-[[[4-[2-(3,4-dihydro-6,7-dimethoxy-2(1H)-isoquinolinyl)ethyl]phenyl]amino]carbonyl]-4,5-dimethoxyphenyl]- [CAS]	108945-35-3			
tariquidar	6-[[2-(Dimethyl-amino)ethyl]amino]-3-hydroxy-7H-indeno[2,1-c]quinolin-7-one dihydrochloride	206873-63-4	WO 9817648	Radio/chemosensitizer	Cancer, lung, non-small cell
TAS-103		174634-09-4	WO 9532187	Anticancer, other	Cancer, lung, non-small cell
Tasosartan		145733-36-4			
Taurocholic Acid		81-24-3			
Taurolidine		19388-87-5			
tazarolast	Acetic acid, oxo[[3-(1H-tetrazol-5-yl)phenyl]amino]-, butyl ester [CAS]	82989-25-1	US 4778816	Antiasthma	
tazarotene	3-Pyridinecarboxylic acid, 6-[(3,4-dihydro-4,4-dimethyl-2H-1-benzothiofuran-6-yl)ethynyl]-, ethyl ester [CAS]	118292-40-3	EP 284288	Antipsoriasis	Psoriasis
Tazobactam		89786-04-9			
tazobactam + piperacillin			JP 58225091	Antibiotic, other	Infection, general
TBC-3711		374680-51-0		Cardiovascular	Heart failure
TCH-346	N-Methyl-N-propargyl-10-aminomethyl-dibenzo(b,f)oxepin			Neuroprotective	Amyotrophic lateral sclerosis
tebipenem	5-Hexenoic acid, 4-hydroxy-, polymer with 4-ethenyl-1H-imidazole [CAS]	82200-24-6		Beta-lactam antibiotic	Infection, streptococcal

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
tecadenoson	Adenosine, N-[(3R)-tetrahydro-3-furanyl]- [CAS]	204512-90-3	WO 9808855	Antiarrhythmic	Tachycardia, supraventricular
tecstemizole	1H-Benzimidazol-2-amine, 1-[(4-fluorophenyl)methyl]-N-4-piperidinyl- [CAS]	75970-99-9	US 4219559	Antiallergic, non-asthma	Rhinitis, allergic, seasonal
Technetium ^{99m}Tc		121281-41-2			
Bicisate					
Technetium ^{99m}Tc		125224-05-7; 104348-91-6			
Mertiatide		109581-73-9			
Technetium ^{99m}Tc					
Sestamibi					
Technetium ^{99m}Tc		104716-22-5			
Teboroxime					
Teclothiazide		4267-5-4			
Teclozan		5560-78-1			
tedisamil	Spiro[cyclopentane-1,9'- [3,7]diazabicyclo[3.3.1]nonane], 3',7'- bis(cyclopropylmethyl)- [CAS]	90961-53-8	EP 102833	Antiarrhythmic	Fibrillation, atrial
Teflurane		124-72-1			
tegafur	2,4(1H,3H)-Pyrimidinedione, 5-fluoro-1- (tetrahydro-2-furanyl)- [CAS]	17902-23-7	GB 1168391	Anticancer, antimetabolite	Cancer, general
tegafur + uracil	2,4(1H,3H)-Pyrimidinedione, 5-fluoro-1- (tetrahydro-2-furanyl)-, mixt. with 2,4(1H,3H)-pyrimidinedione- [CAS]	74578-38-4	EP 224885	Anticancer, antimetabolite	Cancer, breast
tegaserod	Hydrazinecarboximidamide, 2-[(5-methoxy- 1H-indol-3-yl)methylene]-N-pentyl-, (Z)-2- butenedioate [CAS]	189188-57-6 145158-71-0		GI inflammatory/bowel disorders	Irritable bowel syndrome
Teicoplanin		61036-64-4			
telbivudine	β-L-2'-deoxythymidine	3424-98-4		Antiviral, other	Infection, hepatitis-B virus
Telenzepine		80880-90-6			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
telithromycin	3-De[(2,6-dideoxy-3-C-methyl-3-O-methyl- Alpha-L-ribo-hexopyranosyl)oxy]-11,12- dideoxy-6-O-methyl-3-oxo-12,11- (oxycarbonyl)-[(4-(4-(3-pyridinyl)-1H- imidazol-1-yl)butyl)imino]- [CAS]	191114-48-4	EP 680967	Macrolide antibiotic	Infection, respiratory tract, general
telmestaine	3,4-Thiazolidinedicarboxylic acid, 3-ethyl ester, (R)- [CAS]	122946-43-4		COPD treatment	Bronchitis, chronic
telmisartan	(1,1'-Biphenyl)-2-carboxylic acid, 4'-[(1,4- dimethyl-2-propyl(2,6'-bi-1H- benzimidazol)-1'-yl)methyl]- [CAS]	144701-48-4	EP 502314	Antihypertensive, renin system	Hypertension, general
telomerase inhibs			WO 9941261	Anticancer, other	Cancer, general
temazepam	7-chloro-1,3-dihydro-3-hydroxy-1-methyl-5- phenyl-2H-1,4-benzodiazepin-2-one	846-50-4	US 3197467	Hypnotic/Sedative	Insomnia
temiverine	Benzeneacetic acid, Alpha-cyclohexyl- Alpha-hydroxy-, 4-(diethylamino)-1,1- dimethyl-2-butanyl ester, [CAS]	129927-33-9	GB 2222828	Urological	Pollakisuria
temocapril	1,4-Thiazepine-4(5H)-acetic acid, 6-[[1- (ethoxycarbonyl)-3- phenylpropyl]amino]tetrahydro-5-oxo-2-(2- thienyl)-, [2S-[2Alpha,6B(R')]]- [CAS]	102090-90-4 110221-44-8 111902-57-9	US 4495188	Antihypertensive, renin system	Hypertension, general
Temocillin		66148-78-5			
temoporfin	Phenol, 3,3',3''-(2,3-dihydro-21H,23H- porphine-5,10,15,20-tetrayl)tetrakis- [CAS]	122341-38-2	EP 337601	Radio/chemosensitizer	Cancer, head and neck
temozolomide	Imidazo[5,1-d]-1,2,3,5-tetrazine-8- carboxamide, 3,4-dihydro-3-methyl-4-oxo- [CAS]	85622-93-1	DE 3231255	Anticancer, alkylating	Cancer, brain, general
tenatoprazole	1H-Imidazo[4,5-b]pyridine, 5-methoxy-2- (((4-methoxy-3,5-dimethyl-2- pyridinyl)methyl)sulfinyl)- [CAS]	113712-98-4	US 4808596	Antilulcer	Ulcer, gastric
Tenecteplase		191588-94-0			
Tenidap		120210-48-2			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
teniposide	Furo[3':4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-9-[[4,6-O-(2-thienylmethylene)-β-D-glucopyranosyl]oxy]], [5R-[5A]5aβ,8aA]α,9β(R'*)], [CAS] 29767-20-2	US 3524844	Anticancer, other		Cancer, lymphoma, non-Hodgkin's
tenofovir	Phosphonic acid, (((1R)-2-(6-amino-9H-purin-9-yl)-1-methylethoxy)methyl)-, [CAS] 147127-20-6		Antiviral, anti-HIV		Infection, HIV/AIDS
tenofovir disoproxil	2,4,6,8-tetraoxa-5-phosphanonanediolic acid, 5-(2-(6-amino-9H-purin-9-yl)-1-methylethoxymethyl) bis(1-methylethyl)ester, 5-oxide (R)-, (E)-2-butenedioate	202138-50-9	Antiviral, anti-HIV		Infection, HIV/AIDS
Tenonitroazole	2H-Thieno[2,3-e]-1,2-thiazine-3-carboxamide, 4-hydroxy-2-methyl-N-2-pyridinyl-, 1,1-dioxide [CAS]	3810-35-3			
tenoxicam	pyridinyl-, 1,1-dioxide [CAS]	59804-37-4	GB 1519811	Antiarthritic, other	
Tenuazonic Acid	5,9,13,17-Nonadecatetraen-2-one, 6,10,14,18-tetramethyl-, [CAS]	610-88-8			
teprenone	6,10,14,18-tetramethyl-, [CAS]	3798-63-2 6809-52-5		Antitumor	
terazosin	Piperazine, 1-(4-amino-6,7-dimethoxy-2-quinazolinyl)-4-[(tetrahydro-2-furanyl)carbonyl]-, [CAS]	63074-08-8 63590-84-7 70024-40-7	US 4112097	Antihypertensive, adrenergic	Hypertension, general
terbinafine	1-Naphthalenemethanamine, N-(6,6-dimethyl-2-hepten-4-ynyl)-N-methyl-, (E)-, [CAS]	78628-80-5 91161-71-6	EP 24587	Antifungal	Infection, dermatological
terbutaline	1,3-Benzenediol, 5-[2-[(1,1-dimethylethyl)amino]-1-hydroxyethyl]-, [CAS]	23031-25-6		Formulation, mucosal, topical	Dysmenorrhoea
terconazole	Piperazine, 1-[4-[[2-(2,4-dichlorophenyl)-2-(1H-1,2,4-triazol-1-ylmethyl)-1,3-dioxolan-4-yl]methoxy]phenyl]-4-(1-methylethyl)-, cis-, [CAS]	67915-31-5	US 4358449	Antifungal	Vaginitis

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
terfenadine	1-Piperidinebutanol, Alpha-[4-(1,1-dimethylethyl)phenyl]-4-(hydroxydiphenylmethyl)- [CAS]	50679-08-8	US 3878217	Antiallergic, non-asthma	
terguride	Urea, N,N-diethyl-N'-(8Alpha)-6-methylergolin-8-yl]- [CAS]	37686-84-3	EP 159522	Antiprolactin	Hyperprolactinaemia
Teripressin		14636-12-5			
Terodiline		15793-40-5			
Terofenamate		29098-15-5			
Terpin		80-53-5			
	2-Propanol, 1-[(3,4-dihydro-2H-1-benzothiopyran-8-yl)oxy]-3-[(1,1-dimethylethyl)amino]-, hydrochloride, (+)- [CAS]	33580-30-2 83688-84-0 34784-64-0	GB 1308191	Antihypertensive, adrenergic	Hypertension, general
tert-Pentyl Alcohol		75-85-4			
	(2S)-2-ethoxy-3-[4-[2-[4-[(methylsulfonyloxy]phenyl]ethoxy]phenyl]propanoic acid			Antidiabetic	Diabetes, Type II
tesaglitazar	Ethanamine, N,N-Diethyl-2-(4-(phenylmethyl)phenoxy)- [CAS]	92981-78-7		Radio/chemosensitizer	Cancer, breast
tesmilifene		968-93-4			
Testolactone		58-22-0 5949-44-0		Formulation, transdermal, systemic	Hormone replacement therapy
Testosterone	androst-4-en-3-one, 17-hydroxy-, (17β) - [CAS]			Anxiolytic	Addiction, alcohol
tetrabamate		60763-47-5	DE 2748794		
Tetrabarbital		76-23-3			
Tetrabenazine		58-46-8			
Tetracaine		136-47-0			
Tetrachloroethylene		127-18-4			
tetracine	Benzoic acid, 4-(butylamino)-, 2-(dimethylamino)ethyl ester [CAS]	94-24-6		Formulation, transdermal, systemic	Pain, general
	2-Naphthaceneboxamide, 4-(dimethylamino)-1,4,4a,5,5a,6,11,12a-octahydro-3,6,10,12,12a-pentahydroxy-6-methyl-1,11-dioxo-, [4S-(4Alpha,4aAlpha,5aAlpha,6β,12aAlpha)]-[CAS]	60-54-8		Formulation, oral, other	Infection, oral
tetracycline					

Tabl IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Tetrahydrozoline		84-22-0			
Tetrandrine		518-34-3			
T trantoin		52094-70-9			
Tetrazepam		10379-14-3			
Tetrofosmin		127502-06-1			
tezoxoprim	2,4-Pyrimidinediamine, 5-[3,5-dimethoxy-4-(2-methoxyethoxy)phenyl]methyl]-[CAS]	53808-87-0 74515-38-1	US 3992379	Trimethoprim and analogues	Infection, general
Tevenel®		4302-95-8			
tezacitabine	Cytidine, 2'-deoxy-2'-(fluoromethylene)-, (2E)- [CAS]	130306-02-4	US 5616702	Anticancer, antimetabolite	Cancer, colorectal
	2-Pyridinesulfonamide, N-(6-(2-hydroxyethoxy)-5-(2-methoxyphenoxy)-2-(2-(1H-tetrazol-5-yl)-4-pyridinyl)-4-pyrimidinyl)-5-(1-methylethyl)- [CAS]	180384-57-0		Cardiosimulant	Oedema, general
thalidomide	1H-Isindole-1,3(2H)-dione, 2-(2,5-dioxo-3-piperidinyl)- [CAS]	50-35-1		Dermatological	Infection, dermatological
Thenaldine		86-12-4			
Thenylidiamine		91-79-2			
Theobromine		83-67-0			
Theofibrate		54504-70-0 58-55-9			
theophylline	1H-Purine-2,6-dione, 3,7-dihydro-1,3-dimethyl-, [CAS]	5967-84-0		Formulation, modified-release, other	Asthma
Thiabendazole		148-79-8			
Thiacetazone		104-06-3			
	Carbamic acid, [4-(1-methylethyl)phenyl]-, (3aS,8aS)-3,3a,8,8a-tetrahydro-3a,8-dimethyl-2H-thieno[2,3-b]indol-5-yl ester [CAS]	145209-51-4		Cognition enhancer	Alzheimer's disease
thiacymserine					
Thialbarbital		467-36-7			
Thiamine		59-43-8			
Thiamine		154-87-0			
Thiamine		67-16-3			
Thiamiprine		5581-52-2			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Thiamphenicol		15318-45-3			
Thiamylal		77-27-0			
Thiazesim		5845-26-1			
Thiazinamium		58-34-4			
Thiazolinobutazone		54749-86-9			
Thiazolsulfone		473-30-3			
Thibenzazoline		6028-35-9			
Thiethylperazine		1420-55-9			
Thimerfonate		5964-24-9			
Thimerosal		54-64-8			
Thiobarbital		77-32-7			
Thiobutabarbital		2095-57-0			
Thiocarbamizine		91-71-4			
Thiocarbarsone		120-02-5			
Thiocolchicine		2730-71-4			
Thiocresol		26445-03-4			
Thioctic Acid		62-46-4			
Thioglycerol		96-27-5			
Thioguanine		154-42-7			
Thiomreg	L-Thietyrosinyl-glycyl-glycine			Anticancer, immunological	Cancer, general
Thiopental		71-73-8			
Thiopropazate		84-06-0			
Thiopropazine		316-81-4			
Thloridazine		50-52-2			
Thiothixene		5591-45-7			
Thiovir	Thiophosphonoformic acid			Antiviral, anti-HIV	Infection, HIV/AIDS
Thiphenamil		82-99-5			
Thiram		137-26-8			
Thonzylamine		63-56-9			
Thozalinone		655-05-0			
Thromboplastin		9035-58-9			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Thurfyl Nicotinate		70-19-9			
thymectacin			US 6245750	Anticancer, other	Cancer, colorectal
Thymol		89-83-8			
Thymopentin		69558-55-0			
Thymyl N-		578-20-1			
Isoamylcarbamate					
Thyropropic Acid		51-26-3			
Thyroxine		51-48-9			
Tiadenol		6964-20-1			
tiagabine	3-Piperidinecarboxylic acid, 1-[4-bis(3-methyl-2-thienyl)-3-butenyl]-, (R)- [CAS]	115103-54-3	WO 8700171	Antiepileptic	Epilepsy, general
Tiamenidine		31428-61-2			
tianeptine	Heptanoic acid, 7-[(3-chloro-6,11-dihydro-6-methylidibenzo[c,1]1,2thiazepin-11-yl)amino]-, S,S-dioxide [CAS]	72797-41-2 66981-73-5	GB 1269551	Antidepressant	Depression, general
tiapride	Benzamide, N-[2-(diethylamino)ethyl]-2-methoxy-5-(methylsulfonyl)- [CAS]	51012-32-9	GB 1394563	Neuroleptic	
tiaprofenic acid	2-Thiopheneacetic acid, 5-benzoyl- α -methyl- [CAS]	33005-95-7	GB 1331505	Antiarthritic, other	
Tiamide		32527-55-2			
tiatofurin	4-Thiazolecarboxamide, 2- β -D-ribofuranosyl- [CAS]	60084-10-8	EP 54432	Anticancer, antimetabolite	Cancer, leukaemia, chronic myelogenous
Tibezonium		54663-47-7			
tibolone	19-Norpregn-5(10)-en-20-yn-3-one, 17-hydroxy-7-methyl-, (7 α ,17 α)- [CAS]	5630-53-5	EP 389035	Menopausal disorders	Hormone replacement therapy
Ticarcillin		34787-01-4			
ticlopidine	Thieno[3,2-c]pyridine, 5-[(2-chlorophenyl)methyl]-4,5,6,7-tetrahydro- [CAS]	53885-35-1 55142-85-3	GB 1554424	Antithrombotic	
Ticrynafen		40180-04-9			
tiemonium	4-(3-hydroxy-3-phenyl-3-thien-2-yl-propyl)-4-methylmorpholinium	6252-92-2 144-12-7		Antispasmodic	

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
tigecycline	2-Naphthacene-carboxamide, 4,7-bis(dimethylamino)-9-[[[(1,1-dimethylethyl)amino]acetyl]amino]-1,4,4a,5,5a,6,11,12a-octahydro-3,10,12,12a-tetrahydroxy-1,11-dioxo-, (4S,4aS,5aR,12aS)-, [CAS]	220620-09-7	EP 582829	Tetracycline	Infection, general
Tigemonam		102507-71-1			
Tigloidine		495-83-0			
Tiildine		20380-58-9			
Tiisolol		85136-71-6			
tiimacoxib	Benzenesulfonamide, 4-(4-cyclohexyl-2-methyl-5-oxazolyl)-2-fluoro- [CAS]	180200-68-4	WO 9619463	Alimentary/Metabolic, other	Polyp
tiidronic acid	Phosphonic acid, [[(4-chlorophenyl)thio]methylene]bis- [CAS]	89987-06-4	EP 100718	Osteoporosis treatment	Paget's disease
Timentin		86482-18-0		Antibiotic, other	Infection, general
timepidium	Piperidinium, 3-(di-2-thenylmethylene)-5-methoxy-1,1-dimethyl-, [CAS]	35035-05-3	GB 1358446	Antispasmodic	
Timiperone		57648-21-2			
timolol	(-)-1-(1-butylamino)-3-[(4-morpholino-1,2,5-thiadiazol-3-yl)oxy]-2-propanolmaleate (1:1) salt	26839-75-8 26921-17-5	GB 1253709	Antihypertensive, adrenergic, antiglaucoma	
Timonacic		444-27-9			
Tin Ethyl Etiopurpurin		113471-15-1			
tinazoline	1H-Indole, 3-[(4,5-dihydro-1H-imidazol-2-yl)thio]- [CAS]	62882-99-9	US 3376311	Vasodilator, peripheral	
Tinidazole		19387-91-8			
Tinoridine		24237-54-5			
Tiocarlide		910-86-1			
Tiocfomarol		22619-35-8			
tiocorazole	1H-Imidazole, 1-[2-[(2-chloro-3-thienyl)methoxy]-2-(2,4-dichlorophenyl)ethyl]- [CAS]	61675-64-7 65899-73-2	US 4062966	Antifungal	Infection, fungal, general
tiopronin	Glycine, N-(2-mercapto-1-oxopropyl)- [CAS]	1953-02-2	US 3246025	Urological	Homocystinuria

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
tiotropium	3-Oxa-9-azoniatricyclo(3.3.1.0 ^{2,4})nonane, 7-(hydroxydi-2-thienylacetyl)oxy-9,9-dimethyl-, [CAS]	136310-93-5	EP 418716	COPD treatment	Chronic obstructive pulmonary disease
Tioxolone		4991-65-5			
Tipepidine		5169-78-8			
	2(1H)-Quinolone, 6-(amino(4-chlorophenyl)(1-methyl-1H-imidazol-5-yl)methyl)-4-(3-chlorophenyl)-1-methyl [CAS]	192185-68-5 192185-72-1	WO 9716443	Anticancer, other	Cancer, breast
tipifarnib	N-[3-[(1R)-[4-Hydroxy-2-oxo-6(R)-(2-phenylethyl)-6-propyl-5,6-dihydro-2H-pyran-3-yl]propyl]phenyl]-5-(trifluoromethyl)pyridine-2-sulfonamide	174484-41-4		Antiviral, anti-HIV	Infection, HIV/AIDS
tipranavir	2H-Quinolizinium, 3-(di-2-thienylmethylene)octahydro-5-methyl-, [CAS]	71731-58-3	US 4205074	Antispasmodic	
tiqizium	1,2,4-Benzotriazin-3-amine, 1,4-dioxide-, [CAS]	20028-80-2 27314-97-2 5424-06-6	DE 2204574	Radiochemosensitizer	Cancer, lung, non-small cell
Tiratricol		51-24-1			
	Pregna-1,4,9(11)-triene-3,20-dione, 21-[4-(2,6-di-1-pyrrolidinyl-4-pyrimidinyl)-1-piperazinyl]-16-methyl-, (16A)pta-, [CAS]	110101-65-0 110101-67-2 110101-66-1	WO 8701706	Neuroprotective	Haemorrhage, subarachnoid
tirolazad	L-Tyrosine, N-(butylsulfonyl)-O-[4-(4-piperidinyl)butyl]-, [CAS]	142373-60-2 144494-65-5	EP 478363	Antithrombotic	Infarction, myocardial
tirofiban					
	Benzenepropanamide, Alpha-(benzoylamino)-4-[2-(diethylamino)ethoxy]-N,N-dipropyl-, (+)-, [CAS]	55837-29-1 13825-74-6	DE 2503992	Antispasmodic	Muscle spasm, general
Titanium Sulfate					
	Pregn-4-ene-3,20-dione, 21-[(2,2-dimethyl-1-oxopropylthio)-11,17-dihydroxy-, (11B)-, [CAS]	55560-96-8 61951-99-3	GB 1475795	Antiallergic, non-asthma, mucosal, topical	Rhinitis, allergic, general
tiroxocortol					

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
tizanidine	2,1,3-Benzothiadiazol-4-amine, 5-chloro-N-(4,5-dihydro-1H-imidazo-2-yl)-[CAS]	51322-75-9	GB 1429926	Muscle relaxant	Spastic paralysis
TLK-199	Glycine, L-Gamma-glutamyl-S-(phenylmethyl)-L-cysteinyl-2-phenyl-, diethyl ester, (2R)- [CAS]	168682-53-9	US 5679643	Immunostimulant, other	Myelodysplastic syndrome
TLK-286	Glycine, L-Gamma-glutamyl-3-[[2-[[bis(2-chloroethyl)amino]phosphoryl]oxy]ethyl]sulfonyl]-L-alanyl-2-phenyl-, (2R)- [CAS]	158382-37-7	US 5545621	Anticancer, other	Cancer, ovarian
TNP-β analogue			RU 2035185	Anticancer, immunological	Cancer, general
TNP-470		129298-91-5			
TO-186	Pregna-1,4-diene-3,20-dione, 9-fluoro-11β,17,21-trihydroxy-16,βeta--methyl-, 17-butyrate 21-propionate [CAS]	5534-02-1		Antipruritic/inflamm, allergic	
tobramycin	O-3-amino-3-deoxy-Alpha-D-glucopyranosyl-(1,6)-O-(2,6-diamino-2,3,6-trideoxy-Alpha-D-ribo-hexopyranosyl)-(1-4)-2-deoxy- [CAS]	32986-56-4		Formulation, inhalable, topical	Infection, respiratory tract, general
tocainide	Propanamide, 2-amino-N-(2,6-dimethylphenyl)- [CAS]	41708-72-9	US 4218477	Antiarrhythmic	Fibrillation, ventricular
Tocamphyl		5634-42-4			
tocladesine	8-Chloroadenosine 3'5'-cyclic phosphate	41941-56-4		Anticancer, other	Cancer, colorectal
Tocoretinate		40516-48-1			
Todralazine		14679-73-3			
Tofenacin		15301-93-6			
tofamilast	5H-Pyrazolo[3,4-c]-1,2,4-triazolo[4,3-a]pyridine 9-cyclopentyl-7-ethyl-6,9-dihydro-3-(2-thienyl)-	185954-27-2		Antiasthma	Asthma
tofisopam	5H-2,3-Benzodiazepine, 1-(3,4-dimethoxyphenyl)-5-ethyl-7,8-dimethoxy-4-methyl-[CAS]	22345-47-7	GB 1334271	Anxiolytic	Anxiety, general
Tolazamid		1156-19-0			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Tolazolin		59-98-3			
Tolbutamide		64-77-7			
tolcapone	Methanone, (3,4-dihydroxy-5-nitrophenyl)(4-methylphenyl)- [CAS]	134308-13-7	EP 237929	Antiparkinsonian	Parkinson's disease
tolciclate	Carbamothioic acid, methyl(3-methylphenyl)-, O-(1,2,3,4-tetrahydro-1,4-methanonaphthalen-6-yl) ester [CAS]	50838-36-3	GB 1364407	Antifungal	Infection, dermatological
Tolcyclamide		664-95-9			
tolevamer	Benzenesulfonic acid, 4-ethenyl-, homopolymer,	28038-50-8		Antibacterial, other	Infection, Clostridium, general
tolfenamic acid	Benzoic acid, 2-[(3-chloro-2-methylphenyl)amino]- [CAS]	13710-19-5	DE 1543295	Anti-inflammatory	Inflammation, general
Tolindate		27877-51-6			
Toliprolol		2933-94-0			
Tolmetin		26171-23-3			
Tolnafate		2398-96-1			
Tolonidine		4201-22-3			
Tolonium		92-31-9			
toloxatone	2-Oxazolidinone, 5-(hydroxymethyl)-3-(3-methylphenyl)- [CAS]	29218-27-7	GB 1250538	Antidepressant	
Tolperisone		728-88-1			
Tolpropamine		5632-44-0			
Tolrestat		82964-04-3			
tolserine	Carbamic acid, (2-methylphenyl)-, (3aS,8aR)-1,2,3,3a,8,8a-hexahydro-1,3a,8-trimethylpyrrolo[2,3-b]indol-5-yl ester [CAS]	145209-30-9		Cognition enhancer	Alzheimer's disease
tolterodine	Phenol, 2-[3-(bis(1-methylethyl)amino)-1-phenylpropyl]-4-methyl-, (R)- [CAS]	124937-51-5	EP 325571	Urological	Incontinence
tolvaptan	Benzamide, N-[4-[(7-chloro-2,3,4,5-tetrahydro-5-hydroxy-1H-1-benzazepin-1-yl)carbonyl]-3-methylphenyl]-2-methyl- [CAS]	150683-30-0	EP 450097	Cardiovascular	Heart failure

Tabl IV

API G n ric Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Tolycaine	Beta-D-Fructopyranose, 2,3,4,5-bis-O-(1-methylethylidene)-, sulfamate [CAS]	3686-58-6 97240-79-4			
Topiramate			EP 533483	Antiepileptic	Epilepsy, generalized, tonic-clonic
topoisomerase inhibitors			US 5733880	Anticancer, other	Cancer, general
	1H-Pyrano[3',4':6,7]indolizino[1,2-b]quinoline-3,14(4H,12H)-dione, 9-[[dimethylamino)methyl]-4-ethyl-4,10-dihydroxy-, (S)- [CAS]				
topotecan		123948-87-8	EP 321122	Anticancer, other	Cancer, ovarian
torasemide	3-Pyridinesulfonamide, N-[[1-methylethyl)amino]carbonyl]-4-[(3-methylphenyl)amino]- [CAS]	56211-40-6	US 4018929	Antihypertensive, diuretic	Hypertension, general
torcetrapib	ethyl (2R,4S)-4-[[3,5-bis(trifluoromethyl)benzyl](methoxycarbonyl)amino]-2-ethyl-6-(trifluoromethyl)-3,4-dihydroquinoline-1(2H)-carboxylate	262352-17-0			
torcitabine	β-L-2'Deoxycytidine			Hypolipaeamic/Antiatherosclerosis	Atherosclerosis
torsemifene	Ethanamine, 2-[4-(4-chloro-1,2-diphenyl-1-butenyl)phenoxy]-N,N-dimethyl-, (Z)-[CAS]	89778-26-7 89778-27-8	EP 95875	Antiviral, other	Infection, hepatitis-B virus
Torseamide		56211-40-6		Anticancer, hormonal	Cancer, breast
Tositumomab		208921-02-2			
tosulfoxacin	1,8-Naphthyridine-3-carboxylic acid, 7-(3-amino-1-pyrrolidinyl)-1-(2,4-difluorophenyl)-6-fluoro-1,4-dihydro-4-oxo-, [CAS]	100490-36-6 115964-29-9	US 4704459	Quinolone antibacterial	Infection, urinary tract
tramadol	Cyclohexanol, 2-[(dimethylamino)methyl]-1-(3-methoxyphenyl)-, cis-(+/-)[CAS]	27203-92-5 36282-47-0		Analgesic, other	Pain, general
Tramazoline		1082-57-1			
	1H-Indole-2-carboxylic acid, 1-[2-[(1-carboxy-3-phenylpropyl)amino]-1-oxopropyl]octahydro-, [2S-[1[R*(R*)],2Alpha,3aAlpha,7aβ]- [CAS]	87679-71-8 87679-37-6 52-53-9	DE 3151690	Antihypertensive, renin system	Hypertension, general
trandolapril					

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
tranexamic acid	Cyclohexanecarboxylic acid, 4-(aminomethyl)-, trans- [CAS]	1197-18-8	US 3950405	Antifibrinolytic	Menstrual disorder, general
tranilast	Benzoic acid, 2-[[3-(3,4-dimethoxyphenyl)-1-oxo-2-propenyl]amino]- [CAS]	53902-12-8	US 3940422	Vulnerary	Wound healing
trans-retinoic acid	Retinoic acid [CAS]	302-79-4		Anticancer, other	Cancer, general
Tranlycypromine		155-09-9			
trapidil	[1,2,4]Triazolo[1,5-a]pyrimidin-7-amine, N,N-diethyl-5-methyl- [CAS]	15421-84-8	DD 55956	Vasodilator, coronary	
Trastuzumab		180288-69-1			
travoprost	5-Heptenoic acid, 7-(3,5-dihydroxy-2-(3-hydroxy-4-(3-(trifluoromethyl)phenoxy)-1-butenyl)cyclopentyl)-, 1-methylethylester (1R(1Alpha(Z),2R(1E,3R*),3Alpha,5Alpha) [CAS]	157283-68-6		Formulation, mucosal, topical	Glaucoma
Traxanox		58712-69-9			
traxoprodil	1-Piperidineethanol, 4-hydroxy-Alpha-(4-hydroxyphenyl)-[3-methyl-4-phenyl-, (AlphaS,BS)- [CAS]	134234-12-1 188591-67-5		Analgesic, other	Pain, general
trazodone	1,2,4-Triazolo[4,3-a]pyridin-3(2H)-one, 2-[3-[4-(3-chlorophenyl)-1-piperazinyl]propyl]- [CAS]	19794-93-5 25332-39-2	US 4215104	Antidepressant	
Tremacamra		155576-45-7			
Trenbolone		10161-33-8			
Trengestone		5192-84-7			
treosulfan	1,2,3,4-Butanetetrol, 1,4-dimethanesulfonate, [S-(R*,R*)]- [CAS]	299-75-2	WO 8401506	Anticancer, alkylating	
treprobutone	Benzenebutanoic acid, 2,4,5-triethoxy-Gamma-oxo- [CAS]	41826-92-0	GB 1387733	Antispasmodic	
treprostinol	Prosta-5,13-dien-1-oic acid, 6,9-epoxy-11,15-dihydroxy-, [5Z,9Alpha,11Alpha,13E,15S]- [CAS]	35121-78-9 61849-14-7	US 6054486	Formulation, parenteral, other	Hypertension, pulmonary
tretrinoic	Retinoic acid [CAS]	302-79-4		Formulation, dermal, topical	Acne

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
tretoquinol	6,7-Isoquinolinediol, 1,2,3,4-tetrahydro-1-[(3,4,5-trimethoxyphenyl)methyl]-, (S)- [CAS]	18559-59-6 30418-38-3 21650-42-0	ZA 6802416	Antiasthma	
TRH		24305-27-9			
TRI-50b	TRI 50b [CAS]	226214-49-9		Antithrombotic	Thrombosis, general
Triacetin		102-76-1			
Triamcinolone Acetonide		76-25-5			
Triamcinolone Benetonide		31002-79-6			
Triamcinolone Hexacetonide		5611-51-8			
triamcinolone	Pregna-1,4-diene-3,20-dione, 9-fluoro-11,21-dihydroxy-16,17-[(1-methylethylidene)bis(oxy)]-, (11 β ,16 α)- [CAS]	76-25-5 124-94-7		Formulation, inhalable, topical	Asthma
Triamterene		396-01-0			
triapine	Triapine [CAS]	236392-56-6	US 6458816	Anticancer, antimetabolite	Cancer, leukaemia, general
Triaziquone		68-76-8			
triazolam	8-chloro-6-(2-chlorophenyl)-1-methyl-4H-[1,2,4]-triazolo[4,3-a][1,4]benzodiazepine	28911-01-5	US 3980790	Hypnotic/Sedative	Insomnia
Tribenoside		10310-32-4			
Trichlorfon		52-68-6			
Trichlormethiazide		133-67-5			
Trichlormethine		555-77-1			
Trichloroethylene		79-01-6			
Triclobisonium		79-90-3			
Triclocarban		101-20-2			
Triclofenol Piperazine		5714-82-9			
Triclofos		306-52-5			
Triclosan		3380-34-5			
Tricromyl		85-90-5			
Tridihexethyl Iodide		125-99-5			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
trientine	1,2-Ethanediamine, N,N2-bis(Zaminoethyl)-, [CAS]	38260-01-4 112-24-3		Metabolic and enzyme disorders	Wilson's disease
Triethanolamine		102-71-6			
Triethylenemelamine		51-18-3			
Triethylenephosphoramide		545-55-1			
Triethylenethiophosphoramide		52-24-4			
Trifluoperazine		117-89-5			
Trifluoperidol		749-13-3			
Triflupromazine		146-54-3			
trifluridine	Thymidine, Alpha,Alpha,Alpha-trifluoro- [CAS]	70-00-8	US 3201387	Antiviral, other	Infection, herpes virus, general
triflusal	Benzoic acid, 2-(acetyloxy)-4-(trifluoromethyl)- [CAS]	322-79-2	US 4096252	Antithrombotic	Thrombosis, general
Trihexyphenidyl		52-49-3			
trilostane	Androst-2-ene-2-carbonitrile, 4,5-epoxy-3,17-dihydroxy-, (4Alpha,5Alpha,17Beta)- [CAS]	13647-35-3	US 3296255	Anticancer, hormonal	Cancer, breast
Trimazosin		35795-16-5			
trimebutine	Benzoic acid, 3,4,5-trimethoxy-, 2-(dimethylamino)-2-phenylbutyl ester, (Z)-2-butenedioate (1:1) [CAS]	34140-59-5 39133-31-8	DE 2151716	Antispasmodic	
Trimecaine		616-68-2			
Trimeprazine		84-96-8			
Trimetazidine		5011-34-7			
Trimethadione		127-48-0			
Trimethaphan		68-91-7			
Trimethobenzamide		138-56-7			
Trimethoprim		738-70-5			
Trimetozine		635-41-6			
trimerexate	2,4-Quinazolinediamine, 5-methyl-6-[[[3,4,5-trimethoxyphenyl]amino]methyl]- [CAS]	52128-35-5 82952-64-5	US 4391809	Antifungal	Infection, Pneumocystis jiroveci

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
tripramine	5H-Dibenz[b,f]azepine-5-propanamine, 10,11-dihydro-N,N,β-trimethyl-, (Z)-2-butenedioate (1:1) [CAS]	521-78-8 739-71-9		Antidepressant	
Trimoprostil		69900-72-7			
Trioxsalen		3902-71-4			
tripamide	Benzamide, 3-(aminosulfonyl)-4-chloro-N-(octahydro-4,7-methano-2H-isoindol-2-yl)-, (3aAlpha,4Alpha,7Alpha,7aAlpha)- [CAS]	73803-48-2	JP 7305585	Antihypertensive, diuretic	Hypertension, general
Triparanol		78-41-1			
Tripelennamine		91-81-6			
Tripolidine		486-12-4			
triptorelin	Luteinizing hormone-releasing factor (pig), 6-D-tryptophan- [CAS]	124508-86-3 57773-63-4	US 4010125	Releasing hormones	Cancer, prostate
tritizone	Morpholine, 4-[[thioxo(3,4,5-trimethoxyphenyl)methyl]- [CAS]	35619-65-9	US 3862138	Antiulcer	
Tritoqualine		14504-73-5			
TRK-530	Phosphonic acid, [[[(4-(methylthio)phenyl)thio]methylene]bis-, disodium salt [CAS]	151425-92-2	WO 9410181	Antiarthritic, other	Arthritis, rheumatoid
TRK-820	2-Propenamide, N-[(5Alpha,6β)-17-(cyclopropylmethyl)-4,5-epoxy-3,14-dihydroxymorphinan-6-yl]-3-(3-furanyl)-N-methyl-, monohydrochloride, (2E)- [CAS]	152658-17-8	WO 9315081	Antipruritic/inflamm, non-allergic	Pruritus
Troclosene		2244-21-5			
trofosamide	3-2-(chloroethyl)-2-[bis(2-chloroethyl)amino]tetrahydro-2H-1,3,2-oxazaphosphorin 2-oxide	22089-22-1	GB 1188159	Anticancer, alkylating	
Troglitazone		97322-87-7			
Troleandomycin		2751-9-9			
Trolnitrate		588-42-1			
tromantidine	N-(1-adamantyl)-2-(2-dimethylaminoethoxy)acetamide	53783-83-8	DE 1941218	Antiviral, other	Infection, herpes simplex virus
Tromethamine		77-86-1			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Tropacine		6878-98-4			
Tropesin		65189-78-8			
Tropicamide		1508-75-4			
tropine	1H-Indole-3-acetic acid, 1-(4-chlorobenzoyl)-5-methoxy-2-methyl-, 2-carboxy-2-phenylethyl ester, (+/-) [CAS]	65189-78-8		Antiarthritic, other	
tropisetron	1H-Indole-3-carboxylic acid, 8-methyl-8-azabicyclo[3.2.1]oct-3-yl ester, endo-[CAS]	89565-68-4	GB 2125398	Antiemetic	Chemotherapy-induced nausea and vomiting
Trospectomycin		88669-04-9			
trospium	3Alpha-Hydroxy Spiro[1(AlphaH,5AlphaH-nortropane-8,1'-pyrrolidinium)] benzilate	10405-02-4		Urological	Pollakiuria
trovafoxacin	1,8-Naphthyridine-3-carboxylic acid, 7-(6-amino-3-azabicyclo[3.1.0]hex-3-yl)-1-(2,4-difluorophenyl)-6-fluoro-1,4-dihydro-4-oxo-, (1Alpha,5Alpha,6Alpha)-, [CAS]	147059-72-1 147059-75-4	US 5164402	Quinolone antibacterial	Infection, respiratory tract, general
troxacitabine	2(1H)-Pyrimidinone, 4-amino-1-(2-(hydroxymethyl)-1,3-dioxolan-4-yl)-, (2S-cis)-[CAS]	145918-75-8		Anticancer, other	Cancer, leukaemia, acute myelogenous
Troxeutin		7085-55-4			
troxipide	Benzamide, 3,4,5-trimethoxy-N-3-piperidinyl-, (+/-) [CAS]	30751-05-4 9977-81-8	US 3647805	Antiulcer	Ulcer, gastric
Trypan Red		574-64-1			
Tryparsamide		554-72-3			
Tryptophan		73-22-3			
TSH		9002-71-5			
TSN-09	6,14-Ethenomorphinan-7-methanol, 17-(cyclopropylmethyl)-Alpha-(1,1-dimethylethyl)-, 5-epoxy-18,19-dihydro-3-hydroxy-6-methoxy-Alpha-methyl-, [5Alpha,7Alpha,(S)]-, [CAS]	52485-79-7		Formulation, transdermal, patch	Pain, cancer
TU-2100	Nonanedioic acid, bis[(2-(ethoxycarbonyl)phenyl] ester		US 6180669	Antiacne	Acne

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Tuaminoheptane		123-82-0			
Tubercidin		69-33-0			
Tubocurarine Chloride		57-94-3			
tulobuterol	Benzenemethanol, 2-chloro-Alpha-[[[(1,1-dimethylethyl)amino]methyl]- [CAS]	41570-61-0	DE 2244737	Antiasthma	Asthma
TV-3326	N-(Propargyl-(3R)aminoindan-5-y)-ethyl methyl carbamate			Cognition enhancer	Alzheimer's disease
TY-11223	Acetic acid, [2-[2,3,3a,6,7,7a-hexahydro-2-hydroxy-1-(3-hydroxy-4,4-dimethyl-1,6-nonadienyl)-1H-inden-5-ylethoxy]-, [1S-1]Alpha(R*),2S,3aAlpha,7aAlpha]- [CAS]	140694-43-5	US 4837342	Antithrombotic	Unspecified
TY-12533	6,7,8,9-Tetrahydro-2-methyl-5H-cyclohepta[b]pyridine-3-carbonylguanidine maleate		US 6258829	Antiarrhythmic	Unspecified
TYB-3215	D-Glucitol, 1,4:3,6-dianhydro-, dinitrate [CAS]	87-33-2		Formulation, modified-release, other	Angina, general
Tybamate		4268-36-4			
tyloxapol	4-(1,1,3,3-Tetramethylbutyl)phenol polymer with formaldehyde and oxirane [CAS]	25301-02-4		Formulation, inhalable, topical	Cystic fibrosis
Tymazoline		24243-97-8			
Tyramine		51-67-2			
Tyropanoate		7246-21-1			
Ubenimex		58970-76-6			
ufenamate	Benzoic acid, 2-[[3-(trifluoromethyl)phenyl]amino]-, butyl ester [CAS]	67330-25-0	BE 861852	Antipruritic/inflamm, non-allergic	
Undecylenic Acid		112-38-9			
Unoprostone		120373-36-6			

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
UR-8880	4-[4-Chloro-5-(3-fluoro-4-methoxyphenyl)imidazol-1-yl]benzenesulfonamide- [CAS]			Anti-inflammatory	Inflammation, general
Uracil Mustard		66-75-1			
Uralyt-U	1,2,3-Propanetricarboxylic acid, 2-hydroxy-, potassium sodium salt (5:5:6), hydrate [CAS]	55049-48-4	US 4400535	Urological	
urapidil	2,4-(1H,3H)-Pyrimidinedione, 6-[[3-[4-(2-methoxyphenyl)-1-piperazinyl]propyl]amino]-1,3-dimethyl- [CAS]	34661-75-1	GB 1309324	Antihypertensive, adrenergic	Hypertension, general
urea	Urea [CAS]	57-13-6		Antipsoriasis	
Uredepa		302-49-8			
Urethan		51-79-6			
Uridine 5'-Triphosphate		63-39-8			
Urinastatin		80449-31-6			
ursodeoxycholic acid	3Alpha,7beta-dihydroxy-5beta-cholelan-24-oic acid [CAS]	128-13-2		Formulation, other, Cirrhosis, primary biliary, hepatic dysfunction, biliary calculus	Cirrhosis, primary biliary
Ursodiol		128-13-2			
Ushercell			US 6063773	Formulation, mucosal, topical	Contraceptive, female
Uzarin		20231-81-6			
valaciclovir	L-Valine, 2-[(2-amino-1,6-dihydro-6-oxo-9H-purin-9-yl)methoxy]ethyl ester [CAS]	124832-26-4	EP 308065	Antiviral, other	Infection, herpes simplex virus
Valacyclovir		124832-26-4			
valdecoxib	Benzenesulfonamide, 4-(5-methyl-3-phenyl-4-isoxazolyl)- [CAS]	181695-72-7	US 5859257	Antiarthritic, other	Arthritis, rheumatoid
Valdetamide		512-48-1			
Valethamate		90-22-2			
valganciclovir	L-Valine, 2-[(2-amino-1,6-dihydro-6-oxo-9H-purin-9-yl)methoxy]-3-hydroxypropyl ester [CAS]	175865-59-5 175865-60-8			
Valnoctamide		4171-13-5	EP 694547	Antiviral, other	Infection, cytomegalovirus

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
valomacidoVir	L-Valine (3R)-3-((2-amino-1,6-dihydro-6-oxo-9H-purin-9-yl)methyl)-4-((1-oxooctadecyl)oxy)butyl ester [CAS]	195156-77-5		Antiviral, other	Infection, herpes simplex virus
valproate	Pentanoic acid, 2-propyl-, [CAS]	76584-70-8 1069-66-5	US 4988731	Antiepileptic	Epilepsy, generalized, tonic-clonic
Valproic Acid		99-66-1			
Valpromide		2430-27-5			
valroceamide	Pentanamide, N-(2-amino-2-oxoethyl)-2-propyl-, [CAS]	92262-58-3	US 5585358	Antiepileptic	Epilepsy, general
	Pentanoic acid, 2-(1,2,3,4,6,11-hexahydro-2,5,12-trihydroxy-7-methoxy-6,11-dioxo-4-((2,3,6-trideoxy-3-((trifluoroacetyl)amino)-Alpha-L-lyxo-hexopyranosyl)oxy)-2-naphthacetyl)-2-oxoethyl ester (2S-cis)-[CAS]	56124-62-0	US 4035566	Anticancer, antibiotic	Cancer, bladder
valrubicin	L-Valine, N-(1-oxopentyl)-N-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-yl]methyl]-[CAS]	137862-53-4	EP 443983	Antihypertensive, renin system	Hypertension, general
Valspodar		121584-18-7			
	Piperazine, 1-(3-(1,4-dihydro-5-methyl-4-oxo-7-propylimidazo[5,1-f](1,2,4)-triazin-2-yl)-4-ethoxyphenyl)sulfonyl-4-ethyl-, [CAS]	224785-90-4		Male sexual dysfunction	Sexual dysfunction, male, general
varidenafil	Acetic acid, ((3-(aminooxoacetyl)-2-ethyl-1-phenylmethyl)-1H-indol-4-yl)oxy-, [CAS]	172732-68-2 172733-42-5	EP 675110	Septic shock treatment	Sepsis
<i>Varicella Virus Vaccine</i>					
	3,5-Pyridinedicarboxylic acid, 1,4-dihydro-2,6-dimethyl-4-(3-nitrophenyl)-, 2-[4-[4-(diphenylmethyl)-1-piperazinyl]phenyl]ethyl methyl ester, [CAS]	116308-55-5 133743-71-2	EP 257616	Neuroprotective	Hypertension, general
vatandipine			US 6007817	Radio/chemosensitizer	Cancer, general
VEA					

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
vecuronium	Piperidinium, 1- [(2β,3α,5α,16β,17β)-3,17-bis(acetyloxy)-2-(1-piperidiny)androstane-16-yl]-1-methyl-, [CAS]	50700-72-6	US 4237126	Muscle relaxant	Anaesthesia, adjunct
Veinacrine		104675-29-8			
venlafaxine	Cyclohexanol, 1-[2-(dimethylamino)-1-(4-methoxyphenyl)ethyl]-, [CAS]	93413-69-5 99300-78-4	GB 2227743	Antidepressant	Depression, general
Verapipride		66644-81-3			
verapamil	Benzeneacetonitrile, Alpha-[3-[2-(3,4-dimethoxyphenyl)ethyl]methylamino]propyl-1-3,4-dimethoxy-Alpha-(1-methylethyl)-, [CAS]	52-53-9		Formulation, modified-release, other	Hypertension, general
verteporfin	23H,25H-Benzobiporphine-9,13-dipropionic acid, 18-ethenyl-4,4a-dihydro-3,4-bis(methoxycarbonyl)-4a,8,14,19-tetramethyl-, monomethyl ester, trans-, [CAS]	129497-78-5	US 5238940	Ophthalmological	Macular degeneration
vesnarinone	Piperazine, 1-(3,4-dimethoxybenzoyl)-4-(1,2,3,4-tetrahydro-2-oxo-6-quinolinyl)-, [CAS]	81840-15-5	GB 2086896	Cardio stimulant	Heart failure
Vetrabutine		3735-45-3			
VF-233	Benzene carboximidamide, N,3,4,5-tetrahydro-, [CAS]	95933-74-7	US 4623659	Cardiovascular	Reperfusion injury
VI-0134			US 6403597	Male sexual dysfunction	Premature ejaculation
vidarabine	9H-Purin-6-amine, 9-β-D-arabinofuranosyl-, [CAS]	24356-66-9 5536-17-4	GB 1159290	Antiviral, other	Infection, herpes virus, general
vigabatrin	5-Hexenoic acid, 4-amino-, [CAS]	68506-86-5 60643-86-9	GB 1472525	Antiepileptic	Epilepsy, partial (focal, local)
vilazodone	2-Benzofurancarboxamide, 5-[4-[4-(5-cyano-1H-indol-3-yl)butyl]-1-piperazinyl]-, [CAS]	163521-12-8	EP 648767	Antidepressant	Depression, general
Viloxazine		46817-91-8			
Viminol		21363-18-8			
Vinbarbital		125-44-0			
Vinblastine		865-21-4			
vinburnine	Eburnamenin-14(15H)-one, (3α,16α)-, [CAS]	474-00-0 4880-88-0	DE 1932245	Cognition enhancer	

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Vincamine		1617-90-9			
Vinconate		70704-03-9			
vincristine	Vincalcekoblastine, 22-oxo-, sulfate (1:1) (salt) [CAS]	2068-78-2 57-22-7	EP 207831	Formulation, parenteral, other	Cancer, general
vindesine	Vincalcekoblastine, 3-(aminocarbonyl)-O4-deacetyl-3-de(methoxycarbonyl)- [CAS]	53643-48-4 59917-39-4	GB 1463575	Anticancer, other	Cancer, leukaemia, acute lymphocytic
vinflunine	Aspidospermidine-3-carboxylic acid, 4-(acetyloxy)-6,7-didehydro-15-[(2R,4R,6S,8S)-4-(1,1-difluoroethyl)-1,3,4,5,6,7,8,9-octahydro-8-(methoxycarbonyl)-2,6-methano-2H-azecino[4,3-b]indol-8-yl]-3-hydroxy-16-methoxy-1-methyl-, methyl ester, (2S,3S,4S,5Alpha,12S,19Alpha) - [CAS]	162652-95-1	FR 2707988	Anticancer, other	Cancer, general
vinorelbine	C-Norvincalcekoblastine, 3',4'-didehydro-4'-deoxy- [CAS]	71486-22-1	EP 10458	Anticancer, other	Cancer, lung, non-small cell
vinpocetine	Eburnamenine-14-carboxylic acid, ethyl ester, (3Alpha,16Alpha)- [CAS]	42971-09-5	GB 1405127	Cognition enhancer	Cognitive disorder, general
Vinyl Ether		109-93-3			
Vinylbital		2430-49-1			
Viquidil		84-55-9			
Viridin		3306-52-3			
Visnadine		477-32-7			
Vitamin A		68-26-8			
vitamin B12	Vitamin B12 [CAS]	68-19-9		Formulation, transmucosal, nasal	Anaemia, general
vitamin C	L-Ascorbic acid [CAS]	50-81-7		Formulation, modified-release, <=24hr	Nutrition
Vitamin D₂		50-14-6			
Vitamin D₃		67-97-0			
Vitamin K₅		83-70-5			
Vitamins, Prenatal					

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
VLA-4 antagonists	((R,S)-4-(4-(Amino-imino-methyl)-phenyl)-3-((4-biphenyl)-methyl)-4-methyl-2,5-dioximidazolidin-1-yl)-acetyl-L-N-methyl-aspartyl-L-phenylglycine		EP 842943	Antiasthma	Asthma
VNP-40101M	1,2-Bis(methylsulfonyl)-1-(2-chloroethyl)-2-(methylamino)carbonylhydrazine		US 6040338	Anticancer, alkylating	Cancer, general
voglibose	D-epi-Inositol, 3,4-dideoxy-4-[2-hydroxy-1-(hydroxymethyl)ethylamino]-2-C-(hydroxymethyl)- [CAS]	83480-29-9	EP 56194	Antidiabetic	Diabetes, Type II
voriconazole	4-Pyrimidineethanol, Alpha-(2,4-difluorophenyl)-5-fluoro-β-methyl-Alpha-(1H-1,2,4-triazol-1-ylmethyl)-, (R-(R*,S*))-[CAS]	137234-62-9	EP 440372	Antifungal	Infection, fungal, general
Vorozole		129731-10-8			
VUF-K-8788	7-[3-[4-(2-Quinolinylmethyl)-1-piperazinyl]propoxy]-3,4-dihydro-2H-1,4-benzothiazine-3-one			Antiasthma	Asthma
Warfarin		81-81-2			Chemotherapy-induced injury, bone marrow, general
WF-10	Tetrachlorodecaoxide [CAS]	92047-76-2		Radio/chemoprotective	
WMC-79	2-(3-[4-(3-(6-oxo-6H-2,10b-diazaaceanthrylen-5-ylamino)propyl]-piperazin-1-yl)propyl)-5-nitro-2-azaphenalene-1,3-dione			Anticancer, other	Cancer, colorectal
wound healing matrix			US 5897880	Formulation, transdermal, patch	Ulcer, diabetic
WP-170			US 6531121	Cytokine	Unspecified
xaliproden	Pyridine, 1,2,3,6-tetrahydro-1-[2-(2-naphthalenyl)ethyl]-4-[3-(trifluoromethyl)phenyl]-, [CAS]	90494-79-4 135354-020-8	EP 101381	Neuroprotective	Amyotrophic lateral sclerosis
xamoterol	4-Morpholinecarboxamide, N-[2-[(4-hydroxy-3-(4-hydroxyphenoxy)propyl)aminomethyl]-, (+/-)-][CAS]	73210-73-8 81801-12-9	GB 2002748	Cardio stimulant	Heart failure

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
Xanomeline		131986-45-3			
Xanthinol Niacinate		437-74-1			
Xemilofiban		149820-74-6			
Xenbucin		959-10-4			
Xibenolol		81584-06-7			
xibornol	Phenol, 4,5-dimethyl-2-(1,7,7-trimethylbicyclo[2.2.1]hept-2-yl)-, exo- [CAS]	13741-18-9	GB 1206774	Antibacterial, other	Infection, general
ximelagatran	Glycine, N-((R)-cyclohexyl-2-((2S)-2-(((4-(hydroxyamino)iminomethyl)phenyl)methyl)amino)carbonyl)-1-azetidyl)2-oxoethyl ethyl ester [CAS]	192939-46-1		Antithrombotic	Thrombosis, venous
Ximoprofen		56187-89-4			
xipamide	Benzamide, 5-(aminosulfonyl)-4-chloro-N-(2,6-dimethylphenyl)-2-hydroxy- [CAS]	14293-44-8	US 3567777	Antihypertensive, diuretic	
xorphanol	Morphinan-3-ol, 17-(cyclobutylmethyl)-8-methyl-6-methylene-, (8S)- [CAS]	77287-89-9		Analgesic, other	Pain, cancer
XR-5118	2,5-Piperazinedione, 3-[5-[2-(dimethylamino)ethylthio]-2-(thienyl)methylene]-6-(phenylmethylene)-, monohydrochloride, (3Z,6Z)- [CAS]	174766-49-5	WO 9532190	Anticancer, other	Cancer, general
XR-5944	N,N'-(1,2-Ethanediy)bis(imino-2,1-ethanediy)bis(9-methylphenazine-1-carboxamide)		EP 934278	Anticancer, other	Cancer, general
Xylometazoline		526-36-3			
Xylose		58-86-6			
YH-1885	2-Pyrimidinamine, 4-(3,4-dihydro-1-methyl-2(1H)-isquinoliny)-N-(4-fluorophenyl)-5,6-dimethyl-, monohydrochloride [CAS]	178307-42-1	WO 9605177	Antitumor	Ulcer, GI, general
YM-511	Benzonitrile, 4-[[[(4-bromophenyl)methyl]-4H-1,2,4-triazol-4-ylamino]- [CAS]	148869-05-0	WO 9305027	Anticancer, hormonal	Cancer, breast

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
YM-598	potassium(E)-N-[6-methoxy-5-(2-methoxyphenoxy)-2-(pyrimidin-2-yl)pyrimidin-4-yl]-2-phenylethanesulfonamide			Anticancer, other	Cancer, prostate
Yohimbine		146-48-5			
YT-146	Adenosine, 2-(1-octynyl)- [CAS]	90596-75-1	US 5270304	Anti-inflammatory	Inflammation, general
Z-321	Thiazolidine, 3-((2,3-dihydro-1H-inden-2-yl)acetyl)-4-(1-pyrrolidinylcarbonyl)-, (R)- [CAS]	130849-58-0	EP 372484	Cognition enhancer	Dementia, senile, general
Z-335	(1H-Indene-5-acetic acid, 2[[[(4-chlorophenyl)sulfonyl]amino]methyl]-2,3-dihydro, monosodium salt) [CAS]	146731-14-8	JP 92506077	Antithrombotic	Peripheral vascular disease
zafirlukast	Carbamic acid, [3-[[2-methoxy-4-[[[(2-methylphenyl)sulfonyl]amino]carbonyl]phenyl]methyl]-1-methyl-1H-indol-5-yl]-, cyclopentyl ester [CAS]	107753-78-6	EP 199543	Aniasthma	Asthma
zalcitabine	Cytidine, 2',3'-dideoxy- [CAS]	7481-89-2	US 4879277	Antiviral, anti-HIV	Infection, HIV/AIDS
Zaldaride		109826-26-8			
zaleplon	Acetamide, N-[3-(3-cyanoprazolo[1,5-a]pyrimidin-7-yl)phenyl]-N-ethyl- [CAS]	151319-34-5	EP 776898	Hypnotic/Sedative	Insomnia
zaltoprofen	Dibenzof, fthiepin-2-acetic acid, 10,11-dihydro-Alpha-methyl-10-oxo- [CAS]	74711-43-6	JP 55053282	Anti-inflammatory	
zanamivir	5-Acetamido-2,6-anhydro-3,4,5-trideoxy-4-guanidino-D-glycero-D-galacto-non-2-enonic acid [CAS]	139110-80-8	WO 9116320	Antiviral, other	Infection, influenza virus
zanapezil	1-Propanone, 3-(1-(phenylmethyl)-4-piperidinyl)-1-(2,3,4,5-tetrahydro-1H-1-benzazepin-8-yl)- [CAS]	142852-50-4	EP 487071	Cognition enhancer	Alzheimer's disease
Zatebradine		85175-67-3			
ZD-0473	Platinum, amminedichloro(2-methylpyridine)- (SP-4-3)- [CAS]	181630-15-9	EP 727430	Anticancer, alkylating	Cancer, ovarian
ZD-0947	N-acetylcolchicol-O-phosphate		WO 9528388	Urological	Overactive bladder
ZD-6126				Anticancer, other	Cancer, general
ZD-9331	1H-Tetrazole-5-butanolic acid, Alpha-((4-(((1,4-dihydro-2,7-dimethyl-4-oxo-6-quinazolinyl)methyl)-2-propynylamino)-2-fluorobenzoyl]amino) (S)- [CAS]	153537-73-6	GB 2264946	Anticancer, antimetabolite	Cancer, pancreatic

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
zebularine	2-(1H)-Pyrimidinone, 1-β-D-ribofuranosyl- [CAS]	3690-10-6		Anticancer, other	Cancer, general
zelandopam	7,8-Isoquinolinediol, 4-(3,4-dihydroxyphenyl)-, 1,2,3,4-tetrahydro-, [CAS]	138086-00-7	JP 03190818	Vasodilator, renal	Hypertension, general
Zenarestat		112733-06-9			
Ziconotide		107452-89-1			
zidovudine	Thymidine, 3'-azido-3'-deoxy- [CAS]	30516-87-1	US 4724232	Antiviral, anti-HIV	Infection, HIV/AIDS
zileuton	Urea, N-(1-benzob[thien-2-yl)ethyl)-N-hydroxy- [CAS]	111406-87-2	EP 279263	Antiasthma	Asthma
Zimeldine		56775-88-3			
zinc acetate	hexakis(Im-acetato)-Im4-oxotetrazinc	12129-82-7		Antiviral, other	Infection, herpes simplex virus prophylaxis
zinc acexamate	Hexanoic acid, 6-(acetylamino)-, zinc salt (2:1)- [CAS]	70020-71-2	EP 369088	Antulcer	Ulcer, duodenal
zinc ibuprofenate		78416-80-5		Anti-inflammatory, topical	Inflammation, dermal
Zinc p-Phenolsulfonate		127-82-2			
Zinc Salicylate		16283-36-6			
Zinostatin		9014-2-2			
zinostatin stimalamer		123760-07-6	EP 136791	Anticancer, antibiotic	Cancer, liver
Zipeprol		34758-83-3			
ziprasidone	2H-Indol-2-one, 5-(2-(4-(1,2-benzisothiazol-3-yl)-1-piperazinyl)ethyl)-6-chloro-1,3-dihydro- [CAS]	122883-93-6 146939-27-7	EP 281309	Neuroleptic	Schizophrenia
zofenopril	L-Proline, 1-[3-(benzoylthio)-2-methyl-1-oxopropyl]-4-(phenylthio)- [1(R*),2Alpha,4Alpha]- [CAS]	75176-37-3 81872-10-8 81938-43-4	GB 2028327	Antihypertensive, renin system	Hypertension, general
zofenopril + HCTZ	L-Proline, 1-[3-(benzoylthio)-2-methyl-1-oxopropyl]-4-(phenylthio)- [1(R*),2Alpha 4Alpha]- + 6-Chloro-3,4-dihydro-2H-1,2,4-benzothiazide-7-sulfonamide 1,1-dioxide [CAS]				
zoledronic acid	Phosphonic acid, [1-hydroxy-2-(1H-imidazol-1-yl)ethylidene]bis- [CAS]	118072-93-8 165800-06-6	EP 531253	Formulation, fixed-dose combinations Osteoporosis treatment	Hypertension, general Hypercalcaemia of malignancy

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
zolimidine	2-(p-methylsulfonylphenyl)imidazo[1,2-a]pyridine	1222-57-7	US 3318880	Antulcer	Gastritis
zolmitriptan	2-Oxazolidinone, 4-((3-(2-(dimethylamino)ethyl)-1H-indol-5-yl)methyl)-, (S)- [CAS]	139264-17-8	WO 9118897	Antimigraine	Migraine
zolpidem	Imidazo[1,2-a]pyridine-3-acetamide, N,N,6-trimethyl-2-(4-methylphenyl)-(R-(R*, R*))-2,3-dihydroxybutanediolate (2:1) [CAS]	99294-93-6 82626 48-0	EP 50563	Hypnotic/Sedative	Insomnia
Zomepirac		33369-31-2			
zonanpanel	1(2H)-Quinoxalineacetic acid, 3,4-dihydro-7-(1H-imidazol-1-yl)-6-nitro-2,3-dioxo- [CAS]	210245-80-0		Neuroprotective	Ischaemia, cerebral
zoniporide	1H-pyrazole-4-carboxamide, N-(aminomino methyl)-5-cyclopropyl-1-(5-quinolinyl)-,				
zonisamide	1,2-Benzisoxazole-3-methanesulfonamide [CAS]	249296-45-5 68291-97-4 68291-98-5	GB 2025931	Cardiovascular Antiepileptic	Unspecified Epilepsy, generalized, tonic-clonic
zopiclone	1-Piperazinecarboxylic acid, 4-methyl-, 6-(5-chloro-2-pyridinyl)-6,7-dihydro-7-oxo-5H-pyrrolo[3,4-b]pyrazin-5-yl ester [CAS]	43200-80-2	GB 1358680	Hypnotic/Sedative	Insomnia
Zopolrestat		110703-94-1			
Zorubicin		54083-22-6			
zosuquidar	1-Piperazineethanol, 4-(1,1-difluoro-1,1a,6,10b-tetrahydrodibenzof[a,e]cyclopropa[c]cyclohepten-6-yl)-Alpha-[(5-quinolinyl)oxy]methyl]-, [6(R)-, (1aAlpha,6Alpha,10bAlpha)]- [CAS]	167465-36-3		Radio/chemosensitizer	Cancer, leukaemia, acute myelogenous
zotepine	Ethanamine, 2-[(8-chlorodibenzo[b,f]thiopin-10-yl)oxy]-N,N-dimethyl-, [CAS]	26615-21-4	GB 1247067	Neuroleptic	Schizophrenia
ZP-123			WO 0162775	Antiarrhythmic	Arrhythmia, general
Z-tamoxifen	Ethanamine, 2-[4-(1,2-diphenyl-1-butenyl)phenoxy]-N,N-dimethyl-, (Z)- [CAS]	10540-29-1		Anticancer, hormonal	Cancer, colorectal

Table IV

API Generic Name	API Chemical Name	CAS No.	Patent Reference	Example of Therapeutic Use	Example of Indication
zuclopenthixol	1-Piperazineethanol, 4-[3-(2-chloro-9H-thioxanthen-9-ylidene)propyl]-, [Z]-[CAS]	53772-83-1	EP 270282	Neuroleptic	Psychosis, general
		982-24-1			
		85721-05-7			
		64053-00-5			

CLAIMS:

1. A pharmaceutical co-crystal composition, comprising: an API and a co-crystal former, wherein the API is a liquid or a solid at room temperature and the co-crystal former is a solid at room temperature, and wherein the API and co-crystal former are hydrogen bonded to each other.

2. The pharmaceutical co-crystal composition according to claim 1, wherein:
 - (a) the co-crystal former is selected from a co-crystal former of Table I or Table II;
 - (b) the API is selected from an API of Table IV;
 - (c) the API is selected from an API of Table IV and the co-crystal former is selected from a co-crystal former of Table I or Table II;
 - (d) the API is a liquid at room temperature;
 - (e) the API is a solid at room temperature;
 - (f) the API has at least one functional group selected from the group consisting of ether, thioether, alcohol, thiol, aldehyde, ketone, thioketone, nitrate ester, phosphate ester, thiophosphate ester, ester, thioester, sulfate ester, carboxylic acid, phosphonic acid, phosphinic acid, sulfonic acid, amide, primary amine, secondary amine, ammonia, tertiary amine, sp² amine, thiocyanate, cyanamide, oxime, nitrile, diazo, organohalide, nitro, s-heterocyclic ring, thiophene, n-heterocyclic ring, pyrrole, o-heterocyclic ring, furan, epoxide, peroxide, hydroxamic acid, imidazole, and pyridine;
 - (g) the co-crystal former has at least one functional group selected from the group consisting of ether, thioether, alcohol, thiol, aldehyde, ketone, thioketone, nitrate ester, phosphate ester, thiophosphate ester, ester, thioester, sulfate ester, carboxylic acid, phosphonic acid, phosphinic acid, sulfonic acid, amide, primary amine, secondary amine, ammonia, tertiary amine, sp² amine, thiocyanate, cyanamide, oxime, nitrile diazo, organohalide, nitro, s-heterocyclic ring, thiophene, n-heterocyclic ring, pyrrole, o-heterocyclic ring, furan, epoxide, peroxide, hydroxamic acid, imidazole, and pyridine;

- (h) the difference in pK_a between the API and the co-crystal former does not exceed 2;
- (i) the solubility of the co-crystal is increased as compared to the API;
- (j) the dose response of the co-crystal is increased as compared to the API;
- (k) the dissolution of the co-crystal is increased as compared to the API;
- (l) the bioavailability of the co-crystal is increased as compared to the API;
- (m) the stability of the co-crystal is increased as compared to the API;
- (n) a difficult to salt or unsaltable API is incorporated into the co-crystal;
- (o) the hygroscopicity of the co-crystal is decreased as compared to the API;
- (p) an amorphous API is crystallized as a component of the co-crystal;
- (q) the form diversity of the co-crystal is decreased as compared to the API; or
- (r) the morphology of the co-crystal is modulated as compared to the API.

3. A pharmaceutical co-crystal composition, comprising: an API, a co-crystal former, and a third molecule; wherein the API is a liquid or a solid at room temperature and the co-crystal former is a solid at room temperature, and wherein the API and the third molecule are bonded to each other, and further wherein the co-crystal former and the third molecule are hydrogen bonded to each other.

4. The pharmaceutical co-crystal composition according to claim 3, wherein:

- (a) the co-crystal former is selected from a co-crystal former of Table I or Table II;
- (b) the API is selected from an API of Table IV;
- (c) the API is selected from an API of Table IV and the co-crystal former is selected from a co-crystal former of Table I or Table II;
- (d) the API is a liquid at room temperature;
- (e) the API is a solid at room temperature;
- (f) the API has at least one functional group selected from the group consisting of ether, thioether, alcohol, thiol, aldehyde, ketone,

- thioketone, nitrate ester, phosphate ester, thiophosphate ester, ester, thioester, sulfate ester, carboxylic acid, phosphonic acid, phosphinic acid, sulfonic acid, amide, primary amine, secondary amine, ammonia, tertiary amine, sp² amine, thiocyanate, cyanamide, oxime, nitrile, diazo, organohalide, nitro, s-heterocyclic ring, thiophene, n-heterocyclic ring, pyrrole, o-heterocyclic ring, furan, epoxide, peroxide, hydroxamic acid, imidazole, and pyridine;
- (g) the co-crystal former has at least one functional group selected from the group consisting of ether, thioether, alcohol, thiol, aldehyde, ketone, thioketone, nitrate ester, phosphate ester, thiophosphate ester, ester, thioester, sulfate ester, carboxylic acid, phosphonic acid, phosphinic acid, sulfonic acid, amide, primary amine, secondary amine, ammonia, tertiary amine, sp² amine, thiocyanate, cyanamide, oxime, nitrile diazo, organohalide, nitro, s-heterocyclic ring, thiophene, n-heterocyclic ring, pyrrole, o-heterocyclic ring, furan, epoxide, peroxide, hydroxamic acid, imidazole, and pyridine; or
- (h) the difference in pK_a between the API and the co-crystal former does not exceed 2;
- (i) the solubility of the co-crystal is increased as compared to the API;
- (j) the dose response of the co-crystal is increased as compared to the API;
- (k) the dissolution of the co-crystal is increased as compared to the API;
- (l) the bioavailability of the co-crystal is increased as compared to the API;
- (m) the stability of the co-crystal is increased as compared to the API;
- (n) a difficult to salt or unsaltable API is incorporated into the co-crystal;
- (o) the hygroscopicity of the co-crystal is decreased as compared to the API;
- (p) an amorphous API is crystallized as a component of the co-crystal;
- (q) the form diversity of the co-crystal is decreased as compared to the API; or
- (r) the morphology of the co-crystal is modulated as compared to the API.

5. A pharmaceutical co-crystal composition, comprising: a first and a second API, wherein each API is either a liquid or a solid at room temperature, and wherein the APIs are hydrogen bonded to a molecule.
6. The pharmaceutical co-crystal composition according to claim 5, wherein:
- (a) the first API is hydrogen bonded to the second API;
 - (b) an API is selected from an API of Table IV;
 - (c) each API is selected from an API of Table IV;
 - (d) an API is a liquid at room temperature and the other API is a solid at room temperature;
 - (e) each API is a solid at room temperature;
 - (f) an API has at least one functional group selected from the group consisting of ether, thioether, alcohol, thiol, aldehyde, ketone, thioketone, nitrate ester, phosphate ester, thiophosphate ester, ester, thioester, sulfate ester, carboxylic acid, phosphonic acid, phosphinic acid, sulfonic acid, amide, primary amine, secondary amine, ammonia, tertiary amine, sp² amine, thiocyanate, cyanamide, oxime, nitrile, diazo, organohalide, nitro, s-heterocyclic ring, thiophene, n-heterocyclic ring, pyrrole, o-heterocyclic ring, furan, epoxide, peroxide, hydroxamic acid, imidazole, and pyridine;
 - (g) each API has at least one functional group selected from the group consisting of ether, thioether, alcohol, thiol, aldehyde, ketone, thioketone, nitrate ester, phosphate ester, thiophosphate ester, ester, thioester, sulfate ester, carboxylic acid, phosphonic acid, phosphinic acid, sulfonic acid, amide, primary amine, secondary amine, ammonia, tertiary amine, sp² amine, thiocyanate, cyanamide, oxime, nitrile, diazo, organohalide, nitro, s-heterocyclic ring, thiophene, n-heterocyclic ring, pyrrole, o-heterocyclic ring, furan, epoxide, peroxide, hydroxamic acid, imidazole, and pyridine;
 - (h) the difference in pK_a between the first API and the second API does not exceed 2;
 - (i) the solubility of the co-crystal is increased as compared to the API;
 - (j) the dose response of the co-crystal is increased as compared to the API;

- (k) the dissolution of the co-crystal is increased as compared to the API;
- (l) the bioavailability of the co-crystal is increased as compared to the API;
- (m) the stability of the co-crystal is increased as compared to the API;
- (n) a difficult to salt or unsaltable API is incorporated into the co-crystal;
- (o) the hygroscopicity of the co-crystal is decreased as compared to the API;
- (p) an amorphous API is crystallized as a component of the co-crystal;
- (q) the form diversity of the co-crystal is decreased as compared to the API; or
- (r) the morphology of the co-crystal is modulated as compared to the API.

7. A pharmaceutical co-crystal composition, comprising: a first and a second co-crystal former, wherein each co-crystal former is a solid at room temperature, and wherein both co-crystal formers are hydrogen bonded to a molecule.

8. The pharmaceutical co-crystal composition according to claim 7, wherein:

- (a) the first co-crystal former is hydrogen bonded to the second co-crystal former;
- (b) a co-crystal former is selected from a co-crystal former of Table I or Table II;
- (c) each co-crystal former is selected from a co-crystal former of Table I or Table II;
- (d) a co-crystal former has at least one functional group selected from the group consisting of ether, thioether, alcohol, thiol, aldehyde, ketone, thioketone, nitrate ester, phosphate ester, thiophosphate ester, ester, thioester, sulfate ester, carboxylic acid, phosphonic acid, phosphinic acid, sulfonic acid, amide, primary amine, secondary amine, ammonia, tertiary amine, sp² amine, thiocyanate, cyanamide, oxime, nitrile, diazo, organohalide, nitro, s-heterocyclic ring, thiophene, n-heterocyclic ring, pyrrole, o-heterocyclic ring, furan, epoxide, peroxide, hydroxamic acid, imidazole, and pyridine;

- (e) each co-crystal former has at least one functional group selected from the group consisting of ether, thioether, alcohol, thiol, aldehyde, ketone, thioketone, nitrate ester, phosphate ester, thiophosphate ester, ester, thioester, sulfate ester, carboxylic acid, phosphonic acid, phosphinic acid, sulfonic acid, amide, primary amine, secondary amine, ammonia, tertiary amine, sp² amine, thiocyanate, cyanamide, oxime, nitrile, diazo, organohalide, nitro, s-heterocyclic ring, thiophene, n-heterocyclic ring, pyrrole, o-heterocyclic ring, furan, epoxide, peroxide, hydroxamic acid, imidazole, and pyridine;
- (f) the difference in pK_a between the first co-crystal former and the second co-crystal former does not exceed 2;
- (g) the solubility of the co-crystal is increased as compared to the API;
- (h) the dose response of the co-crystal is increased as compared to the API;
- (i) the dissolution of the co-crystal is increased as compared to the API;
- (j) the bioavailability of the co-crystal is increased as compared to the API;
- (k) the stability of the co-crystal is increased as compared to the API;
- (l) a difficult to salt or unsaltable API is incorporated into the co-crystal;
- (m) the hygroscopicity of the co-crystal is decreased as compared to the API;
- (n) an amorphous API is crystallized as a component of the co-crystal;
- (o) the form diversity of the co-crystal is decreased as compared to the API; or
- (p) the morphology of the co-crystal is modulated as compared to the API.

9. The pharmaceutical co-crystal composition according to claim 1, wherein the API is selected from celecoxib, carbamazepine, itraconazole, olanzapine, topiramate, modafinil, 5-fluorouracil, hydrochlorothiazide, acetaminophen, aspirin, flurbiprofen, phenytoin, or ibuprofen.

10. The pharmaceutical co-crystal composition according to claim 1, further comprising a pharmaceutically acceptable diluent, excipient, or carrier.

11. A co-crystal comprising an API and a co-crystal former selected from:
- (a) carbamazepine and saccharin;
 - (b) carbamazepine and nicotinamide;
 - (c) carbamazepine and trimesic acid;
 - (d) celecoxib and nicotinamide;
 - (e) olanzapine and nicotinamide;
 - (f) celecoxib and 18-crown-6;
 - (g) itraconazole and succinic acid;
 - (h) itraconazole and fumaric acid;
 - (i) itraconazole and tartaric acid;
 - (j) itraconazole and malic acid;
 - (k) itraconazoleHCl and tartaric acid;
 - (l) modafinil and malonic acid;
 - (m) modafinil and benzamide;
 - (n) modafinil and mandelic acid;
 - (o) modafinil and glycolic acid;
 - (p) modafinil and fumaric acid;
 - (q) modafinil and maleic acid;
 - (r) topiramate and 18-crown-6;
 - (s) 5-fluorouracil and urea;
 - (t) hydrochlorothiazide and nicotinic acid;
 - (u) hydrochlorothiazide and 18-crown-6;
 - (v) hydrochlorothiazide and piperazine;
 - (w) acetaminophen and 4,4'-bipyridine;
 - (x) phenytoin and pyridone;
 - (y) aspirin and 4,4'-bipyridine;
 - (z) ibuprofen and 4,4'-bipyridine;
 - (aa) flurbiprofen and 4,4'-bipyridine;
 - (bb) flurbiprofen and trans-1,2-bis(4-pyridyl) ethylene;
 - (cc) carbamazepine and p-phthalaldehyde;
 - (dd) carbamazepine and 2,6-pyridinecarboxylic acid;
 - (ee) carbamazepine and 5-nitroisophthalic acid;
 - (ff) carbamazepine and 1,3,5,7-adamantane tetracarboxylic acid; or

(gg) carbamazepine and benzoquinone.

12. A process for preparing a pharmaceutical co-crystal composition comprising an API and a co-crystal former, comprising:

- (a) providing an API and a co-crystal former, wherein the API is a liquid or a solid at room temperature and the co-crystal former is a solid at room temperature;
- (b) grinding, heating, or contacting in solution the API with the co-crystal former under crystallization conditions, so as to form a solid phase, wherein the API and co-crystal former are hydrogen bonded to each other;
- (c) isolating co-crystals formed thereby; and
- (d) incorporating the co-crystals into a pharmaceutical composition.

13. The process of claim 12, wherein:

- (a) the co-crystal former is selected from a co-crystal former of Table I or Table II;
- (b) the API is selected from an API of Table IV;
- (c) the API is selected from an API of Table IV and the co-crystal former is selected from a co-crystal former of Table I or Table II;
- (d) the API is a liquid at room temperature;
- (e) the API is a solid at room temperature;
- (f) the API has at least one functional group selected from the group consisting of ether, thioether, alcohol, thiol, aldehyde, ketone, thioketone, nitrate ester, phosphate ester, thiophosphate ester, ester, thioester, sulfate ester, carboxylic acid, phosphonic acid, phosphinic acid, sulfonic acid, amide, primary amine, secondary amine, ammonia, tertiary amine, sp² amine, thiocyanate, cyanamide, oxime, nitrile, diazo, organohalide, nitro, s-heterocyclic ring, thiophene, n-heterocyclic ring, pyrrole, o-heterocyclic ring, furan, epoxide, peroxide, hydroxamic acid, imidazole, and pyridine;
- (g) the co-crystal former has at least one functional group selected from the group consisting of ether, thioether, alcohol, thiol, aldehyde, ketone, thioketone, nitrate ester, phosphate ester, thiophosphate ester,

- ester, thioester, sulfate ester, carboxylic acid, phosphonic acid, phosphinic acid, sulfonic acid, amide, primary amine, secondary amine, ammonia, tertiary amine, sp² amine, thiocyanate, cyanamide, oxime, nitrile diazo, organohalide, nitro, s-heterocyclic ring, thiophene, n-heterocyclic ring, pyrrole, o-heterocyclic ring, furan, epoxide, peroxide, hydroxamic acid, imidazole, and pyridine; or
- (h) the difference in pK_a between the API and the co-crystal former does not exceed 2.

14. A process for preparing a pharmaceutical co-crystal composition comprising an API, a co-crystal former, and a third molecule, comprising:

- (a) providing an API and a co-crystal former, wherein the API is a liquid or a solid at room temperature and the co-crystal former is a solid at room temperature;
- (b) grinding, heating, or contacting in solution the API with the co-crystal former under crystallization conditions, so as to form a solid phase, wherein the API and the third molecule are bonded to each other, and further wherein the co-crystal former and the third molecule are hydrogen bonded to each other;
- (c) isolating co-crystals formed thereby; and
- (d) incorporating the co-crystals into a pharmaceutical composition.

15. The process of claim 14, wherein:

- (a) the co-crystal former is selected from a co-crystal former of Table I or Table II;
- (b) the API is selected from an API of Table IV;
- (c) the API is selected from an API of Table IV and the co-crystal former is selected from a co-crystal former of Table I or Table II;
- (d) the API is a liquid at room temperature;
- (e) the API is a solid at room temperature;
- (f) the API has at least one functional group selected from the group consisting of ether, thioether, alcohol, thiol, aldehyde, ketone, thioketone, nitrate ester, phosphate ester, thiophosphate ester, ester, thioester, sulfate ester, carboxylic acid, phosphonic acid, phosphinic

- acid, sulfonic acid, amide, primary amine, secondary amine, ammonia, tertiary amine, sp² amine, thiocyanate, cyanamide, oxime, nitrile, diazo, organohalide, nitro, s-heterocyclic ring, thiophene, n-heterocyclic ring, pyrrole, o-heterocyclic ring, furan, epoxide, peroxide, hydroxamic acid, imidazole, and pyridine;
- (g) the co-crystal former has at least one functional group selected from the group consisting of ether, thioether, alcohol, thiol, aldehyde, ketone, thioketone, nitrate ester, phosphate ester, thiophosphate ester, ester, thioester, sulfate ester, carboxylic acid, phosphonic acid, phosphinic acid, sulfonic acid, amide, primary amine, secondary amine, ammonia, tertiary amine, sp² amine, thiocyanate, cyanamide, oxime, nitrile diazo, organohalide, nitro, s-heterocyclic ring, thiophene, n-heterocyclic ring, pyrrole, o-heterocyclic ring, furan, epoxide, peroxide, hydroxamic acid, imidazole, and pyridine; or
- (h) the difference in pK_a between the API and the co-crystal former does not exceed 2.

16. A process for preparing a pharmaceutical co-crystal composition comprising a first and a second API, comprising:

- (a) providing a first and a second API, wherein each API is either a liquid or a solid at room temperature;
- (b) grinding, heating, or contacting in solution the APIs under crystallization conditions, so as to form a solid phase, wherein the APIs are hydrogen bonded to a molecule;
- (c) isolating co-crystals formed thereby; and
- (d) incorporating the co-crystals into a pharmaceutical composition.

17. The process of claim 16, wherein:

- (a) the first API is hydrogen bonded to the second API;
- (b) an API is selected from an API of Table IV;
- (c) each API is selected from an API of Table IV;
- (d) an API is a liquid at room temperature and the other API is a solid at room temperature;
- (e) each API is a solid at room temperature;

- (f) an API has at least one functional group selected from the group consisting of ether, thioether, alcohol, thiol, aldehyde, ketone, thioketone, nitrate ester, phosphate ester, thiophosphate ester, ester, thioester, sulfate ester, carboxylic acid, phosphonic acid, phosphinic acid, sulfonic acid, amide, primary amine, secondary amine, ammonia, tertiary amine, sp² amine, thiocyanate, cyanamide, oxime, nitrile, diazo, organohalide, nitro, s-heterocyclic ring, thiophene, n-heterocyclic ring, pyrrole, o-heterocyclic ring, furan, epoxide, peroxide, hydroxamic acid, imidazole, and pyridine;
- (g) each API has at least one functional group selected from the group consisting of ether, thioether, alcohol, thiol, aldehyde, ketone, thioketone, nitrate ester, phosphate ester, thiophosphate ester, ester, thioester, sulfate ester, carboxylic acid, phosphonic acid, phosphinic acid, sulfonic acid, amide, primary amine, secondary amine, ammonia, tertiary amine, sp² amine, thiocyanate, cyanamide, oxime, nitrile, diazo, organohalide, nitro, s-heterocyclic ring, thiophene, n-heterocyclic ring, pyrrole, o-heterocyclic ring, furan, epoxide, peroxide, hydroxamic acid, imidazole, and pyridine; or
- (h) the difference in pK_a between the first API and the second API does not exceed 2.

18. A process for preparing a pharmaceutical co-crystal composition comprising a first and a second co-crystal former, comprising:

- (a) providing a first and a second co-crystal former, wherein each co-crystal former is a solid at room temperature;
- (b) grinding, heating, or contacting in solution the co-crystal formers under crystallization conditions, so as to form a solid phase, wherein both co-crystal formers are hydrogen bonded to a molecule;
- (c) isolating co-crystals formed thereby; and
- (d) incorporating the co-crystals into a pharmaceutical composition.

19. The process of claim 18, wherein:

- (a) the first co-crystal former is hydrogen bonded to the second co-crystal former;

- (b) a co-crystal former is selected from a co-crystal former of Table I or Table II;
- (c) each co-crystal former is selected from a co-crystal former of Table I or Table II;
- (d) a co-crystal former has at least one functional group selected from the group consisting of ether, thioether, alcohol, thiol, aldehyde, ketone, thioketone, nitrate ester, phosphate ester, thiophosphate ester, ester, thioester, sulfate ester, carboxylic acid, phosphonic acid, phosphinic acid, sulfonic acid, amide, primary amine, secondary amine, ammonia, tertiary amine, sp² amine, thiocyanate, cyanamide, oxime, nitrile, diazo, organohalide, nitro, s-heterocyclic ring, thiophene, n-heterocyclic ring, pyrrole, o-heterocyclic ring, furan, epoxide, peroxide, hydroxamic acid, imidazole, and pyridine;
- (e) each co-crystal former has at least one functional group selected from the group consisting of ether, thioether, alcohol, thiol, aldehyde, ketone, thioketone, nitrate ester, phosphate ester, thiophosphate ester, ester, thioester, sulfate ester, carboxylic acid, phosphonic acid, phosphinic acid, sulfonic acid, amide, primary amine, secondary amine, ammonia, tertiary amine, sp² amine, thiocyanate, cyanamide, oxime, nitrile, diazo, organohalide, nitro, s-heterocyclic ring, thiophene, n-heterocyclic ring, pyrrole, o-heterocyclic ring, furan, epoxide, peroxide, hydroxamic acid, imidazole, and pyridine; or
- (f) the difference in pK_a between the first co-crystal former and the second co-crystal former does not exceed 2.

20. The process of claim 12, wherein the API is selected from celecoxib, carbamazepine, itraconazole, olanzapine, topiramate, modafinil, 5-fluorouracil, hydrochlorothiazide, acetaminophen, aspirin, flurbiprofen, phenytoin, or ibuprofen.

21. The process of claim 12, further comprising: incorporating a pharmaceutically acceptable diluent, excipient, or carrier.

22. A process of preparing a co-crystal comprising an API and a co-crystal former, comprising:

- (a) providing an API and a co-crystal former;
- (b) grinding, heating, or contacting in solution the API with the co-crystal former under crystallization conditions, so as to form a solid phase; and
- (c) isolating co-crystals formed thereby;

wherein the API and the co-crystal former are selected from carbamazepine and saccharin, carbamazepine and nicotinamide, carbamazepine and trimesic acid, celecoxib and nicotinamide, olanzapine and nicotinamide, celecoxib and 18-crown-6, itraconazole and succinic acid, itraconazole and fumaric acid, itraconazole and tartaric acid, itraconazole and malic acid, itraconazoleHCl and tartaric acid, modafinil and malonic acid, modafinil and benzamide, modafinil and mandelic acid, modafinil and glycolic acid, modafinil and fumaric acid, modafinil and maleic acid, topiramate and 18-crown-6, 5-fluorouracil and urea, hydrochlorothiazide and nicotinic acid, hydrochlorothiazide and 18-crown-6, hydrochlorothiazide and piperazine, acetaminophen and 4,4'-bipyridine, phenytoin and pyridone, aspirin and 4,4'-bipyridine, ibuprofen and 4,4'-bipyridine, flurbiprofen and 4,4'-bipyridine, flurbiprofen and trans-1,2-bis(4-pyridyl) ethylene, carbamazepine and p-phthalaldehyde, carbamazepine and 2,6-pyridinecarboxylic acid, carbamazepine and 5-nitroisophthalic acid, carbamazepine and 1,3,5,7-adamantane tetracarboxylic acid, or carbamazepine and benzoquinone.

23. A process for modulating the solubility of an API for use in a pharmaceutical composition, which process comprises:

- (a) contacting in solution the API with a co-crystal forming compound under crystallization conditions, so as to form a co-crystal of the API and the co-crystal forming compound;
- (b) isolating the co-crystal, wherein the co-crystal has a modulated solubility as compared to the API; and
- (c) incorporating the co-crystal having modulated solubility into a pharmaceutical composition.

24. The process of claim 23, wherein the solubility of the co-crystal is increased as compared to the API.

25. A process for modulating the dose response of an API for use in a pharmaceutical composition, which process comprises:
- (a) contacting in solution the API with a co-crystal forming compound under crystallization conditions, so as to form a co-crystal of the API and the co-crystal forming compound;
 - (b) isolating the co-crystal, wherein the co-crystal has a modulated dose response as compared to the API; and
 - (c) incorporating the co-crystal having modulated dose response into a pharmaceutical composition.
26. The process of claim 25, wherein the dose response of the co-crystal is increased as compared to the API.
27. A process for modulating the dissolution of an API for use in a pharmaceutical composition, which process comprises:
- (a) contacting in solution the API with a co-crystal forming compound under crystallization conditions, so as to form a co-crystal of the API and the co-crystal forming compound;
 - (b) isolating the co-crystal, wherein the co-crystal has a modulated dissolution as compared to the API; and
 - (c) incorporating the co-crystal having modulated dissolution into a pharmaceutical composition.
28. The process of claim 27, wherein the dissolution of the co-crystal is increased as compared to the API.
29. A process for modulating the bioavailability of an API for use in a pharmaceutical composition, which process comprises:
- (a) contacting in solution the API with a co-crystal forming compound under crystallization conditions, so as to form a co-crystal of the API and the co-crystal forming compound;
 - (b) isolating the co-crystal, wherein the co-crystal has a modulated bioavailability as compared to the API; and

- (c) incorporating the co-crystal having modulated bioavailability into a pharmaceutical composition.
30. The process of claim 29, wherein the bioavailability of the co-crystal is increased as compared to the API.
31. A process for increasing the stability of an API for use in a pharmaceutical composition, which process comprises:
- (a) contacting in solution the API with a co-crystal forming compound under crystallization conditions, so as to form a co-crystal of the API and the co-crystal forming compound;
 - (b) isolating the co-crystal, wherein the co-crystal has increased stability as compared to the API; and
 - (c) incorporating the co-crystal having increased stability into a pharmaceutical composition.
32. A process for the incorporation of a difficult to salt or unsaltable API for use in a pharmaceutical composition, which process comprises:
- (a) contacting in solution the API with a co-crystal forming compound under crystallization conditions, so as to form a co-crystal of the API and the co-crystal forming compound;
 - (b) isolating the co-crystal;
 - (c) incorporating the co-crystal having a difficult to salt or unsaltable API into a pharmaceutical composition.
33. A process for decreasing the hygroscopicity of an API for use in a pharmaceutical composition, which process comprises:
- (a) contacting in solution the API with a co-crystal forming compound under crystallization conditions, so as to form a co-crystal of the API and the co-crystal forming compound;
 - (b) isolating the co-crystal, wherein the co-crystal has decreased hygroscopicity as compared to the API; and
 - (c) incorporating the co-crystal having decreased hygroscopicity into a pharmaceutical composition.

34. A process for crystallizing an amorphous API for use in a pharmaceutical composition, which process comprises:
- (a) contacting in solution the API with a co-crystal forming compound under crystallization conditions, so as to form a co-crystal of the API and the co-crystal forming compound;
 - (b) isolating the co-crystal;
 - (c) incorporating the co-crystal into a pharmaceutical composition.
35. A process for decreasing the form diversity of an API for use in a pharmaceutical composition, which process includes:
- (a) contacting in solution the API with a co-crystal forming compound under crystallization conditions, so as to form a co-crystal of the API and the co-crystal forming compound;
 - (b) isolating the co-crystal, wherein the co-crystal has decreased form diversity as compared to the API; and
 - (c) incorporating the co-crystal having decreased form diversity into a pharmaceutical composition.
36. A process for modulating the morphology of an API for use in a pharmaceutical composition, which process includes:
- (a) contacting in solution the API with a co-crystal forming compound under crystallization conditions, so as to form a co-crystal of the API and the co-crystal forming compound;
 - (b) isolating the co-crystal, wherein the co-crystal has a different morphology as compared to the API; and
 - (c) incorporating the co-crystal having modulated morphology into a pharmaceutical composition.
37. The co-crystal of claim 1, specifically excluding a co-crystal selected from the group consisting of: nabumetone:2,3-naphthalenediol, fluoxetine HCl:benzoic acid, fluoxetine HCl:succinic acid, acetaminophen:piperazine, acetaminophen:theophylline, theophylline:salicylic acid, theophylline:p-hydroxybenzoic acid, theophylline:sorbic acid, theophylline:1-hydroxy-2-naphthoic acid, theophylline:glycolic acid,

theophylline:2,5-dihydroxybenzoic acid, theophylline:chloroacetic acid,
 bis(diphenylhydantoin):9-ethyladenine acetylacetone solvate, bis(diphenylhydantoin):9-ethyladenine 2,4-pentanedione solvate, 5,5-diphenylbarbituric acid:9-ethyladenine,
 bis(diphenylhydantoin):9-ethyladenine, 4-aminobenzoic acid:4-aminobenzonitrile,
 sulfadimidine:salicylic acid, 8-hydroxyquinolinium 4-nitrobenzoate:4-nitrobenzoic acid,
 sulfaproxyline:caffeine, retro-inverso-isopropyl (2R,3S)-4-cyclohexyl-2-hydroxy-3-(N-((2R)-2-morpholinocarbonylmethyl-3-(1-naphthyl)propionyl)-L-histidylamino)butyrate:cinnamic acid monohydrate, benzoic acid:isonicotinamide, 3-(2-N',N'-(dimethylhydrazino)-4-thiazolylmethylthio)-N''-sulfamoylpropionamide:maleic acid, diglycine hydrochloride ($C_2H_5NO_2:C_2H_6NO_2^+Cl^-$), octadecanoic acid:3-pyridinecarboxamide, cis-N-(3-methyl-1-(2-(1,2,3,4-tetrahydro)naphthyl)-piperidin-4-yl)-N-phenylpropanamide hydrochloride:oxalic acid, trans-N-(3-methyl-1-(2-(1,2,3,4-tetrahydro)naphthyl)-piperidin-4-yl)-N-phenylpropanamide oxalate:oxalic acid dihydrate, bis(1-(3-((4-(2-isopropoxyphenyl)-1-piperazinyl)methyl)benzoyl)piperidine) succinate:succinic acid, bis(p-cyanophenyl)imidazolymethane:succinic acid, cis-1-((4-(1-imidazolymethyl)cyclohexyl)methyl)imidazole:succinic acid, (+)-2-(5,6-dimethoxy-1,2,3,4-tetrahydro-1-naphthyl)imidazoline:(+)-dibenzoyl-D-tartaric acid, raclopride:tartaric acid, 2,6-diamino-9-ethylpurine:5,5-diethylbarbituric acid, 5,5-diethylbarbituric acid:bis(2-aminopyridine), 5,5-diethylbarbituric acid:acetamide, 5,5-diethylbarbituric acid:KI₃, 5,5-diethylbarbituric acid:urea, bis(barbital):hexamethylphosphoramide, 5,5-diethylbarbituric acid:imidazole, barbital:1-methylimidazole, 5,5-diethylbarbituric acid:N-methyl-2-pyridone, 2,4-diamino-5-(3,4,5-trimethoxybenzyl)-pyrimidine:5,5-diethylbarbituric acid, bis(barbital):caffeine, bis(barbital):1-methylimidazole, bis(beta-cyclodextrin):bis(barbital) hydrate, tetrakis(beta-cyclodextrin):tetrakis(barbital), 9-ethyladenine:5,5-diethylbarbituric acid, barbital:N'-(p-cyanophenyl)-N-(p-iodophenyl)melamine, barbital:2-amino-4-(m-bromophenylamino)-6-chloro-1,3,5-triazine, 5,5-diethylbarbituric acid:N,N'-diphenylmelamine, 5,5-diethylbarbituric acid:N,N'-bis(p-chlorophenyl)melamine, N,N'-bis(p-bromophenyl)melamine:5,5-diethylbarbituric acid, 5,5-diethylbarbituric acid:N,N'-bis(p-iodophenyl)melamine, 5,5-diethylbarbituric acid:N,N'-bis(p-tolyl)melamine, 5,5-diethylbarbituric acid:N,N'-bis(m-tolyl)melamine, 5,5-diethylbarbituric acid:N,N'-bis(m-chlorophenyl)melamine, N,N'-Bis(m-methylphenyl)melamine:barbital, N,N'-bis(m-

chlorophenyl)melamine:barbital tetrahydrofuran solvate, 5,5-diethylbarbituric acid:N,N'-bis(t-butyl)melamine, 5,5-diethylbarbituric acid:N,N'-di(t-butyl)melamine, 6,6'-diquinolyl ether:5,5-diethylbarbituric acid, 5-t-butyl-2,4,6-triaminopyrimidine:diethylbarbituric acid, N,N'-bis(4-carboxymethylphenyl)melamine:barbital ethanol solvate, N,N'-bis(4-t-butylphenyl)melamine:barbital, tris(5,17-N,N'-bis(4-amino-6-(butylamino)-1,3,5-triazin-2-yl)diamino-11,23-dinitro-25,26,27,28-tetrapropoxycalix(4)arene):hexakis(diethylbarbituric acid) toluene solvate, N,N'-bis(m-fluorophenyl)melamine:barbital, N,N'-bis(m-bromophenyl)melamine:barbital acetone solvate, N,N'-bis(m-iodophenyl)melamine:barbital acetonitrile solvate, N,N'-bis(m-trifluoromethylphenyl)melamine:barbital acetonitrile solvate, aminopyrine:barbital, N,N'-bis(4-fluorophenyl)melamine:barbital, N,N'-bis(4-trifluoromethylphenyl)melamine:barbital, 2,4-diamino-5-(3,4,5-trimethoxybenzyl)pyrimidine:barbital, hydroxybutyrate:hydroxyvalerate, 2-aminopyrimidine:succinic acid, 1,3-bis(((6-methylpyrid-2-yl)amino)carbonyl)benzene:glutaric acid, 5-t-butyl-2,4,6-triaminopyrimidine:diethylbarbituric acid, bis(dithiobiuret-S,S')nickel(II):diuracil, platinum 3,3'-dihydroxymethyl-2,2'-bipyridine dichloride:AgF₃CSO₃, 4,4'-bipyridyl:isophthalic acid, 4,4'-bipyridyl:1,4-naphthalenedicarboxylic acid, 4,4'-bipyridyl:1,3,5-cyclohexane-tricarboxylic acid, 4,4'-bipyridyl:tricarballic acid, urotropin:azelaic acid, insulin:C8-HI (octanoyl-N^c-LysB29-human insulin), isonicotinamide:cinnamic acid, isonicotinamide:3-hydroxybenzoic acid, isonicotinamide:3-N,N-dimethylaminobenzoic acid, isonicotinamide:3,5-bis(trifluoromethyl)-benzoic acid, isonicotinamide:d,l-mandelic acid, isonicotinamide:chloroacetic acid, isonicotinamide:fumaric acid monoethyl ester, isonicotinamide:12-bromododecanoic acid, isonicotinamide:fumaric acid, isonicotinamide:succinic acid, isonicotinamide:4-ketopimelic acid, isonicotinamide:thiodiglycolic acid, 1,3,5-cyclohexane-tricarboxylic acid:hexamethyltetramine, 1,3,5-cyclohexane-tricarboxylic acid:4,7-phenanthroline, 4,7-phenanthroline:oxalic acid, 4,7-phenanthroline:terephthalic acid, 4,7-phenanthroline:1,3,5-cyclohexane-tricarboxylic acid, 4,7-phenanthroline:1,4-naphthalenedicarboxylic acid, pyrazine:methanoic acid, pyrazine:ethanoic acid, pyrazine:propanoic acid, pyrazine:butanoic acid, pyrazine:pentanoic acid, pyrazine:hexanoic acid, pyrazine:heptanoic acid, pyrazine:octanoic acid, pyrazine:nonanoic acid,

pyrazine:decanoic acid, diammine-(deoxy-quanyl-quanyl-N⁷,N⁷)-platinum:tris(glycine) hydrate, 2-aminopyrimidine:p-phenylenediacetic acid, bis(2-aminopyrimidin-1-ium)fumarate:fumaric acid, 2-aminopyrimidine:indole-3-acetic acid, 2-aminopyrimidine:N-methylpyrrole-2-carboxylic acid, 2-aminopyrimidine:thiophen-2-carboxylic acid, 2-aminopyrimidine:(+)-camphoric acid, 2,4,6-Trinitrobenzoic acid: 2-aminopyrimidine, 2-aminopyrimidine:4-aminobenzoic acid, 2-aminopyrimidine:bis(phenoxyacetic acid), 2-aminopyrimidine:(2,4-dichlorophenoxy)acetic acid, 2-aminopyrimidine:(3,4-dichlorophenoxy)acetic acid, 2-aminopyrimidine:indole-2-carboxylic acid, 2-aminopyrimidine:terephthalic acid, 2-aminopyrimidine:bis(2-nitrobenzoic acid), 2-aminopyrimidine:bis(2-aminobenzoic acid), 2-aminopyrimidine:3-aminobenzoic acid, 2-hexeneoic acid:isonicotinamide, 4-nitrobenzoic acid:isonicotinamide, 3,5-dinitrobenzoic acid:isonicotinamide:4-methylbenzoic acid, 2-amino-5-nitropyrimidine:2-amino-3-nitropyridine, 3,5-dinitrobenzoic acid:4-chlorobenzamide, 3-dimethylaminobenzoic acid:4-chlorobenzamide, fumaric acid:4-chlorobenzamide, oxine:4-nitrobenzoic acid, oxine:3,5-dinitrobenzoic acid, oxine:3,5-dinitrosalicylic acid, 3-[2-(N',N'-dimethylhydrazino)-4-thiazolylmethylthio]-N²-sulfamoylpropionamide: maleic acid, 5-fluorouracil:9-ethylhypoxanthine, 5-fluorouracil:cytosine dihydrate, 5-fluorouracil:theophylline monohydrate, stearic acid:nicotinamide, cis-1-{[4-(1-imidazolylmethyl)cyclohexyl]methyl}imidazole:succinic acid, CGS18320B:succinic acid, sulfaproxyline:caffeine, 4-aminobenzoic acid:4-aminobenzonitrile, 3,5-dinitrobenzoic acid:isonicotinamide:3-methylbenzoic acid, 3,5-dinitrobenzoic acid:isonicotinamide:4-(dimethylamino)benzoic acid, 3,5-dinitrobenzoic acid:isonicotinamide:4-hydroxy-3-methoxycinnamic acid, isonicotinamide:oxalic acid, isonicotinamide:malonic acid, isonicotinamide:succinic acid, isonicotinamide:glutaric acid, isonicotinamide:adipic acid, benzoic acid:isonicotinamide, mazapertine:succinate, betaine:dichloronitrophenol, betainepyridine:dichloronitrophenol, betainepyridine:pentachlorophenol, 4-{2-[1-(2-hydroxyethyl)-4-pyridylidene]-ethylidene}-cyclo-hexa-2,5-dien-1-one:methyl 2,4-dihydroxybenzoate, 4-{2-[1-(2-hydroxyethyl)-4-pyridylidene]-ethylidene}-cyclo-hexa-2,5-dien-1-one:2,4-dihydroxypropiophenone, 4-{2-[1-(2-hydroxyethyl)-4-pyridylidene]-ethylidene}-cyclo-hexa-2,5-dien-1-one:2,4-dihydroxyacetophenone, squaric acid:4,4'-dipyridylacetylene, squaric acid:1,2-bis(4-pyridyl)ethylene, chloranilic acid:1,4-bis[(4-pyridyl)ethynyl]benzene, 4,4'-bipyridine:phthalic acid, 4,4'-dipyridylacetylene:phthalic

acid, bis(pentamethylcyclopentadienyl)iron:bromanilic acid,
bis(pentamethylcyclopentadienyl)iron:chloranilic acid,
bis(pentamethylcyclopentadienyl)iron:cyananilic acid,
pyrazinotetrathiafulvalene:chloranilic acid, phenol:pentafluorophenol, co-crystals of
itraconazole, and co-crystals of topiramate.

Abstract

A pharmaceutical composition comprising a co-crystal of an API and a co-crystal
5 former; wherein the API has at least one functional group selected from ether, thioether,
alcohol, thiol, aldehyde, ketone, thioketone, nitrate ester, phosphate ester, thiophosphate
ester, ester, thioester, sulfate ester, carboxylic acid, phosphonic acid, phosphinic acid,
sulfonic acid, amide, primary amine, secondary amine, ammonia, tertiary amine, sp²
10 amine, thiocyanate, cyanamide, oxime, nitrile diazo, organohalide, nitro, s-heterocyclic
ring, thiophene, n-heterocyclic ring, pyrrole, o-heterocyclic ring, furan, epoxide,
peroxide, hydroxamic acid, imidazole, pyridine and the co-crystal former has at least
one functional group selected from amine, amide, pyridine, imidazole, indole,
pyrrolidine, carbonyl, carboxyl, hydroxyl, phenol, sulfone, sulfonyl, mercapto and
15 methyl thio, such that the API and co-crystal former are capable of co-crystallizing from
a solution phase under crystallization conditions.

**DECLARATION (37 CFR §1.63) FOR UTILITY OR
DESIGN PATENT APPLICATION
USING AN
APPLICATION DATA SHEET (37 C.F.R. § 1.76)**



Declaration
Submitted
with Initial
Filing

OR



Declaration
Submitted after Initial
Filing (surcharge
(37 CFR 1.16 (e)) required)

Attorney Dock Number

TPI-350C1

First Named Inventor

Örn Almarsson

COMPLETE IF KNOWN

Application Number

Filing Date

September 11, 2003

Group Art Unit

Examiner Name

This declaration is directed to an application entitled: **PHARMACEUTICAL CO-CRYSTAL COMPOSITIONS**
As the below named inventor(s), I/we declare that:
This declaration is directed to:

The attached application, or

Application No. _____, filed on _____
as amended on _____ (if applicable);

I/we believe that I/we am/are the original and first inventor(s) of the subject matter which is claimed and for which a patent is sought;

I/ we have reviewed and understand the contents of the above-identified application, including the claims, as amended by any amendment specifically referred to above;

I/we acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me/us to be material to patentability as defined in 37 CFR 1.56, including for continuation-in-part applications, material information which became available between the filing date of the prior application and the national or PCT International filing date of the continuation-in-part application.

All statements made herein of my/own knowledge are true, all statements made herein on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like are punishable by fine or imprisonment, or both, under 18 U.S.C. § 1001, and may jeopardize the validity of the application or any patent issuing thereon.

Full Name(s) of Inventors

Inventor One: Örn Almarsson

Citizen of: IS

Signature:

Inventor Two: Magali Bourghol Hickey

Citizen of: US

Signature:

Inventor Three: Matthew L. Peterson

Citizen of: US

Signature:

Inventor Four: Michael J. Zaworotko

Citizen of: US

Signature:



Additional inventors are being named on the 1 additional form(s) attached hereto.

DECLARATION (37 CFR §1.63) FOR UTILITY OR DESIGN PATENT APPLICATION USING AN APPLICATION DATA SHEET (37 C.F.R. § 1.76)		Attorney Dock t Number	TPI-350C1												
		First Named Inventor	Örn Almarsson												
		<i>COMPLETE IF KNOWN</i>													
<input checked="" type="checkbox"/> Declaration Submitted with Initial Filing OR <input type="checkbox"/> Declaration Submitted after Initial Filing (surcharge (37 CFR 1.16 (e)) required)		Application Number													
		Filing Date	September 11, 2003												
		Group Art Unit													
		Examiner Name													
<p>This declaration is directed to an application entitled: PHARMACEUTICAL CO-CRYSTAL COMPOSITIONS</p> <p>As the below named inventor(s), I/we declare that:</p> <p>This declaration is directed to:</p> <p>The attached application, or Application No. _____, filed on _____ as amended on _____ (if applicable);</p> <p>I/we believe that I/we am/are the original and first inventor(s) of the subject matter which is claimed and for which a patent is sought;</p> <p>I/ we have reviewed and understand the contents of the above-identified application, including the claims, as amended by any amendment specifically referred to above;</p> <p>I/we acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me/us to be material to patentability as defined in 37 CFR 1.56, including for continuation-in-part applications, material information which became available between the filing date of the prior application and the national or PCT International filing date of the continuation-in-part application.</p> <p>All statements made herein of my/own knowledge are true, all statements made herein on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like are punishable by fine or imprisonment, or both, under 18 U.S.C. § 1001, and may jeopardize the validity of the application or any patent issuing thereon.</p> <p>Full Name(s) of Inventors</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">Inventor Five: Brain Moulton</td><td style="width: 50%;">Citizen of: US</td></tr> <tr> <td colspan="2">Signature:</td></tr> <tr> <td>Inventor Six: Nair Rodriguez-Hornedo</td><td>Citizen of: US</td></tr> <tr> <td colspan="2">Signature:</td></tr> <tr> <td>Inventor Seven:</td><td>Citizen of:</td></tr> <tr> <td colspan="2">Signature:</td></tr> </table>				Inventor Five: Brain Moulton	Citizen of: US	Signature:		Inventor Six: Nair Rodriguez-Hornedo	Citizen of: US	Signature:		Inventor Seven:	Citizen of:	Signature:	
Inventor Five: Brain Moulton	Citizen of: US														
Signature:															
Inventor Six: Nair Rodriguez-Hornedo	Citizen of: US														
Signature:															
Inventor Seven:	Citizen of:														
Signature:															

Please type a plus sign (+) inside this box → ☐

PTO/SB/81 (02-01)

Approved for use through 10/31/2002. OMB 0651-0035

U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

POWER OF ATTORNEY OR AUTHORIZATION OF AGENT

Application Number	
Filing Date	September 11, 2003
First Named Inventor	Örn Almarsson
Title	Pharmaceutical Co-Crystal Compositio
Group Art Unit	
Examiner Name	unknown
Attorney Docket Number	TPI-350C1

I hereby appoint:

☒ Practitioners at Customer Number
OR

☐ Practitioner(s) named below:

23557

Place Customer
Number Bar Code
Label here

Name	Registration Number

as my/our attorney(s) or agent(s) to prosecute the application identified above, and to transact all business in the United States Patent and Trademark Office connected therewith.

Please change the correspondence address for the above-identified application to:

☒ The above-mentioned Customer Number.

OR

☐ Practitioners at Customer Number

OR

☐ Firm or
☐ Individual Name

Address

Address

City

State

Zip

Country

Telephone

Fax

Place Customer
Number Bar Code
Label here

I am the:

☒ Applicant/Inventor.

☐ Assignee of record of the entire interest. See 37 CFR 3.71.
Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96).

SIGNATURE of Applicant or Assignee of Record

Name Örn Almarsson


Signature

Date

NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below*.

☐ *Total of _____ forms are submitted.

Burden Hour Statement: This form is estimated to take 3 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Alexandria, VA. 22313.

Please type a plus sign (+) inside this box 

PTO/SB/81 (02-01)

Approved for use through 10/31/2002. OMB 0651-0035

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

POWER OF ATTORNEY OR AUTHORIZATION OF AGENT

Application Number	
Filing Date	September 11, 2003
First Named Inventor	Örn Almarsson
Title	Pharmaceutical Co-Crystal Composition
Group Art Unit	
Examiner Name	unknown
Attorney Docket Number	TPI-350C1

I hereby appoint:

☒ Practitioners at Customer Number
OR

23557

Place Customer
Number Bar Code
Label here

☐ Practitioner(s) named below:

Name	Registration Number

as my/our attorney(s) or agent(s) to prosecute the application identified above, and to transact all business in the United States Patent and Trademark Office connected therewith.

Please change the correspondence address for the above-identified application to:

☒ The above-mentioned Customer Number.

OR

☐ Practitioners at Customer Number

Place Customer
Number Bar Code
Label here

OR

☐ Firm or
☐ Individual Name

Address

Address

City

State

Zip

Country

Telephone

Fax

I am the:

☒ Applicant/Inventor.

☐ Assignee of record of the entire interest. See 37 CFR 3.71.
Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96).

SIGNATURE of Applicant or Assignee of Record

Name Magali Bourghol Hickey

Signature

Date

NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below*.

☐ *Total of _____ forms are submitted.

Burden Hour Statement: This form is estimated to take 3 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Alexandria, VA 22313.

Please type a plus sign (+) inside this box → ☐

PTO/SB/81 (02-01)

Approved for use through 10/31/2002. OMB 0651-0035
U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

POWER OF ATTORNEY OR AUTHORIZATION OF AGENT

Application Number	
Filing Date	September 11, 2003
First Named Inventor	Örn Almarsson
Title	Pharmaceutical Co-Crystal Compositio
Group Art Unit	
Examiner Name	unknown
Attorney Docket Number	TPI-350C1

I hereby appoint:

☒ Practitioners at Customer Number

OR

☐ Practitioner(s) named below:

23557

Place Customer
Number Bar Code
Label here

Name	Registration Number

as my/our attorney(s) or agent(s) to prosecute the application identified above, and to transact all business in the United States Patent and Trademark Office connected therewith.

Please change the correspondence address for the above-identified application to:

☒ The above-mentioned Customer Number.

OR

☐ Practitioners at Customer Number

Place Customer
Number Bar Code
Label here

OR

☐ Firm or
☐ Individual Name

Address

Address

City

State

Zip

Country

Telephone

Fax

I am the:

☒ Applicant/Inventor.

☐ Assignee of record of the entire interest. See 37 CFR 3.71.
Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96).

SIGNATURE of Applicant or Assignee of Record

Name Brian Moulton

Signature

Date

NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below*.

☐ *Total of _____ forms are submitted.

Burden Hour Statement: This form is estimated to take 3 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Alexandria, VA 22313.

Please type a plus sign (+) inside this box → ☐

PTO/SB/81 (02-01)
Approved for use through 10/31/2002. OMB 0651-0035
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

POWER OF ATTORNEY OR AUTHORIZATION OF AGENT

Application Number	
Filing Date	September 11, 2003
First Named Inventor	Örn Almarsson
Title	Pharmaceutical Co-Crystal Compositio
Group Art Unit	
Examiner Name	unknown
Attorney Docket Number	TPI-350C1

I hereby appoint:

☒ Practitioners at Customer Number
OR

☐ Practitioner(s) named below:

23557

Place Customer
Number Bar Code
Label here

Name	Registration Number

as my/our attorney(s) or agent(s) to prosecute the application identified above, and to transact all business in the United States Patent and Trademark Office connected therewith.

Please change the correspondence address for the above-identified application to:

☒ The above-mentioned Customer Number.
OR

☐ Practitioners at Customer Number

Place Customer
Number Bar Code
Label here

OR

Firm or <input type="checkbox"/> Individual Name			
Address			
Address			
City	State	Zip	
Country			
Telephone	Fax		

I am the:

☒ Applicant/Inventor.

☐ Assignee of record of the entire interest. See 37 CFR 3.71.
Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96).

SIGNATURE of Applicant or Assignee of Record

Name	Matthew L. Peterson
Signature	
Date	

NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below.

☐ *Total of _____ forms are submitted.

Burden Hour Statement: This form is estimated to take 3 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Alexandria, VA 22313.

Please type a plus sign (+) inside this box → ☐

PTO/SB/81 (02-01)
Approved for use through 10/31/2002. OMB 0651-0035

U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

POWER OF ATTORNEY OR AUTHORIZATION OF AGENT

Application Number	
Filing Date	September 11, 2003
First Named Inventor	Örn Almarsson
Title	Pharmaceutical Co-Crystal Compositio
Group Art Unit	
Examiner Name	unknown
Attorney Docket Number	TPI-350C1

I hereby appoint:

☒ Practitioners at Customer Number
OR

☐ Practitioner(s) named below:

23557

Place Customer
Number Bar Code
Label here

Name	Registration Number

as my/our attorney(s) or agent(s) to prosecute the application identified above, and to transact all business in the United States Patent and Trademark Office connected therewith.

Please change the correspondence address for the above-identified application to:

☒ The above-mentioned Customer Number.

OR

☐ Practitioners at Customer Number

OR

Firm or
☐ Individual Name

Address

Address

City

State

Zip

Country

Telephone

Fax

Place Customer
Number Bar Code
Label here

I am the:

☒ Applicant/Inventor.

☐ Assignee of record of the entire interest. See 37 CFR 3.71.
Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96).

SIGNATURE of Applicant or Assignee of Record

Name Nair Rodriguez-Hornedo

Signature

Date

NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below.

☐ *Total of _____ forms are submitted.

Burden Hour Statement: This form is estimated to take 3 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Alexandria, VA 22313.

Please type a plus sign (+) inside this box → ☐

PTO/SB/81 (02-01)
Approved for use through 10/31/2002. OMB 0651-0035
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

POWER OF ATTORNEY OR AUTHORIZATION OF AGENT

Application Number	
Filing Date	September 11, 2003
First Named Inventor	Om Almarsson
Title	Pharmaceutical Co-Crystal Composition
Group Art Unit	
Examiner Name	unknown
Attorney Docket Number	TPI-350C1

I hereby appoint:

- ☒ Practitioners at Customer Number
OR
☐ Practitioner(s) named below:

23557

Place Customer
Number Bar Code
Label here

Name	Registration Number

as my/our attorney(s) or agent(s) to prosecute the application identified above, and to transact all business in the United States Patent and Trademark Office connected therewith.

Please change the correspondence address for the above-identified application to:

- ☒ The above-mentioned Customer Number.
OR
☐ Practitioners at Customer Number

Place Customer
Number Bar Code
Label here

OR

Firm or
☐ Individual Name

Address

Address

City

State

Zip

Country

Telephone

Fax

I am the:

- ☒ Applicant/Inventor.

☐ Assignee of record of the entire interest. See 37 CFR 3.71.
Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96).

SIGNATURE of Applicant or Assignee of Record

Name

Michael J. Zaworotko

Signature

Date

NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below.

☐ *Total of _____ forms are submitted.

Burden Hour Statement: This form is estimated to take 3 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Alexandria, VA 22313.

APPLICATION DATA SHEET

Docket No. TPI-350C1

Application Information

Application Type::	Regular
Subject Matter::	Utility
Suggested Classification::	None
Suggested Group Art Unit::	None
CD-ROMor CD-R?::	None
Number of CD disks::	None
Number of copies of CDs::	None
Sequence submission?::	None
Computer Readable Form?::	No
Number of Copies of CRF::	None
Title::	Pharmaceutical Co-Crystal Compositions
Attorney Docket Number::	TPI-350C1
Request for Early Publication::	No
Request for Non-Publication::	No
Suggested Drawing Figure::	None
Total Drawing Sheets::	66
Small Entity?::	Yes
Petition included?::	No
Petition Type::	N/A
Secrecy Order in Parent Appl.?::	No

APPLICATION DATA SHEET

Docket No. TPI-350C1

Applicant Information

Applicant Authority Type::	Inventor
Primary Citizenship Country::	Iceland
Status::	Unknown
Inventor One Given Name::	Örn
Family Name::	Almarsson
City of Residence::	Shrewsbury
State or Province of Residence::	MA
Country of Residence::	US
Street of Mailing Address::	22 Farmington Drive
City of Mailing Address::	Shrewsbury
State or Province of mailing address::	MA
Country of Mailing Address::	US
Postal or Zip Code of Mailing Address::	01545
Applicant Two Authority Type::	Inventor
Primary Citizenship Country::	US
Status::	Unknown
Inventor Two Given Name::	Magali
Family Name::	Bourghol Hickey
City of Residence::	Medford
State or Province of Residence::	MA
Country of Residence::	US
Street of Mailing Address::	342 Malden Street
City of Mailing Address::	Medford
State or Province of mailing address::	MA
Country of Mailing Address::	US
Postal or Zip Code of Mailing Address::	02155

APPLICATION DATA SHEET

Docket No. TPI-350C1

Applicant Information

Applicant Three Authority Type::	Inventor
Primary Citizenship Country::	US
Status::	Unknown
Inventor Three Given Name::	Matthew L.
Family Name::	Peterson
City of Residence::	Framingham
State or Province of Residence::	MA
Country of Residence::	US
Street of Mailing Address::	60 Linda Avenue
City of Mailing Address::	Framingham
State or Province of mailing address::	MA
Country of Mailing Address::	US
Postal or Zip Code of Mailing Address::	01701
Applicant Four Authority Type::	Inventor
Primary Citizenship Country::	US
Status::	Unknown
Inventor Four Given Name::	Michael J.
Family Name::	Zaworotko
City of Residence::	Tampa
State or Province of Residence::	FL
Country of Residence::	US
Street of Mailing Address::	4202 E. Fowler Ave.
City of Mailing Address::	Tampa
State or Province of mailing address::	FL
Country of Mailing Address::	US
Postal or Zip Code of Mailing Address::	33620

APPLICATION DATA SHEET

Docket No. TPI-350C1

Applicant Information

Applicant Five Authority Type:: Inventor
Primary Citizenship Country:: US
Status:: Unknown
Inventor Five Given Name:: Brian
Family Name:: Moulton
City of Residence:: Temple Terrace
State or Province of Residence:: FL
Country of Residence:: US
Street of Mailing Address:: 13455 Century Cove Dr. #325
City of Mailing Address:: Temple Terrace
State or Province of mailing address:: FL
Country of Mailing Address:: US
Postal or Zip Code of Mailing Address:: 33637

Applicant Six Authority Type:: Inventor
Primary Citizenship Country:: US
Status:: Unknown
Inventor Six Given Name:: Nair
Family Name:: Rodriguez-Hornedo
City of Residence:: Ann Arbor
State or Province of Residence:: MI
Country of Residence:: US
Street of Mailing Address:: 1690 Northbrook Dr.
City of Mailing Address:: Ann Arbor
State or Province of mailing address:: MI
Country of Mailing Address:: US
Postal or Zip Code of Mailing Address:: 48103

APPLICATION DATA SHEET

Docket No. TPI-350C1

Representative Information

Representative Customer Number:: 000023557

Representative Designation::	Registration Number::	Representative Name::
Primary	45,332	Frank C. Eisenschenk, Ph.D.

Correspondence Information

Name Line One::	Frank C. Eisenschenk, Ph.D.
Name Line Two::	Saliwanchik, Lloyd & Saliwanchik, A Professional Association
Street of Mailing Address::	2421 N.W. 41 st Street, Suite A-1
City of Mailing Address::	Gainesville
State or Province of Mailing Address::	FL
Postal or Zip Code of Mailing Address::	32606
Telephone Number One::	(352) 375-8100
Telephone Number Two::	
Fax Number::	(352) 372-5800
Electronic Mail Address::	fce@slspatents.com

APPLICATION DATA SHEET

Docket No. TPI-350C1

Domestic Priority Information

Each of the applications listed in this domestic priority section are hereby incorporated by reference into this patent application in their entireties (including all figures, tables, and formulae).

Application::	Continuity Type::	Parent Application::	Parent Filing Date::
This application is a	Continuation-In-Part of	PCT US03/xxxxx	September 4, 2003
which is a	Continuation-In-Part of	10/378,956	March 3, 2003
which claims the benefit of		60/360,768	March 1, 2002
Said		PCT US03/xxxxx	September 4, 2003
Also claims the benefit of		60/451,213	February 28, 2003
And		60/463,962	April 18, 2003
And		60/487,064	July 11, 2003
This application is also a	Continuation-In-Part of	10/637,829	August 8, 2003
which is a	Divisional of	10/295,995	November 18, 2002
which is a	Continuation of	10/232,589	September 3, 2002
which claims benefit of		60/406,974	August 30, 2002
And		60/380,288	May 15, 2002
And		60/356,764	February 15, 2002
This application is also a	Continuation-In-Part of	10/449,307	May 30, 2003
which claims the benefit of		60/463,962	April 18, 2003
And		60/444,315	January 31, 2003
And		60/439,282	January 10, 2003
And		60/384,152	May 31, 2002
This application is also a	Continuation-In-Part of	10/601,092	June 20, 2003
This application also		60/451,213	February 28, 2003
claims the benefit of			
And		60/463,962	April 18, 2003
And		60/487,064	July 11, 2003

Foreign Priority Information

Country::	Application Number::	Filing Date::	Priority Claimed::
-----------	----------------------	---------------	--------------------




FIG. 1

DSC




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 9

DSC




FIG. 7




FIG. 8

DSC




FIG. 9




FIG. 10

DSC




FIG. 11




FIG. 12

DSC




FIG. 13




FIG. 14

DSC




FIG. 15




FIG. 16

DSC




FIG. 17




FIG. 18

DSC




FIG. 19




FIG. 20

DSC




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26





FIG. 27



Dissolution profiles into 0.1 N HCl at 25 °C

- Sporanox Beads (amorphous freebase) (Rectangle)
- l-Malate (Inverted triangle)
- l-Tartrate (Oval)
- Succinate (Triangle)
- Crystalline Freebase (Diamond)

FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32A




FIG. 32B




FIG. 32C



FIG. 32D

DSC




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39

DSC




FIG. 40




FIG. 41




FIG. 42A

FIND PEAKS:

Spectrum: MD-157-72C_Mod.afinit-Malonic_

Region: 3432 200

Absolute threshold: 588.428

Sensitivity: 88

Peak list:

Position:	1004	Intensity:	48530.113
Position:	222	Intensity:	41831.178
Position:	833	Intensity:	30431.455
Position:	285	Intensity:	27832.348
Position:	1032	Intensity:	25424.108
Position:	1183	Intensity:	23455.441
Position:	814	Intensity:	21888.128
Position:	1801	Intensity:	20374.211
Position:	480	Intensity:	18917.488
Position:	718	Intensity:	18779.322
Position:	787	Intensity:	18681.541
Position:	381	Intensity:	15080.872
Position:	817	Intensity:	12851.283
Position:	1104	Intensity:	11708.740
Position:	889	Intensity:	11172.833
Position:	412	Intensity:	11137.415
Position:	1225	Intensity:	8027.109
Position:	1251	Intensity:	8844.833
Position:	1388	Intensity:	8252.702
Position:	1442	Intensity:	8738.884
Position:	1731	Intensity:	5730.558
Position:	1288	Intensity:	5700.058
Position:	3085	Intensity:	1835.514
Position:	2848	Intensity:	1812.835

FIG. 42B




FIG. 43




Figure 44A




Figure 44B




Figure 45A




Figure 45B




Figure 46A




Figure 46C




Figure 46B




Figure 46D

Figure 47A




Figure 47C





Figure 47B




Figure 47D

Figure 48A





Figure 48C






Figure 48B




Figure 48D




Figure 49A




Figure 49B




Figure 50A




Figure 50B




Figure 51




Figure 52




Figure 53A




Figure 53B




Figure 53C




Figure 54A




Figure 54B




Figure 55A




Figure 55B




Figure 56A




Figure 56B




Figure 57A




Figure 57B




Figure 58A




Figure 58B




FIG. 59

DSC




FIG. 60

TGA




FIG. 61






FIG. 62


1. One-dimentional (linear) hydrogen-bonded chains:



2. Isolated rings:



3. Extended Networks:



4. Isolated triads:




FIG. 63

Please type a plus sign (+) inside this box → ☐

PTO/SB/05 (03-01)

Approved for use through 10/31/2002. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No. TPI-350C1

First Inventor Örn Almarsson

Title Pharmaceutical Co-Crystal Compositions

Express Mail Label No. EU082848285US

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

ADDRESS TO: Mail Stop Patent Application
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313

1. ☒ Fee Transmittal Form (e.g. PTO/SB/17)
(Submit an original and a duplicate for fee processing)
2. ☒ Applicant claims small entity status.
See 37 CFR 1.27
3. ☒ Specification [Total Pages 437]
(preferred arrangement set forth below)
 - Descriptive title of the invention
 - Cross Reference to Related Applications
 - Statement Regarding Fed Sponsored R & D
 - Reference to sequence listing, a table, or a computer program listing appendix
 - Background of the Invention
 - Brief Summary of the Invention
 - Brief Description of the Drawings (if filed)
 - Detailed Description
 - Claim(s)
 - Abstract of the Disclosure
4. ☒ Drawing(s) (35 U.S.C. 113) [Total Sheets 66]
5. Oath or Declaration [Total Pages 2]
 - a. ☒ Newly executed (original or copy) (unsigned)
 - b. ☐ Copy from a prior application (37 CFR 1.63(d))
(for continuation/divisional with Box 18 completed)
 - i. ☐ **DELETION OF INVENTOR(S)**
Signed statement attached deleting inventor(s)
named in the prior application, 37 CFR 1.63(d)(2) and 1.33(b).
6. ☒ Application Data Sheet. See 37 CFR 1.76

7. ☐ CD-ROM or CD-R in duplicate, large table or Computer Program (Appendix)
8. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)
 - a. ☐ Computer Readable Form (CRF)
 - b. Specification Sequence Listing on:
 - i. ☐ CD-ROM or CD-R (2 copies); or
 - ii. ☐ paper
 - c. ☐ Statements verifying identity of above copies

ACCOMPANYING APPLICATION PARTS

9. ☐ Assignment Papers (cover sheet & document(s))
10. ☐ 37 CFR 3.73(b) Statement ☒ Power of Attorney
(when there is an assignee)
11. ☐ English Translation Document (if applicable)
12. ☐ Information Disclosure ☐ Copies of IDS
Statement (IDS)/PTO-1449 Citations
13. ☐ Preliminary Amendment
14. ☒ Return Receipt Postcard (MPEP 503)
(Should be specifically itemized)
15. ☐ Certified Copy of Priority Document(s)
(if foreign priority is claimed)
16. ☐ Nonpublication Request under 35 U.S.C. 122
(b)(2)(B)(i). Applicant must attach form PTO/SB/35 or its equivalent.
17. ☒ Other: Cert. Of Express Mailing

18. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment, or in an Application Data Sheet under 37 CFR 1.76:

☐ Continuation ☐ Divisional ☐ Continuation-in-Part (CIP)

of prior application No. _____

Prior application information:

Examiner: _____

Group Art Unit: _____

For CONTINUATION OR DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 5b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

19. CORRESPONDENCE ADDRESS

☒ Customer Number or Bar Code Label

23557

or ☐ Correspondence address below

Name				
Address				
City	State	Zip Code		
Country	Telephone	Fax		

Name (Print/Type)	Frank C. Eisenschenk, Ph.D.	Registration No. (Attorney/Agent)	45,332
Signature		Date	September 11, 2003

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Mail Stop Patent Application, P.O. Box 1450, Alexandria, VA 22313.

DOCKET NO. TPI-350C1

FEE TRANSMITTAL FORM

Mail Stop PATENT APPLICATION

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313

Sir:

Transmitted herewith for filing is the patent application of:

Inventors Örn Almarsson, Magali Bourghol Hickey, Matthew L. Peterson, Michael J. Zaworotko, Brian Moulton, Nair Rodriguez-Hornedo

Entitled: Pharmaceutical Co-Crystal Compositions

- ☒ A Utility Patent Application Transmittal Form accompanies this Fee Transmittal Form.
☒ The Filing Fee is calculated below:

CLAIMS AS FILED				
	Number filed	Number Extra	Rate	Fee
Basic Fee			\$375.00	\$ 375.00
Total Claims	37 - 20 =	17	x \$9	\$ 153.00
Independent Claims	20 - 3 =	17	x \$84	\$ 1,680.00
Presentation of Multiple Dependent Claim(s) (\$140)				\$ 0.00
Total Filing Fee				\$2,208.00

- ☒ Please charge \$2,208.00 to Deposit Account No. 19-0065. Two copies of this sheet are enclosed.
☒ The Commissioner is hereby authorized to charge any additional filing fees which may be required, or credit any overpayment, to Deposit Account No. 19-0065. A duplicate copy of this sheet is enclosed.
☒ This application is being mailed by Express Mail under 37 CFR 1.10 and the required certificate appears below.

September 11, 2003
Date

Frank C. Eisenschenk
Frank C. Eisenschenk, Ph.D.

CERTIFICATE OF MAILING BY EXPRESS MAIL (37 CFR 1.10)

EU 082848285 US

Express Mail No.: EU082848285 Date of Deposit: September 11, 2003

I hereby certify that this paper is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to Mail Stop Patent Application, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313.

Betty Audette
Name of person mailing paper

Betty Audette
Signature